COUNTS OF RED TIDE ORGANISMS, Gymnodinium breve, AND ASSOCIATED OCEANOGRAPHIC DATA FROM FLORIDA WEST COAST, 1957-59

369



UNITED STATES DEPARTMENT OF THE INTERIOR

United States Department of the Interior, Fred A. Seaton, Secretary Fish and Wildlife Service, Arnie J. Suomela, Commissioner Bureau of Commercial Fisheries, Donald L. McKernan, Director

COUNTS OF RED TIDE ORGANISMS, Gymnodinium breve, AND ASSOCIATED OCEANOGRAPHIC DATA FROM FLORIDA WEST COAST, 1957-59

by

Alexander Dragovich, John H. Finucane and Billie Z. May

United States Fish and Wildlife Service Special Scientific Report--Fisheries No. 369

Washington, D. C.

January 1961

CONTENTS

Introduction	1
Methods	2
Sampling techniques	2
Enumeration of Gymnodinium breve	2
Chemical analysis	3
Acknowledgment	3
Literature cited	3
Explanation of column headings	4
Station data	7
Part I - Anclote Key to Florida Bay	7
Part II - Tampa Bay and adjacent waters	103

FIGURES

1.	Index map of southern Florida with areas A-D outlined	9
2.	Tampa Bay area showing station locations for Part I	10
3.	Charlotte Harbor area showing station locations	10
	Thousand Island area showing station locations	11
5.	Florida Bay area showing station locations	11
6.	Index map of southern Florida with outline of area sampled in	
	Part II	105
7.	Tampa Bay area showing station locations for Part II	105
	- · · · ·	

COUNTS OF RED TIDE ORGANISMS, Gymnodinium breve, AND ASSOCIATED OCEANOGRAPHIC DATA FROM FLORIDA WEST COAST, 1957-59

by

Alexander Dragovich and John H. Finucane Fishery Research Biologists

and

Billie Z. May, Analytical Chemist Bureau of Commercial Fisheries U. S. Fish and Wildlife Service Galveston, Texas

ABSTRACT

This report consists of oceanographic data and counts of the red tide organisms, $Gymnodinium\ breve$, for the period from July 1957 to January 1960. Methods of collecting and analyzing samples are described. Data on water temperature, water transparency, cloud amount, salinity, copper, inorganic phosphate, total phosphorus, and nitrate-nitrite nitrogen are presented. These data were collected as part of a study on the distribution and incidence of *G.* breve and related ecological conditions and extend the records reported in a previous paper from 1954 to 1960.

INTRODUCTION

This presents counts of the red tide organism Gymnodinium breve Davis with associated oceanographic data. It is the fourth report on field studies of the Florida red tide by the U. S. Bureau of Commercial Fisheries. The first two reports were by Graham, Amison, and Marvin (1954) and Marvin (1955a). The third report by Finucane and Dragovich (1959) described the background and objectives of the present red tide investigations and recorded counts of G. breve and associated oceanographic data from 1954 to 1957. The purpose of these four publications, covering collections from 1949 to 1952 and from 1954 through 1959, is to make the basic data available.

Most of the earlier publications dealing with the red tide phenomenon

in Florida waters are listed by Hutton (1956). Ingle et al. (1959), Bein (1957), and University of Miami¹ represent more recent reports.

This report consists of two parts. Part I includes data from 81 stations (figs. 1-5, pages 9-11) within the 10fathom curve extending from Anclote Key to Florida Bay. The data in Part II were obtained from 38 stations (figs 6 and 7, page 105) located in Tampa Bay, adjacent rivers and neritic waters extending to the 20-fathom line.

The collection of data presented in Part II was initiated after a careful review of past red tide investigations

¹Red tide studies, final report. Marine Laboratory, University of Miami, Coral Gables, Florida, 1957, 14 pp. (Report to the Florida State Board of Conservation, 57-18, unpublished.)

at a symposium of specialists in marine biology held at the Galveston Biological Laboratory on March 5-7, 1958. It was agreed that an intensive field study in a smaller geographic area might lead to a better understanding of red tide outbreaks.

Most of the station locations are in areas in which high concentrations of G. breve have been observed. During the period of this report two outbreaks of red tide occurred. The first, commencing in 1957 and lasting from the end of September through December, occurred chiefly in coastal waters and bays from Anclote Key south to the Shark River in the Florida Everglades. River mouths were affected to a lesser degree. The second outbreak occurred during September through December of 1959 in the coastal area between St. Petersburg Beach and Cape Romano. Both outbreaks caused heavy fishmortalities.

During the 1957 outbreak of red tide, experimental application of copper sulphate as a possible control measure was used in the coastal areas from Anclote Key to Cape Romano by the U. S. Bureau of Commercial Fisheries in cooperation with the Florida State Board of Conservation. Copper sulphate was distributed from planes, boats, and bridges in these areas. The results of the large-scale test in the St. Petersburg area were reported by Rounsefell and Evans (1958). As a result the copper concentrations recorded during this experimental application may not necessarily represent the natural levels of this element.

METHODS

Sampling techniques

The collections of water samples for determination of salinity, copper, total and inorganic phosphate-phosphorus, nitrate-nitrite nitrogen, and abundance of G. breve were made as described by Finucane and Dragovich (1959), except as indicated below.

For the data presented in Part I, the surface water samples were collected with a polyethylene bucket and subsurface samples with a weighted polyethylene container. In Part II, all water samples, except at river stations, for salinity, nitrate-nitrite nitrogen, and total and inorganic phosphate phosphorus were collected with reversing Nansen water bottles. To eliminate metallic contamination, the water samples for G. breve counts and copper analyses continued to be collected in polyethylene containers, which were replaced during this investigation by modified Van Dorn sampling bottles (Van Dorn, 1957). Weighted polyethylene containers were used to secure all samples from the river stations. Water samples were collected from four evenly spaced depths, including surface and bottom. At river stations they were collected from surface and bottom only.

At all stations represented in Part I and at the river stations in Part II, water temperatures were measured with a mercury thermometer to the nearest 10th of a degree centigrade. In Tampa Bay and neritic stations in Part II, the water temperatures were recorded with a thermistor (Whitney underwater thermometer, model T65) to the nearest 10th of a degree centigrade.

Enumeration of Gymnodinium breve

Water samples for *G. breve* counts were usually examined within 24 hours after collection. All of the samples were concentrated (the organisms given time to move to the surface of the sample) under 40-watt fluorescent lights. Satisfactory concentration of the organism was obtained with lights 14 inches above the flasks. The period of concentration at room temperature was usually 16-18 hours and never less than 4 hours.

Sample aliquots were examined for living organisms with a stereoscopic, inclined binocular microscope equipped with 18X wide-field eyepieces. For general detection and for counting of both concentrated and mixed samples, magnifications of 54X and 144X were used. The technique was as follows:

1. After the samples had been concentrated, three to six 1-milliliter aliquots were pipetted from the area just beneath the surface of the water sample and each was deposited in the depression of a 3-depression microplate. Only one aliquot was taken during the blooms of G. breve when high concentrations of the organism visibly discolored the water sample. If no G. breve were found in these aliquots, the water sample was assumed to contain no G. breve, and the count was recorded as none (0). The symbol "P" is used to indicate the presence of the organism in the concentrated sample.

2. If G. breve were observed in the initial concentrated aliquots, the flask was inverted several times to redistribute the organisms throughout the sample of water in preparation for the mixed count. The counting technique assumes that after several inversions of the flask G. breve are randomly distributed. Then, depending on the numbers of G. breve per milliliter in the examination of the concentrated samples; i.e., 1-99, 100-1000, or more than 1000, aliquots of 1.0, 0.1, or 0.01 milliliter were pipetted from within the flask to a depression in a 3-depression micro-plate. The number of aliquots used in determining the mixed count was standardized at 5 or 10. Five aliquots were used during bloom periods of G. breve; 10 during non-bloom periods. The number of G. breve observed per milliliter or fraction thereof was then recorded for each aliquot. The arithmetic mean number of G. breve for all aliquots was shown as number per milliliter. When no organisms were present in the mixed sample, 0 was recorded. All counts were of living organisms.

Chemical analysis

Salinities were determined by the Mohr-Knudsen method (Knudsen, 1901). Nitrate-nitrite nitrogen determinations were made by the method of Zwicker and Robinson (1944) as modified by Marvin (1955b). The method of Robinson and Thompson (1948) was used to determine amounts of inorganic phosphates, and the method of Harvey (1948) was used in total phosphorus determinations. Copper determinations were by the analytical method of Hoste, Eeckhout, and Gillis (1953).

ACKNOWLEDGMENT

We are pleased to acknowledge the guidance and numerous suggestions of William B. Wilson, Chief of Red Tide Investigations for the Bureau of Commercial Fisheries. Dr. M. W. Jambor assisted in the enumeration of *G. breve*; J. A. Kelly, Jr. aided in the tabulation of data; and Lucius Johnson assisted in most of the chemical analyses.

The Florida State Board of Conservation, especially Ernest Mitts, Director; Robert M. Ingle, and Dr. Robert F. Hutton, cooperated in numerous instances by supplying patrol vessels, crews, and other facilities.

The authors are indebted to all participants of the Red Tide Symposium held on March 5-7, 1958, in Galveston, Texas for their assistance in review of past red tide research.

LITERATURE CITED

- BEIN, SELWYN JACK.
 - 1957. The relationship of total phosphorus concentration in sea water to red tide blooms. Bulletin of Marine Science of the Gulf and Caribbean, vol. 7, no. 4, pp. 316-329.

FINUCANE, JOHN H., and ALEXANDER DRAGOVICH.

1959. Counts of red tide organisms, Gymnodinium breve, and associated oceanographic data from Florida west coast, 1954-57. U. S. Fish and Wildlife Service, Special Scientific Report--Fisheries No. 289, 220 pp. GRAHAM, HERBERT W., JOHN M. AMISON, and KENNETH T. MARVIN.

1954. Phosphorus content of waters along the west coast of Florida.
U. S. Fish and Wildlife Service, Special Scientific Report--Fisheries No. 122, 43 pp.

1948. Estimation of phosphorus and total phosphorus in sea water. Journal of the Marine Biological Association of the United Kingdom, vol. 27, no. 2, pp. 337-359.

HOSTE, J., J. EECKHOUT, and J. GILLIS.

1953. Spectrographic determination of copper with curroine. Analytica Chimica Acta, vol. 9, no. 3, pp. 263-274.

HUTTON, ROBERT F.

1956. An annotated bibliography of red tides occurring in the marine waters of Florida. Quarterly Journal of the Florida Academy of Science, vol. 19, nos. 2-3, pp. 124-146.

INGLE, R. M., R. F. HUTTON, H. E. SHAFER, JR., and R. GOSS.

1959. The airplane as an instrument in marine research. Part 1. Dinoflagellate blooms. Florida State Board of Conservation, Special Scientific Report No. 3, 25 pp.

KNUDSEN, M.

1901. Hydrographical Tables. G. E. C. Gad, Copenhagen, 63 pp.

MARVIN, KENNETH T.

- 1955a. Oceanographic observations in west coast Florida waters, 1949-52. U. S. Fish and Wildlife Service, Special Scientific Report--Fisheries No. 149, 32 pp.
- 1955b. Notes on the precision of a modified routine nitrate-nitrite analysis. Journal of Marine Research, vol. 14, no. 1, pp. 79-87.

ROBINSON, REX J., and THOMAS G. THOMPSON.

1948. The determination of phosphates in sea water. Journal of Marine Research, vol. 7, no. 1, pp. 33-41.

ROUNSEFELL, GEORGE A., and JOHN E. EVANS.

- 1958. Large-scale experimental test of copper sulfate as a control for the Florida red tide.
 U. S. Fish and Wildlife Service, Special Scientific Report--Fisheries No. 270, 57 pp.
- VAN DORN, W. G.
 - 1957. Large-volume water sampler. Transactions of the American Geophysical Union, vol. 37, no. 6, pp. 682-684.

ZWICKER, B. M. G., and R. J. ROBIN-SON.

1944. The photometric determination of nitrate in sea water with a strychnidine reagent. Journal of Marine Research, vol. 5, no. 3, pp. 214-231.

EXPLANATION OF COLUMN HEADINGS

Part I

с.

Time Eastern standard time.

- S or B Surface or bottom (occasionally M for mid-depth and actual depth in feet).
 - Concentrated sample. Shows absence (0) or presence (P) of live cells in one to six 1-milliliter aliquots pipetted from surface of a 2-liter or smaller water sample after exposure from 4 to 24 hours (or more) to artificial light (40-watt fluorescent lamp 14 inches above surface of sample).

M. Mixed sample. Average number of live cells per milliliter was recorded in 5 (or 10) 1-milliliter or fraction of milliliter aliquots. When no organisms were present in the mixed sample aliquots, 0 was used.

HARVEY, H. W.

° C.	Water temperature in cen- tigrade recorded to the nearest 10th of a degree.	Depth	Depth is codec as indicated below: l Surface 2 First intermediate
Sal.	Salinity, parts per thou- sand.		3 Second intermediate 4 Bottom
Cu	Copper, μ g.at./l.	CA	Cloud amount coded as in- dicated below:
PO4	Phosphate		0 No clouds
In.	Inorganic phosphate,µg.at. PO4-P/1.		1 Less than 1/10 or 1/10 2 2/10 and 3/10
Tot.	Total phosphate,µg.at. PO4-P/l.		3 4/10 4 5/10 5 6/10
NO3-NO2	Nitrogen, µg.at. NO3-NO2- N/1.		6 7/10 and 8/10 7 9/10 and 9/10 plus 8 10/10 9 Sky obscured
Part II			, bky obscured
		Τr.	Water transparency in feet

All column headings are the same as in Part I, with the exception of the following:

.

Water transparency in feet at which Secchi disc is visible, recorded to the nearest $\frac{1}{2}$ foot. •

Ċ.

STATION DATA

Part I - Anclote Key to Florida Bay




Figure 1.--Index map of southern Florida with areas A-D outlined.




Figure 2.--Tampa Bay area showing station locations for Part I.




Figure 3.--Charlotte Harbor area showing station locations.




Figure 4.--Thousand Island area showing station locations.




Figure 5.--Florida Bay area showing station locations.

ST	ATION A		Dept	th of 27	feet	27°53.2'	N. 82°	56.5'	W.	
Dete	Time	S	C	breve	°C,	Sal.	Cu.	PO		NO
Date	1 mie	or B	$\frac{G}{C}$	M.	Ċ,	Jai.	Cu.	In.	<u>74</u> Tot.	NO3 - NO2
1957				1718				1110	1000	1102
9/24	1202	s	Р	0.2	30.3	33.42	0.20			
		В	Р	0.0	30.0	33.39	0.13			
9/26	1055	S	Р	1.0	29.5	32.98				
		В	\mathbf{P}	0.3	29.3	32.84				
12/16	1347	S	Ο	-	14.1	33.86	0.02	0.4	0.4	0.2
		В	0	-	14.0	34.05	0.02	0.3	0.5	0.3
1958										
1/15	1219	S	Ο	+•	13.6	32,56	0.01	0.1	0.3	0.5
		В	0	-	12.6	33.13	0.00	0.9	1.1	1.9
1/28	1150	S	Ο	**	13.2	32.65	0.03	0.6	1.0	1.3
		В	0		13.2	33.17	0.01	0.9	1.7	1.5
2/10	1221	S	0	10	11.9	29.92	0.06	1.0	2.0	0.6
		В	0	-	12.1	33.17	0.02	0.9	1.2	0.4
2/25	1303	S	0	**	12.1	31.89	0.01	0.3	0.4	0.1
		В	0	-	11.4	32.54	0.01	0.4	0.5	0.0
3/11	1139	S	Ο	-	16.5	32.72	0.03	0.9	0.9	0.1
		В	0		16.3	33.51	0.02	0.3	0.4	0.2
3/26	1206	S	Ρ	0.8	16.9	33.58	0.02	0.3	0.6	0.2
		В	Р	0.0	16.4	32.01	0.02	0.4	0.6	0.3
4/7	1221	S	Ρ	0.4	19.0	33.35	0.03	0.4	0.7	0.9
		В	Р	0.0	18.8	33.35	0.04	0.6	1.0	0.7
4/21	1249	S	Р	0.1	20.6	23.37	0.02	0.2	0.6	0.4
		В	0		20.5	32.18	0.02	0.2	0.6	0.4
5/8	1439	S	Р	0.1	24.7	33.10	0.02	0.3	0.8	0.5
		В	Р	0.0	24.0	33.08	0.03	-	1.2	0.3
5/20	1151	S	0	-	25.5	33.98	0.01	1.0	1.1	0.2
		В	0	-	24.5	34.34	0.03	1.0	1.1	0.3
6/2	1220	\mathbf{S}	Р	0.0	29.0	34.43	0.02	0.4	0.6	0.6
		В	Р	0.0	27.6	34.43	0.00	0.6	0.8	0.6
6/18	1108	S	0	-	29.5	34.42	0.04	1.4	1.6	0.1
		В	0	-	29.0	34.45	0.06		1.7	0.1
6/30	1214	S	0	-	32.1	34.09	0.02	2.9	5.3	0.2
		В	0	***	30.0	33.89	0.02	1.4	1.9	0.3
7/30	1230	S	Р	0.0	31.6	33.93	0.02	1.2	1.9	0.4
		Μ	0	-	31.7	33.71	0.02	1.3	1.7	0.3
- 1:		В	0	-	31.5	33.93	0.05	1.3	1.8	0.4
8/6	1230	S	Р	0.0	29.8	34.22	0.02	0.7	1.3	0.4
		Μ	0		30.0	34.25	0.02	0.8	1.3	0.3
		В	Р	0.0	29.8	34.23	0.02	0.7	1.3	0.5

ST	ATION A		Cont'	d)						
		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	ΡO	4	NO3-
		В	\overline{C} .	Μ.				In.	Tot.	NO ₂
8/20	1130	S	0		30.8	33,62	0.08	1.3	1.7	0.3
		Μ	0	act.	30.0	33.73	0.06	1.3	1.8	0.4
		В	0	-	29.7	33.75	0.05	1.2	1.6	0.6
9/2	1207	S	\mathbf{P}	0.0	31.5	34.16	0.02	0.4	1.0	0.2
		М	Р	0.1	30.8	34.18	0.05	0.5	1.1	0.2
		В	Ρ	0.0	30.8	34.02	0.02	0.5	1.2	0.1
9/15	1231	S	P	0.4	29.8	33.84	0.05	2.3	2.8	0.3
		Μ	F	0.0	29.8	33.77	0.05	2.3	2.8	0.3
		В	P	0.0	29.8	33.80	0.04	2.3	2.8	0.3
10/20	1233	S	\mathbf{P}	0.0	24.6	33.58	0.06	278	0.5	0.0
		М	Р	0.0	24.5	33.60	0.03	0.6	0.6	0.3
		В	Р	0.0	24.5	33.58	0.03		0.4	0.2
10/28	1031	S	0	-	22.9	33.73	0.01	0.2	0.4	0.1
		М	0	**	23.0	33.73	0.01	0.3	0.3	0.2
		В	0	-	23.0	33.73	0.02	0.3	0.5	0.4
11/18	1039	S	0		22.8	33.15	0.02	0.3	E-48	0.3
		Μ	0	-	22.7	33.12	0.02	0.2	0.6	0.1
		В	0	1 -2-	22.5	33.28	0.02	0.6	0.6	0.3
11/24	1049	S	0		23.0	33.95	0.03	0.3	0.4	0.3
		М	0		22.6	33.03	0.04	0.3	0.5	0.2
		В	0	B-19	23.0	33.10	0.05	0.4	1.5	0.3
1959										
1/12	1409	S	0	-	13.7	30.97	0.03	0.3	0.3	0.4
		М	0	C#	13.8	31.38	0.03	0.3	0.4	0.4
		В	0	NC	13.9	32.18	0.02	0.3	0.4	0.4
3/26	0956	S	0		19.2	31.87	0.02	0.7	2.6	0.3
		М	0	-	19.2	31.87	0.01	2.0	2.5	0.1
		В	0	~	19.2	31.91	0.02	0.8	4 . 1	0.4
4/16	1115	S	0	**	20.8	31.82	0.02	1.0	1.5	0.2
		М	0	••	20.7	31.76	0.02	0.7	1.2	0.2
		В	0		20.9	32.18	0.02	1.2	1.6	0.2
5/8	1100	S	Р	0.0	24.9	33.60	0.02	0.4	0.7	2, 2
		M	Ρ	0.0	24.5	33.62	0.03	0.5	0.8	1.7
		Б	0	-	24.5	33.80	0.03	0.5	0.9	2.4
6/16	1220	S	Р	0.0	28.8	34.36	0.02	1.3	1.7	0.9
		М	\mathbf{P}	0.0	28.9	34.40	0.02	1.3	2.0	0.9
		В	Р	0.0	29.2	34.63	0.02	1.3	2.1	0.7
7/16	1132	S	0	pra		33.95	0.02	1.1	1.8	0.2
		Μ	0	I	30.1	33.87	0.02	1.3	1.8	0.1
		В	0	-	30.0	33.86	0.02	1.2	1.8	0.1

STATION A 1 (Cont'd)

$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	ST	ATION A		ont'd)						
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $			S			0.0		6			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Date	Time				°С,	Sal.	Cu.		the second s	-
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1007			M.		21 72	0.04	_		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8/12	1227									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$											
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	0/2	1125									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	972	1135									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$											
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	10/22	1150									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10/23	1150									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$											
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	11/0	1105									
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	11/3	1127									
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$											
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			В	Р	0.0	24.5	33.03	0.02	1.2	2.1	0.5
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	ST	ATION A	la	Dept	h of 14	feet 2	8°09.9'1	N. 82	°50.6'	w.	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1957										
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10/8	1223	S	0	**	25.6	31.78	0.10			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				0	em		32.37	0.02			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	10/14	1147	S	Р	8.0	25.1	32.90	0.21			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					4.0	24.9	32.64	0.44			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	10/15	1222	S	Р	200	24.3	31.10				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			В	Р	100	24.6	32.54				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/18	1020	S	Р	1.6	25.0	28.37	0.04			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/22	1149	S	P	480	23.2	31.53				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			В	Р	140	23.5	32.00				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/24	1135	S	Р	6.0	23.5	30.96				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	10/28	1430	S	0		16.8	25.47				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11/4	1305	S	P	0.4	22.1	32.04	0.19			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			В	\mathbf{P}	0.0	21.5	33.15	0.11			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11/14	1020	S	0	-	20.0	29.23				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11/18			Ο		23.1	31.27	0.13			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					-						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				0			26.17				
12/16 1246 S P 0.0 13.5 33.78 0.01 0.3 0.5 0.1 B O - 13.3 33.80 0.03 0.2 0.5 0.2 12/19 1302 S O - 15.0 27.94 1958 - - 10.7 23.68 0.05 2/12 1050 S O - 8.0 19.72					*3			0.00			
B O - 13.3 33.80 0.03 0.2 0.5 0.2 12/19 1302 S O - 15.0 27.94 1958 2/12 1050 S O - 10.7 23.68 0.05 2/18 1340 S O - 8.0 19.72					0.0		33.78	0.01	0.3	0,5	0.1
12/19 1302 S O - 15.0 27.94 1958 2/12 1050 S O - 10.7 23.68 0.05 2/18 1340 S O - 8.0 19.72								0.03	0.2	0.5	0.2
2/12 1050 S O - 10.7 23.68 0.05 2/18 1340 S O - 8.0 19.72		1302									
2/18 1340 S O - 8.0 19.72											
	2/12	1050	S	Ο	-	10.7		0.05			
3/4 1323 S O - 19.5 23.98 0.05	2/18	1340	S	Ο	-						
	3/4	1323	S	Ο	-	19.5	23.98	0.05			

SI	TATION A	Ala	(Cont	'd)			_			
		S			_					· · · · · · · · · · · ·
Date	Time	or		breve	°C.	Sal.	Cu.	PC		NO3-
		<u> </u>	с.	M.	1	25 02		In.	Tot.	NO2
3/18	0940	S	0	-	17.5	25,93	0 0 0			
4/1	1428	S	0	-	19.5	25.01	0.02			
4/21	0912	S	0	-	21.5	24.78				
5/1	1150	S	Р	0.0	27.0	30.19	0 0 0			
5/20	1316	S	0	t)	25.9	33.03	0.03			
5/29	1504	S	0	**	29.3	25.91	~ ~ -			
6/11	1300	S	0	**	30.7	27.03	0.05			
ST	ATION A	<u>1b</u>	Dep	th of 14 f	eet 2	8°08.3'1	N. 82°	52' W	•	
1958										
1/15	1122	S	0	-	13.5	31.26	0.07	0.2	0.5	0.0
		В	0	-	12.2	32.34	0.07	2.4	4. l	0.8
1/28	1055	S	0	-	13.0	26.76	0.02	0.6	0.6	0.4
		В	0	-	13.1	31.69	0.01	2.6	8.3	0.4
2/10	1126	S	0	-	11.0	23.64	0.04	0.5	1.6	0.3
		В	0	-	11.3	31.85	0.01	1.0	1.0	0.3
2/25	1203	S	Ο	~	12.6	31.29	0.02	0.5	0.5	0.1
		В	0	-	12.1	31.58	0.00	2.0	3.1	0.3
3/11	1039	S	0	ы	18.0	31.69	0.03	0.3	0.6	0.3
		В	0		17.8	31.80	0.03	0.8	1.7	0.4
3/26	1110	S	P	0.1	17.4	28.37	0.01	0.3	0.6	0.6
		В	0	-	16.8	29.94	0.02	1.0	1.7	0.4
4/7	1123	S	Ρ	0.0	20.1	32.38	0.02	0.2	0.7	0.3
		В	Р	0.0	20.0	32.41	0.03	0.9	2.1	0.8
4/21	1140	S	Р	0.0	21.3	30.68	0.02	0.2		0.5
		В	0		21.3	30.73	0.02	-	0.8	0.5
5/8	1347	S	0	-	24.2	28.35	0.02	0.3	0.6	0.5
		В	0	0.0	23.7	30.88	0.02	0.5	1.1	0.4
5/20	1051	S	0		25.0	28.95	0.03	0.2	0.4	0.8
		В	0	**	24.4	33.48	0.03	0.2	0.4	0.7
6/2	1120	S	P	0.1	27.8	33.15	0.02	0.3	0.6	0.6
		В	Ρ	0.0	27.4	33.28	0.02	0.3	0.6	0.8
6/18	1007	S	0	-	30.0	34.22	0.01	0.5	0.8	0.3
		В	Р	0.0	29.2	33.82	0.04	0.8	1.5	
6/30	1114	S	P	0.0	30.4	34.18	0.02	0.3	0.8	
		В	0	-	30.0	34.25	0.02	0.4	0.9	0.3
7/30	1113	S	0	-	31.5	33.24	0.02	0.2	0.7	0.2
		В	0	-	31.7	33.30	0.02	0.3	0.7	0.4
8/6	1131	S	0		28.7	32.95	0.02	0.3	0.7	0.6
		В	0		28.7	33.10	0.03	0.4	0.9	0.6

<u>S</u> T	ATION A		Cont	'd)						
		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	PO	4	NO3⇔
		В	Ċ.	М.				In.	Tot.	NO ₂
8/20	1033	S	0	61 9	29.9	32,00	0.08	0.3	0.7	0.3
		Б	Ο		29.5	32.10	0.07	0.3	0.8	0.5
9/2	1102	S	0	-	30.8	32.88	0.03	0.3	0 .6	0.2
		В	0	8	30.8	33.01	0.02	0.4	0.8	0.1
9/15	1105	S	0	80	29.3	33.84	0.05	0.4	0.8	1.4
		В	P	0.0	29.5	33.86	0.03	0.3	0.9	0.3
9/28	0926	S	0		21.5	30.26	0.01	0.3	0.6	0.0
		В	0		22.0	32.23	0.02	0.5	0.9	0.2
10/20	1128	S	Ο	-	22.7	28.75	0.03	•	0.3	0.3
		В	0	-	23.1	31.46	0.03	0.8	0.8	0.2
11/18	0940	S	0		22.8	31.31	0.03	0.1	0.5	0.3
		В	0	-	22.6	31.87	0.02	0.2	0.5	0.3
11/24	0951	S	0	-	22.2	30.50	0.03	0.4	0.5	0.3
		В	0		22.1	32.00	0.04	0.3	0.5	0.4
								-	-	-
ST.	ATION A	.lc	Dei	oth of 13	feet 2	8°05' N.	82°50	vw.		
1957			·	·						
10/8	1209	S	Р	780	25.8	31.94	0.06			
		В	F	13	25.3	31.80	0.26			
10/14	1134	S	Р	480	25.1	31.42	0.10			
		В	\mathbf{P}	106	24.9	32.49	0.13			
10/15	1209	S	Р	1020	24.5	32.88				
		В	Р	720	24.3	32.73				
10/18	1030	S	Р	140	24.9	32.45	0.09			
10/21	1211	S	P	18	23.0	31.48				
10/22	1139	\mathbf{S}	Р	8.0	23.3	32.27				
		В	P	72	23.6	32.56				
10/24	1140	S	Р	120	23.4	32.75				
10/28	1422	\mathbf{S}	0		18.0	25.52				
11/4	1250	S	Р	2.2	21.8	33.64	0.11			
		Б	Ρ	0.2	21.2	33.82	0.20			
11/14	1026	\mathbf{S}	0	1	20.0	30.70				
11/18	1100	ŝ	õ	-	24.0		0.07			
11/25	1200	s	P	0.0	23.0					
12/2	1118	S	0		15.0					
12/12	1558	s	P	0.0	10.3		0.04			
12/19	1312	s	0	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	15.7	32.66	0.00			
1958		~	5	-		,				
2/12	1040	S	0	_	10.8	25.64	0.01			
		S		-	9.5	28.03	V0 V *			
2/18	1550									
2/18 3/4	1330 1314	S	0 0	-	17.0	31, 22	0.06			

STATION A 1b Cont'd)

ST	ATION A		Cont	'd)						
7		S	C	h	• ~	C - 1	C			
Date	Time	or B	<u>G.</u> C.	breve M.	°C,	Sal.	Cu.	PO In.	4 Tot.	NO3- NO2
3/18	0950	<u> </u>	0		17.2	28.12			1000	<u></u>
4/1	1421	ŝ	0		20.0	30.16	0.00			
4/21	0920	S	0		21.5	29.94				
5/1	1158	S	0	-	26.5	31.89				
5/20	1324	S	0		26.2	33.82	0.00			
5/29	1511	S	0	-	29.1	31.49				
6/11	1252	S	Р	0.0	30.0	33.42	0.03			
ST	ATION A	1 d	Dep	th of 28 :	feet	28°00.6'1	N. 82	°54'W	7.	
1958										
9/15	1137	S	0	-	30.0	34.07	0.04	0.4	1.0	0.4
		Μ	Р	0.0	29.7	33.95	0.04	0.5	1.0	0.3
		В	0	-	29.6	34.14	0.04	0.5	0.9	1.0
10/20	1157	S	0	-	24.0	32.54	0.03	0.5	0.5	0.1
		М	0		24.1	32.77	0.02	0.4	0.4	0.2
		В	0	-	24.2	32.81	0.03	0.5	0.5	0.3
10/28	0957	S	0	-	22.9	33.48	0.01	0.2	0.3	0.1
		Μ	0	-	23.0	33.48	0.02	0.2	0.2	0.2
		В	0	-	23.0	33.49	0.01	0.2	0.3	0.2
11/18	1009	S	Р	0.0	22.6	33.12	0.02	0.2	0.6	0.2
		\mathbf{M}	Ρ	0.0	22.7	33.24	0.03	0.3	0.6	0.6
		В	Ο	-	22.7	33.60	0.02	0.4	0.6	0.4
11/24	1017	S	Р	0.0	22.5	32.32	0.05	0.3	0.5	0.4
		Μ	0	-	22.4	32.83	0.02	0.3	0.4	0.2
		В	0	-	22.6	32.94	0.03	0.4	0.4	0.3
12/17	1105	S	0	-	15.6	32.16	0.04	0.3	0.5	0.2
		\mathbf{M}	0	-	15.2	32.10	0.12	0.3	0.6	0.2
1959		В	0		15.2	32.10	0.04	0.2	0.5	0.2
1/12	1317	S	0	-	13.0	30.34	0.06	0.3	0.3	0.3
•		M	Õ	**	13.5	32.09	0.04	0.3	0.3	0.4
		В	Õ	-	13.6	32.18	0.03	0.3	0.3	0.2
3/26	0918	S	Ō		19.1	31.74	0.01	0.3	0.8	0.0
	- ,	M	0	_	19.0	32.20	0.02	0.3	0.9	0.1
		В	0		18.3	32.86	0.02	0.4	1.5	0.3
4/16	1043	S	P	0.0	20.9	30.57	0.03	0.6	1.0	0.2
-	-	M	P	0.0	21.0	31,44	0.02	0.9	1.3	0.2
		В	Ρ	0.0	21.2	32,05	0.02	0.9	1.2	0.3
5/8	0952	S	0		24.9	32.39	0.05	0.4	0.7	2.4
		Μ	0	-	24.4	33.51	0.03	0.3	1.0	2.5
		В	0	H	24.2	33.51	0.02	0.6	1.1	2.4
					-		-	5 -		

ST	ATION A	A 1d (Cont	'd)						
		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	FO	4	NO3-
		В	C.	М.				In.	Tot.	NOZ
6/16	1149	S	Р	0.0	28.8	34,11	0.03	1.0	1.8	0.8
		М	0	(38)	29.0	34.51	0.03	1.0	2.0	0.8
		В	0	1	29.2	34.47	0,02	1.1	1.4	1.2
7/16	1058	S	0		29.8	32.94	0.02	2.4	3.5	0,2
		\mathbf{N} I	0	(ma)	29.8	33.10	0.02	2.8	3.3	0.2
		В	Ο	63	29.6	33.26	0.02	2.3	3,1	0.7
8/12	1154	S	Ο	an)	28.7	31.17	0.05	***	2.4	0.9
		\mathbf{M}	Р	0.0	28.4	31.29	0.04	2.5	3.4	0.8
		в	Ο	6.00	28.3	31.42	0.04	2.4	3.2	1.1
9/2	1102	S	P	0.0	28.6	31.65	0.02	1.0	1.7	1.3
		М	Ο	ect	28.5	31.53	0.02	0.9	1.7	0.8
		В	0	cure.	28.6	31.74	0.02	1.3	2.3	1.0
10/23	1118	S	Р	0.3	27.0	33.04	0.08	3.0	3,2	0.4
		М	Р	0.1	26.9	33.04	0.05	2.8	3.2	0.2
		В	Ο		26.9	33.13	0.04	3.1	3.3	0.3
11/3	1024	S	F	0.0	24.2	31.82	0.03	0.3	0.9	0.5
		M	0		24.2	32.00	0.02	0.5	1.0	0.3
		В	0	-	24.2	32.03	0.03	0.5	1.2	0.3
ST	ATION A	le	Dep	th of 4 f	eet 28	°03.1'N.	82°	49. 4'	W.	
1957										
10/14	1125	S	P	480	25.1	31.00	0.14			
		В	Р	220	25.0	32.66	0.08			
10/15	1200	S	Р	680	25.1	33.06				
		В	P	340	24.9	33.43				•
10/18	1040	S	Р	3.4	24.9	31.87	0.04			
10/22	1128	S	P	34	23.7	33,12				
		В	P	160	24.0	33.08				
10/24	1146	S	P	4.0	23.8	33.12				
10/28	1420	S	0	83	16.5	27.63				
11/4	1237	S	P	0.6	22.0	33,53	0,23			
		В	Ο	013	21.8	34,18	0.11			
11/14	1031	S	Ο		20.0	30.23				
11/18	1106	S	0		22.9	32.61	0.08			
11/25	1156	S	Р	0.4	21.8					
12/2	1115	S	Ο	(c)	13.5	30.10				
12/12	1553	S	Р	11	10.2	25,75	0.01			
12/19	1318	S	0	813	15.5	33, 55				
1958										
2/12	1034	S	0		10.7	25.50	0.03			
2/18	1325	S	0		8,5	24.78				
					-					

STATION A 1d (Cont'd)

S	TATION		(Con	t'd)						
		S	_	-	0					
Date	Time	or		breve	°C.	Sal.	Cu.	PC		NO3-
3/4	1305	B S	<u>с.</u> о	<u>M.</u>	16.8	30.77	0.07	In.	Tot.	NO2
3/18	0955	S	0	-	17.3	30.28	0.07			
4/1	1416	S	0	-	19.7	30.75	0.03			
4/21	0926	S	P	0.0	21.3	31.00	0.05			
5/1	1203	S	0	-	27.2	31.87				
5/20	1406	S	õ		25.5	33.82	0.01			
5/29	1516	S	P	0.0	28.5	33.68				
6/11	1248	S	0		30.5	33.64	0.04			
<u>ST</u> 1957	ATION A	. 1f	Dept	th of 10	feet 28	3°00.8'1	<u>82°</u>	49.5'	<u>W.</u>	
10/8	1153	S	Р	360	25.0	34.65	0.09			
•		В	Ρ	300	25,5	32.37	0.05			
10/14	1117	S	Р	460	25.6	32.48	0.02			
		В	Р	58	25.4	33.04	0.12			
10/15	1151	S	Р	120	25.1	32.88				
		В	Р	128	24.6	32.80				
10/18	1050	S	Р	100	25.8	32.63	0.12			
10/21	1211	S	Р	24	23.0	32.63				
10/22	1120	S	Р	94	23.5	32.91				
		В	P	62	23.8	33.31				
10/24	1150	S	Р	4.0	23.5	33.03				
10/28	1415	S	P	0.0	17.0	27.82				
11/4	1228	S	Ρ	1.4	22.2	32.29	0.24			
/		В	Р	0.2	22.0	33.58	0.05			
11/14	1036	S	0	-	20.0	32.37				
11/25	1150	S	Р	40	22.2	33.05				
12/2	1108	S	Р	0.0	14.7	31.08	0 00			
12/12 12/19	1547	S S	0 0	-	10.0	26.89	0.02			
12719	1322	3	0		15.5	33.33				
2/12	1025	S	0		11.2	29.69	0.03			
2/18	1317	S	õ		10.0	28.98	0.05			
3/4	1301	s	õ		16.8		0.06			
3/18	1000	S	õ		17.5	31.17	0200			
4/1	1410	S	õ		19.5	29.56	0.01			
4/21	0931	S	õ	-	21.3	31.27				
5/1	1107	S	Õ		26.5					
5/20	1412	S	0		26.5		0.00			
5/29	1521	S	0		30.3					
6/11	1242	S	0	ça	30.3	34.13	0.02			

ST	ATION A		Dept	h of 15 :	feet i	27°59'N.	8 2° 5	0.3 W.		
Date	Time	S or	G. 1	oreve	°C,	Sal.	Cu.	PO	1	NO3 -
		В	<u>C.</u>	<u>M.</u>	0,		04.	In.	Tot.	NO ₂
1957							·····			1102
12/16	1208	S	0	-	14.0	34.04	0.02	-	0.8	0.1
		В	0		14.2	34.05	0.02	0.5	0,5	0.0
1958							•	•	•••	
1/15	1047	S	0		13.6	31.26	0.07	0.3	0.8	0.1
		В	0		12.5	32.38	0.07	0.7	1.4	0.0
1/28	1020	S	0		13.0	31.46	0.05	0.5	0.8	0.8
		В	0		13.2	31.76	0.02	0.9	2.3	1.8
2/10	1051	S	0		11.8	30.16	0.07	0.8	1.2	0.2
		В	0	5	12.0	31,83	0.06	1.1	1.6	1.3
2/25	1130	S	0		12.4	31.47	0.00	0.5	0.5	0.0
		В	0		11.8	31.80	0.01	1.1	1.3	0.2
3/11	1007	S	О		18.1	31.76	0.02	0.7	1.1	0.9
		В	0		17.5	32.01	0.03	1.0	1.7	0.1
3/26	1036	S	0		17.1	29.58	0.00	0.4	0.6	0.2
		В	0	ы	16.5	30.17	0.02	2.0	3.3	0.6
4/7	1045	S	0	-	20.0	32.56	0.04	0.8	1.2	0.6
		Б	0	60	19.8	32.50	0.04	1.2	2.1	0.7
4/21	1106	S	P	0.0	21.0	31.20	0.02	0.2	0.8	0.4
		В	0		21.0	31.20	0.02	C.	2.3	0.8
5/8	1313	S	0		23.7	30.93	0.05	0.3	0.8	0.3
		В	0	C #	21.9	31.22	0.02	2.0	4.0	0.8
5/20	1017	S	0	80	25.5	33.31	0.03	0.3	0.6	0.6
		В	0	C#	25.2	33.46	0.03		1.2	0.6
6/2	1044	S	P	0.0	28.1	34.14	0.00	0.4	0.9	0.4
		В	P	0.0	26.9	34.11	0.00	0.8	1.8	0.8
6/18	1031	S	P	0.0	30.0	34.45	0.03	0.5	1.2	1.0
		В	0	ana a	29.3	34.42	0.02	1. 5	3.0	0.6
6/30	1038	S	0	••	30.0	34.16	0.00	0.8	1.6	0.2
		В	0	4 29	29.8	33.86	0.02	1.3	2.5	0.6
7/30	1021	S	Ο	ы	31.6	33.21	0.00		1.8	0.5
		В	0	-	31,5	33.22	0.01	1.2	2.4	0.4
8/6	1053	S	0	E	29.2	33.17	0.00	0.9	2.3	0.7
		Б	Ο		29.2	33.21	0.01	2 . 1	4.7	0.6
8/20	1000	S	0		29.9	32.83	0.03	0.5	1.1	0.3
		В	0	ഷ്	30.0	32.99	0.02	1.1	3.8	0.5
9/2	1027	S	Ο	and the second se	30.5	33.19	0.03	0.8	1.8	0.2
		В	0	eag	30.7	33.51	0.04	1.7	3.1	0.2
9/15	1030	S	Р	0.0	29.5	33.84	0.06	0.5	1.3	3.2
		В	P	0.0	29.6	33.77	0.01	1.0	2.1	0.3

S'	TATION		(Con	t ⁱ d)						
-		S	~	,	° C	C - 1	C	37.0		
Date	Time	or B	$\frac{G}{C}$	breve M.	°C.	Sal.	Cu.	$\frac{PC}{In.}$	Tot.	NO3_ NO2
10/20	1046	S	0		23.4	31,22	0.03	0.7	1.5	0,5
10,20	-010	Б	õ	-	24.2	32,56	0.03	1,3	2.0	0.3
10/28	0851	S	P	0.0	21.2	31.38	0.04	0.5	0.9	0.1
10,20	0001	Б	0		22.0	32.09	0.03	1.2	2.2	0.2
11/18	0904	s	õ	-	22.5	32,95	0.03	0.3	0.9	0.3
,	0 / 0 1	B	õ	-	22.5	33.15	0.03	0.6	1.4	0.3
11/24	0918	S	Õ	= 1	22.5	32.68	0.05	0.7	1.1	0.2
,	0 / 2 0	В	Õ	-	22.7	32.68	0.07	0.6	1.3	0.1
12/17	1045	S	0	_	14.9	30.35	0.04	0.3	0.8	0.2
10/10		Б	=	c e	14,7	30.48	0.02	0.7	1,5	0.2
1959		Ľ							-•-	- • -
1/12	1300	S	0	**	13.2	30.39	0.03		0.5	0.4
-,		В	Ō	*3	13.1	30.97	0.03	0.5	0.5	0.4
3/26	0957	S	Ō	-	18.5	31.08	0.01	0.4	1,1	0.1
-,		В	Ó	-	18.6	32,18	0.01	0.5	1,1	0.1
4/16	1028	S	0	-	21.0	31.46	0.02	0.5	0.9	0.3
		В	Р	0.0	21.2	31.80	0.01	0.8	1.3	0.3
5/8	0936	S	О		25.7	32,54	0.02	2.0	2.3	0.8
·		В	С	-	25.7	32.86	0.03	1.3	2.0	2.2
6/16	1133	S	Ρ	0.0	29.2	33.75	0.02	0.9	2.2	0.8
		В	0	14	29.3	34.07	0.02	1.7	3.2	1.2
7/16	1040	S	0	-	29.8	32.16	0.02	-	3.2	0.2
-		В	0	-	30.0	32.16	0.02	2.8	3.9	0.0
8/12	1136	S	0	-	28.4	30.50	0.07	2.1	3.5	0.4
		В	0	-	27.7	30.50	0.04	3.0	5.3	0.7
9/2	1043	S	0		28.9	31.89	0.02	3.0	10.6	0.5
		В	0	-	28.2	31.78	0.02	2.1	4.6	0.2
10/23	1101	S	Р	0.2	27.1	32.27	0.04	3.2	3.9	0.2
		В	Ρ	0.0	26.8	32.34	0.04	3.2	4.0	0.5
11/3	1009	S	0		24.0	31.36	0.02	0.6	1.7	0.3
		В	0		23.8	31.78	0.02	1.6	3.4	0.3
	ATION A	lh	Dep	th of $3 f \epsilon$	eet 27°	57.9'N.	82°4	9.8' 1	<u>N</u> .	
1957										
9/24	1119	S	Р	0.1	30.5		0.17			
		В	0	-	29.7	33.00	0.13			
10/2	1300	S	Р	16000	27.2	-	0.15			
		В	Þ	370	27.2	-	0.12			
10/8	1140	S	P	302	26.2	32.48	0.12			
		В	Р	1.8	26.0	33.08	0.31			
10/14	1104	S	Р	172	25.6	32.80	0.19			
		В	Р	84	25.0	33.01	0.09			

STATION A 1h (Cont'd)

SI	CATION A		(Cont	'd)						
		S								
Date	Time	or		breve	°C.	Sal.	Cu.	P(⊃ ₄	NO3-
		В	С.	M.				In.	Tot.	NO2
10/15	1140	S	Р	34	25.1	33.07				
		В	Р	102	24.9	33.51				
10/18	1131	S	Р	120	25.8	32.37	0.14			
10/21	1215	S	0		24.5	32.61				
10/22	1100	S	P	280	23.5	33.18				
		В	Р	100	23.9	33.06				
10/24	1155	S	Р	140	23.6	32.91				
10/28	1310	S	Р	2.0	17.5	29.28				
11/4	1212	S	Р	0.6	22.2	33.82	0.44			
		В	Р	0.4	21.7	33.64	0.11			
11/14	1042	S	Ο		20.0	32.73				
11/18	1116	S	F	0.0	22.4	32.86	0.07			
11/25	1145	S	Р	140	22.0	33.45				
12/2	1103	S	Р	60	14.2	31.82				
12/3	1135	S	\mathbf{P}	0.0	17.9	32.16	0.04	-	0.5	
		В	Ρ	0.0	15.4	32.07	0.03			
12/12	1540	S	0	-	10.5	28.64				
12/19	1330	S	0	-	15.7	32.70	0.01			
1958										
2/12	1017	S	0	-	11.0	27.29	0.02			
2/18	1310	S	0	-	9.2	25.19				
3/4	1254	S	0	-	17.0	30.52	0.07			
3/18	1006	S	Ο	-	17.3	31.09				
4/1	1405	S	0	-	19.9	29.36	0.02			
4/21	0937	S	0	-	21.0	31.29				
5/1	1214	S	0	-	26.2	31.89				
5/20	1419	S	0	-	26.0	33.39	0.01			
5/29	1528	S	0	-	29.2	33.68				
6/11	1236	S	0	-	30.3	34.16	0.04			
ST.	ATION A	li	Dept	h of 17 :	feet 2'	7°55' N.	82°51	.4' W	•	
1957							<u></u>			
10/2	1246	S	Ρ	105	27.6	-	0.07			
		В	Ρ	75	27.7	-	0.05			
10/14	1052	S	Р	46	25.6	33.21	0.10			
		В	Р	30	25.0	33.22	0.08			
10/15	1129	S	Р	62	25.3	32.88				
		В	Р	60	25.0	33.94				
10/22	1047	S	Ρ	280	23.6	33.18				
		В	Р	220	23.8	33.18				

STA	ATION A		Cont'd))			. <u> </u>			
Date	· · · · ·	S			° C	Cal	C	DO		NO
Date	Time	or B	$\frac{G_{\bullet}}{C_{\bullet}}$	M.	°C.	Sal.	Cu.	$\frac{PO}{\ln n}$	4 Tot.	NO3- NO2
11/4	1200	 S		40	21.9	33.08	0.07	Lilo	100.	INO <u>Z</u>
**/1	1200	В	P	20	21.4	33,82	0.24			
12/3	1115	s	P	0.0	17.0	31.67	0.05	-	0.5	
, -		Б	0	-	16.8	31.85	0.01		080	
	ATION A	<u>lj</u>	Dept	h of 15	feet 2	7°51.1' r	<u>v.</u> 82°	51.3'	W.	
1957										
9/24	1047	S	Р	0.2	30.4	32.44	0.08			
		В	P	0.1	29.5	32.46	0.11			
9/26	0959	S	Р	194	29.3	33.35				
		В	Р	222	29.5	33.35				
10/2	1225	S	Р	275	27.5	-	0.03			
		В	Ρ	0.0	27.2	-	0.40			
10/8	1103	S	Р	122	26.3	32.73	0.09			
		В	Ē	140	26.0	32.59	0.14			
10/14	1046	S	\mathbf{P}	46	25.6	32.83	0.03			
		В	Р	40	25.1	33.10	0.04			
10/15	1110	S	F	20	25.2	32.88				
		В	P	22	24.9	33.03				
10/22	1039	S	Р	120	23.7	33.12				
		В	Р	100	24.0	33.09				
11/4	1150	S	P	60	21.9	33.28	0.16			
		В	Р	0.8	21.4	33.49	0.16			
12/3	1106	S	P	0.0	17.0	32.07	0.04	es.	0.7	
		В	Р	0.0	16.9	32.12	0.01			
12/16	1136	S	0		13.1	32.97	0.07	0.4	0.6	0.5
		В	0		13.0	32.86	0.04	0.4	0.6	0.4
1958										
1/15	1018	S	0	-	12.9	32.25	0.04	ges)	0.9	0.1
		В	0	-	12.7	32.88	0.05	2.0	4.5	1.8
1/28	0949	S	0	63	13.3	31.33	0.03	1.0	1.3	0.3
		В	0		13.4	31.17	0.01	2.4	4.3	1.1
2/10	1021	S	0	818	11.8	29.45	0.05	0.9	0.9	0.4
		В	0	-	11.9	29.52	0.03	0.9	1.4	1.1
2/25	1059	S	0	ing a	12.9	31.85	0.03	0.5	0.6	0.1
		В	0		12.8	31.94	0.03	1.6	2.2	0.1
3/11	0937	S	0	E)	18.2	31.71	0.02	0.8	1.1	0.0
		В	0	-	18.2	31.67	0.02	1.3	1.9	0.4
3/26	1005	S	0	-	17.0	30.46	0.02	0.4	0.7	0.3
		В	0	-	16.9	30.53	0.00	1.4	2.5	0.4
							-	-	-	- 1

STATION A 1j (Cont'd)

		S							• • • • • •	
Date	Time	or	G.	breve	°C.	Sal.	Cu.	ΡO	4	NO3-
		В	C.	M.				In.	Tot.	NO ₂
4/7	1013	S	P	0.2	19.9	32.45	0.02	1.3	1.9	0.2
- • -		В	0		19.5	32.68	0.03	2.7	4.5	0.9
4/21	1037	S	Р	0.4	21.1	31,53	0.02	0.3	0.8	0.5
-,		В	Р	0.3	21.2	31.56	0.02	0.2	0.8	0.4
5/8	1241	S	0		24.1	32.16	0.03	0.5	1.3	0.4
- • -		В	0	-	22.9	27.20	0.05	1.9	4.1	0.6
5/20	0947	S	Р	0.0	25.0	33.24	0.05	1.6	2.2	0.3
		В	0	-	24,8	33.24	0.04	1.7	2.2	0.7
6/2	1013	S	Р	••	29.0	34.02	0.03	0.3	0.7	0.4
		В	Р	••	28.4	34.02	0.00	0.3	0.9	0.6
6/18	1000	S	0	**	29.7	34.22	0.01	1.5	2.3	0.4
		В	0	••	29.5	34.23	0.01	2.3	3.7	0.9
6/30	1008	S	0	••	29.9	33.55	0.02	0.7	1.4	0.1
		В	0		29.9	33.44	0.02	0.8	1.2	0.5
7/30	0952	S	0	•••	31.5	33.39	0.01	1.0	1.9	0.3
		В	0	***	31.9	33.40	0.01	1.1	2.0	0.5
8/6	1021	S	0	••	29.1	33.44	0.02	1.2	3.2	0.5
		В	0	•	29.2	33.48	0.02	1.6	4.9	0.6
8/20	0931	S	0	-	29.6	32.95	0.00	0.5	1.2	0.5
		в	0	~	29.5	32.95	0.02	1.0	2.9	0.4
9/2	0955	S	0	***	30.0	27.85	0.04	0.5	1.3	0.1
		в	0		30.5	33.30	0.03	0.6	1.6	0.1
9/15	1000	S	Р	0.2	29.7	33.28	0.03	1.8	3.4	0.9
		В	Р	0.0	30.0	33.30	0.00	2.1	3.5	0.9
10/20	1014	S	0	••	23.4	32.29	0.09	1.4	2.1	0.3
		в	0		23.2	32.34	0.01	2.2	3.4	0.6
10/28	0820	S	0		22.2	32.97	0.03	0.4	0.7	0.3
		в	0		22.0	32.99	0.04	0.5	0.9	0.5
11/18	0835	S	Ο	**	22.8	32.62	0.03	0.2	0.8	0.4
		В	0	-	23.0	32.66	0.04	0.5	0.8	0.5
11/24	0844	S	0		23.0	32.79	0.06	0.5	1.2	0.2
		в	0	-	22.7	32.77	0.05	0.5	0.8	0.2
12/11	1012	S	0	-	13.7	29.96		0.6	1.4	
		В	Ο		13.5	29.99	0.03	0.7	1.5	0.2
1959										
1/12	1230	S	Ο		13.1	30.08			0.8	0.7
		В	0	-	13.1	31.11	0.02	0.5	0.8	0.4
3/26	0829	S	Ο		19.5		0.01	0.8	1.6	0.3
		В	Ο	***	19.6	30.75	0.02	0.8	1.7	0.3
4/16	0956	S	0	-	20.2	31.46	0.02	0.4	0.9	0.2
		В	Ο	-	20.1	31.60	0.02	0.5	0.9	0.2

	ATION A	s - 5								
Date	Time	or		breve	°C.	Sal.	Cu.	PO		NO3.
		В	С.	M				In.	Tot	NO2
5/8	0907	S	Ō	-	25.7	32.75	0.03	1.0	2.0	1.6
		В	0	-	26.0	32.72	0.03	0.8	1.6	1.4
6/16	1103	S	Р	0.0	29.3	33.93	0.03	1.5	2.0	0.9
		В	0	-	29.3	33.66	0.02	1.8	3.0	0.8
7/12	1105	S	Р	0.8	27.8	30.25	0.05	1.7	2.3	1.0
		В	Р	0.1	28.2	31.36	0.03	1.9	2.6	0.6
7/16	1010	S	0	-	29.8	32.48	0.02	2.9	3.7	0.1
		В	0	-	30.2	32.94	0.02	2.7	3.7	0.3
9/2	1011	S	Р	0.0	28.7	31.02	0.00	3.7	4.9	0.5
		В	Р	0.0	28.3	30.88	0.02	4.7	7.3	0.2
10/23	1030	S	P	33	26.8	31.55	0.05	3.6	4.3	0.2
		В	0	-	26.8	32.14	0.04	3.7	4.3	0.4
1/3	0939	S	P	0.0	24.2	32.18	0.03	1.6	2.8	0.2
		В	Ρ	0.0	24.2	32.18	0.01	1.8	3.3	0.3
	ATION A	17	Deptl	h of 6 fe	<u>et 27°</u>	47'N.	82°46.	9 W.		
1957		-	-		00 F					
7/2	0855	S	0	P 1	29.5	33.90				
7/9	0850	S	0	65	29.0	34.38				
7/17	0908	S	0	-	31.2	33.30				
7/26	1030	S	0	-	29.4	34.00				
8/1	1114	S	0	-	28.5					
8/12	0845	S	Р	0.0	28.8	32.52				
8/20	0850	S	0	-	29.5	33.58				
8/26	0833	S	0	-	29.0	33.19				
9/3	1247	S	0	-	30.5	30.68				
9/5	1515	S	0	-	29.0	31.71				
		В	Ρ	0.0	29.0	31.79				
9/10	1515	S	0	-	29.7	30.88				·
9/16	1419	S	0	-	28.0	30.31				
9/18	1644	S	Р	0.0	29.5	30.32				
		В	0	-	29.2	30.42				
9/23	1345	S	Р	14	30.2					
9/29	1215	S	Ρ	3100	28.7	32.63				
10/15	1614	S	Р	54	25.3	31.60	0.20			
10/18	1140	S	Р	260	25.9	31.77	0.17			
	1225	S	Р	300	24.1	32.52				
10/21		~	D	80	24.0	32.87				
10/21 10/24	1205	S	Р	00						
	1205 1359	S S	P P	12	19.0	32.37				
10/24										

STATION A 7 (Cont'd)

				·				· · · · · · · · · · · · · · · · · · ·		
		S								
Date	Time	or		breve	°C,	Sal.	Cu.	PO	<u>A</u>	NO3-
		В	С.	M.				In.	Tot.	NO2
11/18	1132	S	Р	120	23,7	33.00	0.06			
11/25	1131	S	Р	340	22.8	32.73				
12/2	1050	S	P	220	16.8	33.24				
12/6	1055	S	Ρ	320	15.2	32.21	0.05			
12/12	1625	S	P	0.0	11.5	31.87				
12/19	1342	S	0		16.0	33.46				
1958										
2/12	1205	S	0	-	12.5	32.21	0.02			
2/18	1259	S	Ο	ed.	10.5	30.12				
3/4	1241	S	0	4 0	16.5	31,27	0.08			
3/18	1040	S	0	-	17.8	30.84				
4/7	1350	S	0	-	18.5	31.00	0.02			
4/21	0950	S	0	-	21.5	31.98				
5/1	1227	S	0	60	26.5	31.98				
5/20	1431	S	0	-	25.7	33.12	0.01			
5/29	1538	S	0	-	29.3	33.33				
6/11	1225	S	0	-	30.0	33.80	0.05			
ST.	ATION A	.7a	Dep	th of 11	feet 2	7°48.2'1	N. 82	°49.2	w	
1957										
9/26	1200	S	Р	230	29.4	33.80				
		В	Ρ	670	29.4	32.20				
10/2	1155	S	Р	910	27.0	-	0.00			
		В	Р	51	27.1	-	0.07			
10/8	1047	S	\mathbf{P}	0.2	26.5	32.50	0.08			
		В	0	-	26.6	33.09	0.17			
10/14	1021	S	Р	160	25.2	32.57	0.09			
		В	P	160	25.0	32.31	0.17	•		
10/15	1057	S	P	54	25.2	32.68	0.12			
		В	F	280	24.9	33.08	0.03			
10/22	1008	S	F	80	23.6	33.01				
		В	P	320	24.0	33,01				
11/4	1121	S	P	20	21.4	33.61	0.07			
		В	0	-	21.2	33.34	0.51			
12/3	1030	S	P	- 14	16.0	32, 52	0.09		1.2	
10,5	2000	В	P	8.0	15.8	32.61	0.01		-•-	
				0.0	1.J. U					

STATION A 7b		Depth of 15 feet		feet 2	27°46.9'	° 47.9'				
Det	m .	S	C	1	°	C - 1	C			
Date	Time	or	_	breve	° C.	Sal.	Cu.	PO		NO ₃ -
1957		В	С.	<u>M.</u>	<u></u>		****	In.	Tot.	NO2
8/14	0839	S			29.7	32.35				
0/14	0639	B	-	-	29.7					
0/15	1120	Б S	•	-	29.3 31.0	34.72			1 (
8/15	1120		0	-		33.97	• • • • •	-	1.6	
		M	0	-	29.5	35.30	0.08		0.6	
0/11	1050	B	0	• 0 1	29.5	35.29	0.14	***	1.5	
9/11	1052	S	Р	0.1	28.8	32.69				
0.120	1015	В	0	-	28.8	33.77				
9/20	1217	S	P	0.0	29.0	31.68				
	1014	В	0	.	29.0	32.75				
9/24	1014	S	Р	0.5	30.5	31.97	0.21			
		В	Р	-	30.0	33.72	0.10			
10/2	1145	S	P	74	27.0	90	0.07			
		В	P	37	26.8	-	0.07			
10/4	1345	S	Р	3.6	-	-	0.19			
		В	Р	0.0						
10/14	1013	S	Р	240	25.3	32.02	0.16			
		В	P	11	25.0	32.54	0.22			
10/15	1050	S	Р	100	25.2	32.61				
		В	Р	60	24.9	32.80				
10/22	1007	S	Р	180	23.5	32.62	0.14			
		В	Р	200	24.0	32.76	0.22			
11/4	1112	S	P	20	21.4	33, 45	0.58			
		В	P	0.2	21.4	34 . 18	0.24			
12/3	1015	S	Р	1240	17.2	33.22	0.13	-	1.8	
		В	Ρ	220	17.6	33.13	0.04			
12/16	1115	S	0		14.1	32.74	0.02	0.3	0.8	0.6
		В	Ο	**	13.5	32,97	0.01	0.6	0.7	1.3
1958										
1/15	0956	S	Ο	-	13.1	32.79	0.04	0.3	0.9	0.4
		В	Ο	-	12.7	32.95	0.03	0.9	2.1	0.4
1/28	0926	S	Ο	-	13.3	31.69	0.06	0.6	1.3	1.2
		В	0		13.5	32.30	0.01	1.7	4.2	0.6
2/10	0959	S	0	-	12.2	30.43	0.07	1.0	1.8	0.6
		В	Ο		12.2	31.73	0.04	2.4	3.7	0.4
2/25	1037	S	0	-	14.6	32.29	0.04	0.5	0.7	0.1
		В	Ο	-	13.0	32.54	0.04	1.4	1.8	0.1
3/11	0916	S	Р	0.0	18.1	31.92	0.00	1.0	1.2	0.3
	-	В	0		17.9		0.02	1.2	1.9	0.3
3/26	0943	S	Õ	-	16.9	30.72	0.02	0.8	1.0	0.5
• -		В	P	0.0	16.7	31.73	0.00	1.5	2.7	0.5

STATION A 7b (Cont'd)

		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	FO	4	NO3-
		В	C.	M.				In.	Tot.	NOZ
4/7	0950	S	Р	0.2	20.4	32.00	0.02	1.9	2.4	0.0
		В	Ο	-	19.0	32.65	0.02	3.2	5.1	0.7
4/21	1015	S	P	0.0	20.2	32.05	0.02	0.2		0.5
		В	Р	0.0	21.0	32.30	0.02	-	1.2	0.6
5/6	0928	S	Р	0.0	25.9	32.74	0.01	0.8	2.7	0.6
		В	Р	0.0	26.0	32.59	0.01	1.7	2.1	0.4
5/8	1220	S	0	-	25.1	32.50	0.00	0.5	0.8	0.2
		В	0	47	23.5	32.63	0.03	1.9	3.9	0.4
5/20	0921	S	Р	0.0	25.0	32.92	0.05	1.8	2.1	0.4
		в	Ο	ga t	24.8	33.15	0.04	0.5		0.4
6/2	0950	S	О	-	28.0	34.27	0.02	0.7	1.3	0.6
		В	0	ters)	27.8	34.27	0.00	1.0	1.5	0.5
6/18	0937	S	P	0.0	29.7	34.04	0.01	1.7	2.6	0.5
		В	С	tal)	29.5	34.02	0.03	1.9	3.2	0.3
6/30	0946	S	Ο	**	30.0	33.78	0.02	0.9	2.1	0.9
		Б	0	e =	30.0	33.82	0.02	1.7	2.6	0.3
7/30	0931	S	0	675	31.9	33.21	0.00	1.7	2.7	0.4
		В	Ο	ca	32.0	33.26	0.01	2.3	2.9	0.4
8/6	0958	S	0	-	29.0	33.17	0.01	0.9	2.5	0.5
		Б	Ο	CH	29.1	33.93	0.01	2.3	5.2	
8/20	0910	S	О		29.1	27.81	0.02	2.4	3.7	0.6
		В	0	;	30.0	33.40	0.02	2.2	4.8	0.4
9/2	0930	S	0	-	30.0	32.63	0.02	1.0	2.3	0.1
		В	0	C1	30.4	33.58	0.03	1.3	2.6	0.2
9/15	0937	S	ŕ	0.0	29.7	32.63	0.02	2.4	3.4	
		Б	P	0.0	29.9	33.10	0.02	3.1	4.7	0.3
10/20	0950	S	1	0.0	23.9	32.84	0.03	1.5	2.4	0.2
		В	С	-	23.7	32.92	0.02	3.7	3.8	0.2
10/28	0758	S	P	0.0	22.2	33.01	0.03	0.9	1.8	0.2
		В	F	0.1	22.5	33.19	0.03	0.9	1.9	0.1
11/18	0814	S	С	-	22.6	33.08	0.03	0.7	1.5	0.3
		В	Ο	-	23.0	33.08	0.03	0.8	1.7	0.2
11/24	0828	S	С	ant.	22.8	32.86		0.7	1.3	0.4
		В	Ο	623	22.8	33.12	0.04	0.7	0.8	0.3
12/17	0948	S	Ο	Ex3	15.7		0.05	0.5	1.0	0.2
		В	0	643	15.5	31.83	0.04	0.6	2.0	0.2
1959										
1/12	1207	S	Ο		12.7	30.72	0.03	0.8	1.3	0.5
-		В	0	(unite	13.1	31.55	0.02	0.6	0.9	0.5
3/26	0806	S	0	-	19.6	30.34	0.01	1.6	2.4	0.2
-,		В	0		19.8	31.02	0.00	1.5	2.8	0.0

•

S NO3-°C. Sal. Cu. PO_4 Date Time or G. breve С. В M. In. Tot. NC₂ 4/16 0935 32.34 S 20.3 0.02 1,5 Ο **e**2) 0.9 0.2 В Ο 20.3 31.51 0.02 0.9 1.6 0.3 ---5/8 0845 S Ο 25.2 33.06 0.04 0.6 1.1 2.2 ----В 25.2 33.33 0.03 Ο 0.5 1.0 1.7 ----6/16 S 1042 Ο 29.3 33.58 0.04 2.3 3.3 0.8 -В Ο 29.5 33.84 0.02 2.4 3.8 0.9 -0947 7/16 S Ο 30.4 32.47 0.02 3.5 4.2 0.1 ---В 30.5 32.65 0.03 3.2 Ο 5.3 0.1 -8/12 1040 S С 27.8 23.46 0.04 4.6 -5. ú 0.9 Б 30.28 0.03 Ο -27.8 3.1 4.8 0.8 9/2 0947 S 28.2 30.08 0.01 Ρ 0.0 3.8 5.0 0.3 В Ο -28.6 31.22 0.02 4.0 6.6 0.5 10/23 1004 S 0.6 28.33 Ρ 27.1 0.05 4.5 0.3 5.5 В \mathbf{P} 0.0 26.9 32.30 0.05 3.6 4.3 0.1 11/30916 S 0.1 \mathbf{P} 24.5 31.91 0.03 2.9 0.3 4.0 В Ρ 0.0 24.6 32.43 0.01 3.1 1.0 4.6 STATION A 7c Depth of 17 feet 27°47'N. 82°47'W. 1958 9/17 0953 0.2 S Р 29.6 32.41 4.6 -В 0.2 29.5 32.74 F 3.6 (123 9/18 S 1108 0.2 F 30.4 32.21 В 0.2 Ρ 30.9 32.45 9/23 1129 S Ρ 0.3 30.5 33.37 В Ρ 0.3 30.5 33.30 9/24 S 1400 0.1 Ρ 30.4 32.77 5.4 В Ρ 0.1 30.6 32.86 6.2 ••• • 9/25 S 1110 0.3 P 30.0 33.75 3.9 --В 0.3 Ρ 30.3 33.69 4.0 -9/29 1055 S Ρ 0.0 29.0 33.51 В Ρ 0.0 28.7 33.55 10/21 1115 S Ρ 0,0 22.8 32.59 32.70 Б 22.9 Ρ 0.0 10/30 1445 S Ο 21.2 32.81 **88**2 Б Ρ 0.0 21.4 32.86 11/19 S 1043 \mathbf{P} 0.0 24.0 32.57 Б Ο 23.7 32.56 **em**3 11/251052 S С 23.2 32.88 **UN**3 В С 23.0 32.90 ----12/18 1420 S Ο 15.3 31.71 **un**3 В 0 15.5 31.73 -

STATION A 7b (Cont'd)

ST.	ATION A	A 7c (Cont	d)						
		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	PC	² 4	NO3-
		В	C.	М.				In.	Tot.	NO ₂
1959										
1/8	1050	S	0	-	15.3	31.49				
		В	0	-	15.8	31.62				
2/12	1500	S	Р	0.0	20.0	32.32				
		В	0	F	20.2	32.21				
3/30	1056	S	P	0.0	20.4	30.91				
		В	С	-	20.4	30.81				
4/23	1116	S	0	-	22.8	30.99				
		В	0		22.9	31.08				
5/18	1350	S	0	-	28.2	32.86				
		В	0		29.0	32.88				
6/22	1417	S	О		30.7	31.49				
		В	О	-	30.4	31.49				
7/13	1205	S	0	8	30.0	30.12				
		В	О		29.8	30.52				
8/14	1210	S	0	-	29.0	26.55				
		В	0	-	28.9	26.55				
9/15	0945	S	P	0.0	29.8	28.95				
		В	О		29.7	29.27				
10/13	1410	S	P	16	29.9	32.07				
		В	\mathbf{P}	4.0	29.8	32.30				
11/16	1400	S	0	-	22.8	32.03				
		В	0	-	22.7	32.21				
12/28	1055	S	0		18.2	32.25				
		В	0	et.	17.8	32.47				
ST	ATION A	A 7d	Det	th of 10	feet	27°47.2' N	L 82°	'46'W	<i>ī</i> .	
1957			<u></u>						_	
11/29	0750	S	P	3100	21.8	33.10				
12/3	1358	S	P	8480	18.6	33,15	0.04			
1958		-	-		•••		-			
1/10	1105	S	0		9.9	30.53	0.06	-	1.5	
1/22	1114	S	C	***	13.6		0.05			
3/4	1500	S	Õ		15.5		0.06	-	2.2	
0,1		B	0	-	15.0		0.08	*2	2.5	
3/13	0933	S	Õ		19.3		0.03	-	2.8	
-,	-,	В	Õ		18.8		0.04	1	2.6	
3/18	1025	S	Õ		18.0	29.79	0.02	-	2.2	
0,10		В	C		17.7	30.16	0.02	2	2.2	
3/25	1350	s	Õ		17.9		0.06		1.8	
-,		В	Õ	-	17.5	29.58	0.05	and the	1.8	
		-	-		-					

STATION A 7d (Cont¹d)

		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	РP	\mathcal{D}_4	NC 3-
		Б	Ċ.	Μ.				In.	Tot.	NC2
4/2	1105	S	0	e3	20.1	28.59	0.04	-	2.0	
		В	0	63	17.6	32.07	0.02	-	1.9	
4/11	0920	S	С	tra	21.0	29.42	0.00	-	2.7	
		В	С	ea	20.5	30.77	0.02	**	2.7	
4/17	1515	S	0	-	20.1	28.84	0.01	-	4.6	
		В	О	-	19.5	29.05	0.01	83	4.7	
4/23	1014	S	С	L.	23.5	29.23	0.02		2.2	
		В	С	e 23	22.5	30.91	0.01	-	5.2	
4/29	1350	S	О	**	27.5	31.18	0.01			
		В	О	-	25.5	31.67	0.01	er)	5.2	
5/8	1000	S	Р	0.0	22.9	32.14	0.04	-	1.9	
		В	0	-	22.7	32.34	0.03		2.7	
5/13	1110	S	С	-	25.5	30.86	0.02	-	2.1	
		В	О	-	24.5	31.44	0.01		2.7	
5/21	1107	S	О	-	27.5	30.28	0.01	-	2.0	
		В	0	C #	26.7	32.43	0.01		4.0	
5/27	0955	S	О	80	27.5	33.04	0.03	-	2.4	
		Б	0	-	27.1	33.28	0.03	-	2.6	
6/3	1039	S	F	0.0	28.4	33.62	0.02	-	1.7	
		В	0		28.0	33.64	0.02	-	2.5	
6/10	1048	S	0	e3	29.3	33.87	0.00	80	2,5	
		В	С	-	29.0	33.86	0.00		2.8	
6/16	1027	S	С	-	30.0	33.37	0.09	•••	5.4	
		В	О		30.0	33.39	0.08	63	5.8	
6/24	1030	S	О	-	29.1	33.48	0.02	-	4.4	
		В	0	-	29.0	33.57	0.03	63	4.2	
7/2	1040	S	0	-	29.5	32.86	0.02	-	2.3	
		В	0	•	29.3	33.19	0.02	6 3	3.0	
8/6	1140	S	0	**	30.1	31.36	0.02	•	3.8	
		Б	0	=	29.6	31.69	0.02	-	5.3	
8/13	1047	S	0	-	29.3	31.76	0.01	-	2.4	
		В	0	**	29.0	32.03	0.06	63	3.8	
8/19	1518	S	0	-	29.0	28.04	0.03	-	3.4	
		В	0	63	28.9	27.38	0.03	-	3.4	
8/26	1000	S	0	-	31.0	32.59	0.04	e 7	2.3	
		В	0	-	29.8	32.66	0.06	-	2.8	
9/3	1036	S	С	•	30.3	32.77	0.00	649	2.8	
		Б	С	-	30.1	32.81	0.00		2.9	
9/9	1045	S	0	e1	31.0	32.90	0.02	-	2.1	
		В	0	•	30.3	33.40	0.02	**	3.3	

•

STATION A 7d (Cont'd)

		S								
Date	Time	or	G.	breve	° C.	Sal.	Cu.	$\mathbf{P}\mathbf{C}$		NO3-
		В	C.	М.				In.	Tot.	NO ₂
9/17	0941	S	Р	0.3	29.6	32.41	0.02	-	5.9	
		В	F	0.3	29.6	32.54	0.04		3.4	
9/23	1108	S	P	0.1	30.5	32.48	0.02		4.0	
		В	Ρ	0.6	30.3	32.70	0.00		4.2	
9/29		S	0	-	28.9	32.94	0.02	-	3.2	
		В	0	_	28,8	32.90	0.02	-	5.9	
10/21	1105	S	\mathbb{P}	0.0	22.9	33.51	0.03	-	2.1	
		В	Ρ	0.0	22.7	32.65	0.03	-	13.1	
10/30	1430	S	\mathbf{P}	0.0	21.9	32.90	0.04	-	2,5	
		В	Ρ	0.0	21.1	32.90	0.03	-	2.3	
11/19	1030	S	Р	0.0	24.5	32.41	0.05	-	1.3	
		В	0	ca*	23.9	32.61	0.03	-	5.7	
11/25	1042	S	О	-	23.8	32.54	0.05	-	3.0	
		в	Ο	-	23.5	32.54	0.05	-	2.8	
12/18	1406	S	0	913	14.9	31.80	0.05	-	1.4	
		В	0	-	14.7	31.83	0.11		15.8	
1959										
1/8	1033	S	0		15.2	30.12	0.03	-	1.5	
		В	Ο	-	15.5	30.68	0.02	-	18.7	
2/12	1445	S	Ο		22.1	31.47	0.03	••	2.6	
		В	0		21.2	31.82	0.02	-	5.6	
3/30	1045	S	Ο		20.9	27.99	0.05	843	3.3	0.1
		В	Ο		20.5	29.67	0.03		6.5	0.4
4/23	1100	S	Ο		23.3	28.95	0.02		3.5	
		В	Ο	⊷	22.8	30.03	0.02	-	4.5	
5/18	1340	S	Ρ	0.1	28.6	32.41	0.03		3.5	
		В	Ο	-	28.0	33.13	0.03	**	8.2	
6/22	1408	S	Ο	84	30.4	31.09	0.04		5.0	
		В	О	-	30.0	31.31	0.04	**	14.2	
7/13	1155	S	О		30.0	30.12	0.03	-	4.1	
		В	Ο		29.6	30.64	0.02		7.9	
8/14	1200	S	Ο		29.5	22.66	0.09	-	6.1	
		В	Ο	-	28.3	28.17	0.03	ana ang ang ang ang ang ang ang ang ang	7.7	
9/15	0936	S	Ο	**	29.9	27.90	0.01	-	6.2	
		Б	Ο	t=3	29.9		0.02		7.7	
10/13	1400	S	Ρ	3.0	30.7		0.03	-	3.9	
		В	\mathbb{P}	1.8	29.3	32.20	0.00	+	7.6	
11/16	1350	S	Ο	-	23.0	31.83	0.02	-	3.0	
		В	О	-	22.9	31.76	0.03		3.4	
12/28	1045	S	С	-	18.8	31.22	0.01		2.1	
		В	Ο		17.8	31.22	0.01	••	2.8	

ST	ATION A		Del	th of 5 f	leet 27	7°44.2'N	<u> </u>	45.3'W.	
_		S							
Date	Time	\mathbf{or}	G.	breve	°C.	Sal.	Cu.	PO4	NO3-
		В	С.	M.				In. Tot.	NC ₂
1957									
7/2	0902	S	0	-	29.7	32.91			
7/9	0857	S	0	e .5	29.2	32.13			
7/17	0914	S	С	-	30.8	32.56			
7/26	1015	S	C	601	28.7	32.65			
8/1	1121	S	Ο	-	28.5	31.18			
8/12	0952	S	0	54	29.3	30.12			
8/20	0900	S	0		30.0	31.96			
8/26	0840	S	Ο	-	28.2	30.59			
9/3	1254	S	С	-	30.5	31.10			
9/5	1606	S	0	613	28.5				
9/10	1505	S	0	-	30.8	28.24			
9/16	1425	S	Ο		28.0	29.45			
9/18	1700	S	0	-	29.4	29.55			
		В	O	-	29.0	29.92			
9/23	1352	S	Р	0.1	31.0	29.50			
10/15	1620	S	Р	0.4	25.8	31.64	0.09		
10/18	1000	S	\mathbf{P}	220	25.4	31.64	0.06		
10/21	1230	S	Р	220	24.0	32.20			
10/24	1212	S	Ρ	80	24.0	32.03			
10/28	1355	S	P	80	19.0	32.63			
11/4	1351	S	P	90	23.0				
11/14	1103	S	P	5.8	20.0	32.67			
11/18	1139	S	Ρ	200	23.7	32.28	0.05		
11/25	1125	S	Ρ	36	22.8	31.92			
12/2	1045	S	Ρ	800	16.0	32.45			
12/6	1100	S	Ρ	580	14.5	31.83	0.04		
12/12	1526	S	P	14	12.0	29.29			
12/19	1347	S	0	piro.	16.0	32.18			
1958									
2/12	1000	S	0	ges.	12.2	30.08	0.01		
2/18	1252	S	0	-	10.0	29.97			
3/4	1234	S	C	-	17.7	26.29	0.07		
3/18	1047	S	0	-	18.0	29.14			
4/1	1344	S	0	-	20.3	27.47	0.04		
4/21	0956	S	0	-1	21.8	30.19			
5/1	1232	S	О	-	27.7	30.55			
5/20	1437	S	О	-	27.8	30.34	0.02		
6/11	1220	S	С	-	29.6	32.63	0.05		

STATION A 10	Depth of 5 feet	27°44.2'N.	82°45.3'W.

ST	ATION A	10a	De	epth of 33	feet	27°43.4'	N. 82	2°53。5	' W.	
		S	~			~ •	~	-		_
Date	Time	or		breve	°C,	Sal.	Cu.		D ₄	NO3⊷
1957		В	C.	M.			·	ln.	Tot.	NO2
	1022	C	О		30.1	34.33			1.4	
8/15	1023	S B	0		29.5	35.74		**	0.6	
9/12	1315	S	P	0.2	29.2	34, 28		-	0.0	
1958	1313	5	Г	0.2	6706	JH: 20				
9/15	1326	S	0		30.1	34.56	0.02	0.6	1.0	0.4
7/15	1520	M	P		30.2	34.56	0.02	0.6	1.0	0.3
		B	г С		29.7		0.02	0.6	1.0	0.3
10/20	1310	S	0		24.3	33.51	0.03	0.8	0.9	0.2
10720	1510	M	0	*	24.7	33.33	0.08	0.7	0.7	0.2
		B	0	-	24.7	33.44	0.03	1.0	1.4	0.2
10/28	1110	S	C		23.3	33.60	0.01	0.3	0.4	0.2
10720	1110	M	0		23.5	33.58	0.01	0.2	0.4	0.2
		B	0	-	23.5	33,60	0.00	0.3	0.5	0.1
11/18	1117	S	P	0.1	23.1	33.64	0.03	1.6	2.1	0.3
11/10	1111	M	P	0.2	23.0	33.68	0.03	1.5	2.2	0.4
		B	F	0.1	23.0	33,80	0.03	1.3	1.6	0.3
11/24	1128	S	P	0.0	23.0	33.77	0.07	0.3	0.5	0.4
11/24	1120	M	P	0.0	23.0	33.84	0.03	0.3	0.5	0.2
		В	P	0.0	23.0	33.91	0.03	0.4	0.6	0.5
1959		D	T	0.0	20.0	55. /1	0.05	0.1	0.0	0.0
1/19	0933	S	С	8 0	12.8	32.20	0.03	0.3	0.8	0.2
1/1/	0,55	M	õ		12.8	32.30	0.03	0.3	0.7	0.0
		В	0		12.8	32.85	0.03	0.4	0.9	0.3
3/26	1041	S	P	0.0	19.7	32.54	0.02	2.2	4.0	0.5
5720	1041	\mathbf{N}_{1}	0	***	19.7	32,65	0.01	0.7	1.2	0.1
		B	0	**	19.2	33.06	0.02	1.4	3.1	0.1
4/16	1155	S	P	0.0	21.2	32, 36	0.01	2.1	2.5	0.2
1/10	1155	M	0	-	21.2	32.39	0.02	2.2	2.7	0.2
		B	P	0.0	21.7	33.35	0.02	1.4	2.0	0.1
5/8	1154	S	0	ш) 110	25.2	33.77	0.03	0.8	1.2	1.7
510	1101	M		-	24.6					
		В	õ	M3		34, 47	0.02		1.3	
6/16	1300	S	P	0.0	28.8		0.02	1.3		1.1
0,10		M	Ō		28.8	34, 36	0.02	1.4		0,5
		B	õ	-	28.7	34.72	0.02	1.9		0.8
7/16	1210	S	0	~	30.8		0.03		1.3	0.1
		M	õ	-	30.2		0.02	0.7	1.2	0.3
		B	0		30.3		0.02	0.6	1,3	0.2
			<u> </u>	-				• -	- C	-

.

ST	ATION A		(Cor	nt'd)						
		S								
Date	Time	or	the second se	breve	°C,	Sal.	Cu.	PC	-	NO3-
-0/12	122/	B	С.	M.	20 1	20.01	0.04	In.	Tot.	NO ₂
8/12	1326	S	0		30.1	28.91	0.04	4.2	5.5	0.9
		M	0	•••	28.5	31.02	0.04	2.7	2.7	0.8
0/2	1210	B	0	~ 1	28.5	32.36	0.02	1.5	1.7	0.9
9/2	1218	S	P	0.1	29.0	32.27	0.02	1,1	1.4	0.2
		M	P	0.0	28.7	32.18	0.02	1.2	1.4	0.5
10/22	1220	B	0		28.7	32.50	0.04	1.5	2.4	0.2
10/23	1229	S	P	1.3 0.1	28.0	34.09	0.05	0.3	0.7	0.2
		M	P		27.3	34.20	0.04	0.3	-	0.3
11/2	1200	B	P	0.0	27.3	34.29	0.03	0.3	0.6	0.1
11/3	1209	S	P	0.1	25.2	33.24	0.04	2.0	2.5	0.9
		M	P	0.0	24.8	33.40	0.02	2.2	2.7	0.4
		В	P	0.0	24.8	33.31	0.03	2.1	2.7	0.6
<u>ST</u> 1957	ATION A	10b	De	epth of 8	feet 2	7°44.3'	N. 82°	° 45. 3'	<u>W</u> .	
8/14	0900	S	-	~	29.5	33.71			0.8	
0,11	0,00	В	~	-	29.3	35.73	0.10	-	0.0	
9/11	1105	S	P	0.0	28.8	33.59	0.08		2.8	
// 11	1100	Б	0	-	28.4	34.26	0.05	-	2.7	
9/20	1250	s	õ	-	29.6	31.57	0.05	-		
,,=•		В	õ	-	29.6	32.66				
9/24	1002	s	Ē	0.6	30.3	32.73				
/ / = -		В	F	-	29.5	33.46				
9/26	0929	S	P	194	29.4	33.61				
<i>,,</i> = 0	- / - /	В	P	343	29.4	33.61				
9/29	1230	S	P	30000	28.7	32.14				
,,=,		В	P	4940	28.5	32.26				
10/2	1132	S	P	150	26.9		0.09			
	-	В	0	-	26.8		0.02			
10/4	1245	ŝ	p	4.3		-	0,15			
		В	0	• •	• •					
10/8	1028	s	P	2.0	27.0	33.72	0.08			
	-	Ē	P	0.0	27.0	33.77	0.16			
10/14	1002	S	P	260	26.0	33.07	0.08			
		Б	P	240	25.2	33.08	0.08			
10/15	1035	S	P	620	25.3	33.36	0.10			
		Б	Р	900	25.7	33.25	0.17			
10/22	0950	S	P	420	23.8	33.01	0.09			
		В	Р	540	24.0	33.10	0.16			
11/4	1058	S	Р	40	22.1	33.49	0.21			
		В	P	10	21.9	33.44	0.19			
		-			- /					

STATION A 10b (Cont'd)

		S								
Date	Time	or		breve	° C.	Sal.	Cu.	F.C	94	NC3-
		В	С.	M				In.	Tot.	NG2
11/27	0902	S	Р	360	20.6	34.20	0.03			
		В	F	140	21.0	34.20	0.04			
12/3	0935	S	Р	720	17.5	32.99	0.05	-	1.7	
		В	P	148	17.7	33,22	0.01			
1958										
9/17	1039	S	Ρ	0.9	29.5	33.21	**	•	4.7	
		В	Р	0.9	29.7	33.24	-	#3	8.6	
9/18	1132	S	Р	0.6	30.5	32.90				
		В	Ρ	0.5	30.4	32.52				
9/23	1150	S	Р	0.3	30.6	33.98				
		В	Ο	er.t	30.5	34.07				
9/24	1330	S	P	0.1	30.5	33.35	a .1	CHE	4.2	
		В	Ρ	0.1	31.0	33.35	63		4.8	
9/25	1040	S	F	0.5	30.2	33.87	-	#14	3.8	
		В	Ê	0.7	30.4	33.87	6 3	-	4.0	
9/29	1033	S	Ο	813	28.8	33,37				
		Б	0		29.5	33.57				
10/21	1140	S	P	0.0	23.4	32.86				
		В	С	#3	23.6	33.10				
10/30	1500	S	O	#3	21.4	32.97				
		В	Р	0.0	21.8	33.08				
11/19	1112	S	О	-	24.0	32.86				
		B	Ο	**	23.6	33.08				
11/25	1110	S	О	aro	23.4	33.12				
		В	О		23.4	33.12				
12/18	1342	S	0	-	15.7	32.05				
		В	Ο	-	15.6	32.05				
1959										
1/8	1120	S	Ο		15.6	31.83				
		В	Ο	-	15.9	31.89				
2/12	1425	S	1_{2}	0.0	20.3	32.45				
		В	0	yan)	19.5	32.29				
3/30	1025	S	0	67	20.5	30.66				
		В	0	-	20.6					
4/23	1025	S	О	-	23.0	31.27				
		В	С	er3	22.8	31.20				
5/18	1406	S	0	200	28.5	33.19				
		В	0	679	28.0	33.48				
6/22	1348	S	O	-	30.5	31.58				
		Е	0	**	30.9	31.74				

S °C. Date Time Sal. PO_4 G. breve Cu. NO3or В С. In. NO2 M_{\bullet} Tot. 7/13 1133 S 30.1 30.48 Ο ---В Ο 30.0 30.64 ••• 8/14 1140S Ο 28.5 26.89 ---В Ο 28.6 27.18 -9/15 S 0915 Ρ 0.3 29.8 29.43 В \mathbf{F} 0.7 29.5 29.36 10/13 S 32.25 1330 \mathbf{P} 5.0 29.8 В 32.45 \mathbf{P} 4.4 29.6 11/16 S 32.68 1417 Ο 23.2 -В 22.9 32.65 Ο ----S 0.0 32.63 12/28 1027 Ρ 18.2 В 18.2 32.72 Ο ---27°44.9' N. 82°45.6' W. STATION A 10c Depth of 8 feet 1957 11/26 S Ρ 40000 21.8 31.80 154011/271410 S P 100000 22.2 33.90 S 21.6 11/29F 13800 33,70 12/3 1430 S Ρ 14600 17.5 32.12 1958 1057 1/22 S Ο 13.6 31.22 0.07 ----1/31 1132 S 16.2 30.95 0.05 Ο ---В 14.0 31.91 0.07 Ο ----2/10 1020 S Ο 11.0 31.02 0.05 -3/4 S Ρ 0.1 30.07 0.06 1435 19.9 2.5 В 0 31.02 0.09 8.8 15.7 -3/13 0920 S F 0.0 19.0 30.91 0.04 2.5 _ В Ο 18.4 31.69 0.02 3.1 --3/18 1010 S 30.16 0.02 Ο 17.9 -1.6 -В 17.6 31.11 0.03 3.9 С --3/25 1340S Ο 18.1 30.34 -В 17.5 30.53 Ο ---4/2 1047 S Ο 20.5 32.10 0.02 1.7 ---В Ο 17.4 32.92 0.00 7.8 -----4/11 S 0903 Ο 20.5 31.94 0.02 2.7 -В 32.10 0.02 Ο 20.0 3.0 ---.... 4/171440 S 20.9 32.01 0.01 1.9 Ο -----В 32.18 0.01 4.4 Ο 19.0 -4/23 1000 S 0.00 Ο 23.0 30.64 1.8 --5.9 В Ο 22.2 31.74 0.00 --

STATION A 10b (Cont'd)

STATION A 10c (Contd)

		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	F	C ₄	NO 3-
		В	С.	\mathbb{N}_{-}^{r}				In.	Tot,	NO2
4/29	1338	S	0	en	28.1	31.38	0.03		2.3	
		В	Ο	-	25.7	31.89	0.01	-	6.1	
5/8	0942	S	P	0.0	22.5	32.30	0.04	-	2.1	
		В	0	***	22.0	32.30	0.04	-	13.9	
5/13	1055	S	F	0.0	26.3	32.00	0.04	***	1.3	
		В	Ο	649	25.0	32.07	0.00	**	5.1	
5/21	1052	S	0	-	27.0	32.21	0.03	***	3.9	
		Б	Ο	678	25.8	32.72	0.02	-	5.2	
5/27	0940	S	Ο	440	27.1	33.57	0.02		2.5	
		Б	0		27.1	33.75	0.04	-	8.7	
6/3	1022	S	₽	0.0	28.2	33.49	0.02	6 1	2.0	
		В	0	-	27.6	33.58	0.01		15.8	
6/10	1030	S	0		29.0	33.64	0.01	-	3.3	
		В	0	943	28.5	33.71	0.02	tast	9.3	
6/16	1002	S	0		29.6	32.77	0.06	-	5.9	
		В	Ο	e==	29.5	32.77	0.08	413	8.9	
6/24	1010	S	О	ignal	29.5	33.57	0.02	-	3.4	
		В	0	ted.	29.0	33.75	0.02	•••	11.0	
7/2	1027	S	Ο	6 13	29.1	34.29	0.03		2.6	
		В	О	-	28.8	33.75	0.02	**	13.4	
8/7	1120	S	С		30.7	32.38	0.04		2.4	
		В	0		30.0	32.81	0.02	-	18.6	
8/13	1020	S	0	ęth	30.1	32.54	0.02	-	4.0	
		В	Ο		28.6	32.59	0.02	-	6.2	
8/19	1459	S	0	C19	29.5	32.30	0.03	-	2.6	
		В	0	CTR	29.0	32.56	0.02	**	15.0	
8/26	0942	S	0	çus	31.0	32.79	0.05	-	2.3	
		В	0	-	30.8	31.98	0.04	-	6.1	
9/3	1018	S	О	4 27	30.1	32.70	0.00	-	2.6	
		В	0	**	30.0	32.70	0.01	-	17.6	
9/9	1030	S	С	-	31.2	33.35	0.02	**	2.8	
		В	0	8 2	30.6	33.48	0.02	-	6.1	
9/17	0923	S	F	0.0	29.5			**	5.9	
		В	Ρ			32.20		-	5.4	
9/23	1050	S	F			33.73			4.0	
		В	P	0.1	30.4	33.95		-	10.6	
9/29	1200	S	Р		29.6			**	3.2	
		В	P		28.2		0.02	-	18.8	
10/21	1043	S	F		23.2		0.03	-	1.4	
		В	Р	0.0	23.2	33.13	0.03	-	17.4	

S °C. PO4 NO3-G. breve Sal. Cu. Date Time or В С. M_{\bullet} In. Tot. NO2 32.97 0.04 10/30 21.3 1.5 1410 S \mathbf{P} 0.0 -Ο 21.4 32.97 0.01 5.5 В -24.0 32.68 0.04 11/19 1011 S Ρ 0.0 1.9 -В P 23.6 32.90 0.03 3.0 0.0 -S 23.8 32.59 0.05 2.6 11/25 1024 Ο --23.0 32.92 0.05 19.7 В Ο -S 32.07 0.10 1.1 12/18 1330 Ο 15.7 ----В О 15.2 32.05 0.12 4.1 --1959 S 15.8 30.41 0.02 1.4 1/8 1130 Ο --15.8 32.43 0.02 4.2 В 0 --31.58 0.02 2/12 1415 S Ο 22.6 4.1 ••• 32.29 В Ο 20.2 0.02 10.4 -----S 20.8 28.44 3/30 1011 0.03 3.9 0.4 Ο --0.3 В Ο 20.5 30.88 0.03 12.9 ••• -1021 S 30.10 4/23 Ο 24.2 0.03 4.4 ----••• В Ο 22.8 30.57 0.02 5.8 ant) -5/18 1322 S Ο 29.6 32.39 0.03 4.l ---... В Ο 28.8 33.06 0.03 12.8 -••• 6/22 S 31.4 31.38 0.08 5.8 1337 Ο --В 30.4 31.76 0.03 13.7 Ο -7/13 1125 S 0 30.2 29.96 0.02 5.3 -----30.30 7.8 Б 30.2 0.02 Ο ••• -8/14 1130 S Ο 29.0 25.05 0.06 -5.4 -6.1 В 28.4 27.25 0.06 Ο -_ 0903 S 1.0 28.62 7.0 9/15 Ρ 29.8 0.03 -В Ρ 0.1 29.6 29.34 0.00 16.7 -10/13 S 1328 20 31.82 0.02 5.9 \mathbf{P} 30.6 ••• В F 1.6 29.2 32.74 0.02 9.5 -11/16 1335 S Р 0.0 23.2 32.21 0.02 2.5 ••• 32.56 В Ο 23.1 0.02 10.0 --12/28 1017 S Ο 18.8 31.04 3.1 ••• -----В Ο 17.9 32.50 19.8 --Depth of 10 feet 27°45.5' N. STATION A 10d 82°45.5'W. 1957 12/2Р 1560 1335 S 16.5 32.39 12/3 1420 S Ρ 700 17.5 32.16 0.04 12/6 S 32.48 0935 Ρ 100 14.5

STATION A 10c (Cont'd)

STATION A 10d (Cont'd

		S	<u> </u>		• -	~ -	_			
Date	Time	or		breve	°C,	Sal.	Cu.	PC		NO ₃ -
1050	<u>.</u>	В	С.	M.				In.	Tot.	NO2
1958 1/10	0055	C	0		10.0	20 11	0.01		1.3	
	0955 1052	S S	0	-	10.0 13.6	30.44 31.09	0.01	-	1.5	
1/22 1/31		S	0	-	14.5	30.66				
	1113	S	0	-		26.83			3.5	
3/4	1425		0	-	19.9 19.5	26.78	-	-	3.5	
3/13	0910	B S	0 0	-	19.5	29.02	-	-	5.5	
5/15	0910			-	19.9	30.43				
2/10	1000	B S	0	-		30.34				
3/18	1000	B	0	-	17.8 17.7	29.88				
2/25	1220	Б S	0 0	-	17.9	23.08	0.04		2, 1	
3/25	1330	B	0	-	17.9	29.97	0.04	-	1.8	
1/2	1040	S	0		20.2	28.17	0.01	-	1.0	
4/2	1040	B	c	-	18.0	32.14				
4/11	0855	Б S	0	-	21.0	29.36				
4/11	0655	B	0	-	20.3	30.66				
4/17	1420	S			19.5	29.13				
4/17	1430		0	-	19.2	30.90				
1/22	0052	B S	0	-	23.0	30.05				
4/23	0953		0	-		31.22				
4/20	1220	В	0	-	22.2					
4/30	1328	S	0	-	27.6	29.67				
F / 0	0025	B	0		26.6	30.12				
5/8	0935	S	0	-	22.3	32.29				
5/12	1050	B	0	-	22.0	32.43				
5/13	1050	S	0	-	25.3	31.11				
5/21	1045	B	0		24.7 27.0	31.33 30.75				
5/21	1045	S	0	***		32, 23				
E / 2 B	0020	B	0	-	25.8					
5/27	0930	S	0	849	27.6	32.61				
(1)	1015	B	0	-	27.0	33.26				
6/3	1015	S	C	14	28.2	33.46				
(110	1015	В	0	825	28.0	33.49				
6/10	1015	S	0	HC)	28.7	33.10				
1 1 1 1	0053	B	0	200 ³	28.6	33.17				
6/16	0953	S	0		29.8	32.74				
(10)	1100	В	P	0.0	29.8	32.77				
6/24	1103	S	Р	0.0	29.3	33.51				
_ /-	10.55	В	0	-	29.2	33.64				
7/2	1020	S	0	-	29.1	33.35				
		В	С	-	29.0	33.42				

STATION A 10d (Cont'd)

			. (001							
Date	Time	S or	G	breve	°C,	Sal.	Cu.	120		NO
Date	THUE	Б	$\frac{\mathrm{d}}{\mathrm{C}}$	M.	0.	Jal.	Cu.	PC In.	7 <u>4</u> Tot.	NO3 NO2
8/7	1110	S	<u> </u>		30.0	31.60		1110	101.	NOZ
0,1		В	õ	_	29.7	31.74				
8/13	1012	ŝ	õ	-	29.8	31.27				
.,		В	0		28.5	32.56				
8/19	1443	S	õ	-	29.3	26.36				
0/2/		В	õ		29.1	29.20				
8/26	0928	S	õ	_	31.6	31.92				
0, 20	0,20	В	õ		31.0	32.65				
9/3	0955	s	õ	••	29.9	31.94				
770	0,00	В	Õ	-	29.9	32.14				
9/9	1020	ŝ	Õ	_	31.2	32.47				
///	1020	В	õ	_	30.8	32.79				
9/17	0914	ŝ	õ	-	29.2	31.08				
//-/	0,-1	В	Õ	-	29.3	31.20				
9/23	1042	ŝ	P	0.2	30.9	31.24				
,,=•		B	P	0.3	30.5	32.94				
9/29	1157	s	P	0.1	28.8	32.99				
,, _,	,	Б	P	0.1	27.8	33.21				
10/21	1040	S	F	0.2	22.5	32.38				
		В	P	0.2	22.5	32.70				
10/30	1405	s	Ō	-	21.2	33.04				
		В	0	-	21.4	32.95				
11/19	1000	S	0	-	24.5	31.94				
		В	0	-	24.0	32.01				
11/25	1017	S	0	-	23.7	33.12				
		В	0	-	23.5	32.59				
12/18	1320	S	0	-	14.7	31.89				
•		В	0	-	14.5	31.89				
1959										
1/8	1020	S	0	-	15.3	29.79				
		В	0	-	15.5	29.96				
2/12	1405	S	0		22.0	31.29				
		В	0	-	21.7	31.49				
3/30	1005	S	0	-	20.5	26.74				
		В	0	-	20.8	28.95				
4/23	1015	S	0	-	24.5	27.34				
		В	0	**	23.2	28.26				
5/18	1317	S	0	-	28.6	30.99				
		В	0	-	28.2	31.64				
6/22	1330	S	0	-	30.3	28.64				
		В	0	-	29.9	31.06				

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	ST	ATION A		(Cor	t'd)						
B C. M. In. Tot. NO2 7/13 1115 S C - 29, 9 28, 26 B O - 29, 6 28, 35 35 8/14 1122 S O - 29, 3 24, 18 9/15 0954 S O - 29, 7 27, 83 10/13 1313 S P 18 30, 6 30, 61 B P 1, 8 29, 4 31, 46 14 11/16 1325 S P 0, 23, 2 32, 03 B O - 22, 8 32, 65 12/28 1010 S 0 - 18, 8 30, 95 STATION A 10e Depth of 11 feet 27*44, 4' N. 82*44, 8' W. 12/3 1957 11/29 1135 S P 43500 21, 8 32, 60 B P 10402 23, 5 33, 10 14 12/2		m •	S	~		0 ~	<i>a</i> 1	~	-	-	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Date	Time				°C.	Sal.	Cu.			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	-7/12	1115				20.0	20.2(·	ln.	Tot.	NO2
	(/15	1115									
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0/14	1122									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8/14	1122			8 13						
	0/15	0.05.4									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	9/15	0954									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	10/12	1010			10						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/13	1313									
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1005									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11/16	1325									
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	10/00	1010									
STATION A 10eDepth of 11 feet $27^{\circ}44.4^{\circ}$ N. $82^{\circ}44.8^{\circ}$ W.195711/291135SP 43500 21.8 32.60 BP104023.5 33.10 12/31433SP 26320 17.5 31.78 1958Image: State of the stat	12/28	1010									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			В	0	***	18.8	30.95				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		ATION A	.10e	D	epth of 1	l feet	27°44.4'	N. 8	32°44.8	<u>3' W.</u>	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$											
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	11/29	1135									
1958 $1/10$ 0925 S O - 10.0 30.44 0.01 - 1.7 $1/22$ 1023 S O - 13.6 30.77 - 1.7 $1/22$ 1023 S O - 13.6 30.62 - 1.7 $1/21$ 1053 S O - 14.6 29.85 - - 2.7 B O - 14.5 29.87 - - 2.7 $3/4$ 1420 S O - 19.5 26.36 - - 2.4 $3/13$ 0900 S O - 19.5 28.42 - - 2.4 $3/18$ 0948 S O - 17.5 28.55 - - 2.4 $3/125$ 1320 S C - 17.6 28.33 - - - - - - - - - - - - - - - -		_									
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1433	S	Ρ	26320	17.5	31.78				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$											
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				Ο	647	10.0	30.44	0.01	-	1.7	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1/22	1023	S	Ο		13.6	30.77				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			В	Ο		13.6	30.62				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1/31	1053	S	Ο	-	14.6	29.85				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			В	Ο	-	14.5	29.87				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3/4	1420	S	Ο	-	20.5	24.65		-	2.7	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			В	Ο	•••	19.5	26.36	-	-	2.4	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3/13	0900	S	0		19.7	28.21				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			В	0		19.5	28.42				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3/18	0948	S	0	-	17.5	28.55				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			в	0		17.4	28.64				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3/25	1320	S	О	-						
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			в	Ο		_					
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4/2	1030	S	0		20,1					
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$											
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4/11	0845			-						
4/17 1410 S O - 20.0 29.25 B O - 18.8 29.58 4/23 0945 S C - 23.0 29.52 B O - 22.0 29.79 4/29 1320 S O - 27.5 29.58					~						
B O - 18.8 29.58 4/23 0945 S C - 23.0 29.52 B O - 22.0 29.79 4/29 1320 S O - 27.5 29.58	4/17	1410									
4/23 0945 S C - 23.0 29.52 B O - 22.0 29.79 4/29 1320 S O - 27.5 29.58											
B O - 22.0 29.79 4/29 1320 S O - 27.5 29.58	4/23	0945									
4/29 1320 S O - 27.5 29.58											
	4/29	1320									
	-, -,										
				0	-		- / e T U				

STATION A 10e (Cont'd)

		S		/						
Date	Time	or	C. h	reve	°C.	Sal.	Cu.	PC		NO
Date	1 mile	B	C.	M.	0.	Ja1.	Ou.	In.	Tot.	NO3- NC2
5/8	0920	S	0		23.0	31.53		111.	100	NOZ
570	0/20	В	õ	-	22.9	31.89				
5/13	1035	S	õ	-	25.1	30.82				
5715	1055	B	õ	-	23.6	31.65				
5/21	1031	S	õ	_	27.5	29.74				
J,		Б	Õ	_	25.5	30.19				
5/27	0920	S	Õ	-	27.5	31.38				
-,	• / = •	В	Ō		27.0	32,21				
6/3	1000	S	C		28.4	31.83				
-, -		В	0		28.2	32.05				
6/10	1000	S	С		29.0	32.36				
		В	0		28.4	32.36				
6/16	0943	S	Ο		30.0	32.56				
		В	0	-	30.0	32.70				
6/24	1050	S	С	-	29.5	33.15				
		В	С	~	29.4	33.40				
7/2	1012	S	Ο	-	28.5	32.07				
		В	0	-	28.5	32.07				
8/7	1100	S	0		30.7	31.69				
		В	0		30.1	32.03				
8/13	0950	S	0		28.9	31.13				
		В	0	-	28.3	31.27				
8/19	1430	S	0	→	30.1	30.73				
		В	0		29.5	31.18				
8/26	0910	S	С		31.3	29.87				
		В	0		31.2	29.87				
9/3	0935	S	Ο	-	30.0	31.55				
		В	С		29.8	31.58				
9/9	1012	S	0	-	30.2	31.78				
		В	0		30.8	31.83				
9/17	0900	S	0	**	29.2	30.95				
		В	С	-	29.3	31.11				
9/23	1022	S	Ρ	0.1	30.4	31.78				
		В	P	0.0	30.4	31.92				
9/29	1142	S	P	1.3	28.7	31.71				
1.0.10.1	1	В	P		28.8	32.32				
10/21	1020	S	Р		23.0	32.29				
10/20	1250	В	P	0.3	22.8	32.88				
10/30	1358	S	F	0.1	20.8	32.74				
		В	Р	0.1	20.9	32.88				

STATION A 10e (Cont'd)

	ATION A		Cont	<u>u)</u>						
		S								
Date	Time	or		breve	°C.	Sal.	Cu.	PG.		NO3-
		В	С.	M				In.	Tot.	NO2
11/19	0958	S	Р	0.0	24.4	31.51				
		В	0	-	24.2	31.64				
11/25	1005	S	0	-	23.8	31.94				
		В	Ο	-	23.0	32.20				
12/18	1306	S	0		14.7	31.76				
		В	Ο		14.4	31.87				
1959										
1/8	1007	S	0	-	15.1	28.84				
		В	0	-	14.7	29.34				
2/12	1340	S	0	-	23.0	30.43				
		В	Ο	-	21.5	30.59				
3/30	0955	S	0		20.9	23.69				
		В	Ο		20.9	26.51				
4/23	1000	S	Ο	-	24.2	28.31				
		В	Ο	-	23.1	28.59				
5/18	1308	S	О	-	29.4	30.46				
		В	Ο	-	27.5	30.66				
6/22	1320	S	Ο		30.2	28.13				
		В	Ο	-	27.9	28.31				
7/13	1100	S	Ο		30.0	28.03				
		в	Ο	-	29.2	28.44				
8/14	1025	S	Ο	-	29.0	22.34				
		В	0	**	28.2	22.29				
9/15	0843	S	0	-	29.3	25.02				
		В	Ο	-	29.7	25.88				
10/13	1305	S	Р	40	30.2	29.83				
		В	Р	0.1	29.4	30.30				
11/16	1315	S	Р	4.0	23.7	31.24				
		В	Р	0.0	22.5	30.88				
12/28	1002	S	Ο	-	18.8	29.79				
		В	0		18.5	30.17				
					-					
ST	ATION A	A 15	Dep	th of 12	feet 2	7°41′N.	82°4	4.3'W.		
1957										
7/2	0911	S	Р	0.0	29.8	33.62				
7/9	0840	S	О	-	29.5	34,17				
7/17	0920	S	Ο	-	31.0	33.21				
7/26	0915	S	0	-	29.0	33.67				
8/1	1130	S	0		28.5	32.63				
8/12	0900	S	Õ	-	29.5	31.53				
0,10	0,00	~	-		_ /0 0					

STATION A 15 (Cont'd)

		· · · · · · · · · · · · · · · · · · ·			·····					
D (S	~	-	• ~		~	7	~	
Date	Time	or B	$\frac{G}{C}$	breve M.	°C.	Sal.	Cu.	In.	O ₄ Tot.	NO3-
8/14	0924	S	0		30.5	31.76		111.	100.	NO2
0/-1	• / = 1	В	Õ		30.0	32.47				
8/20	0910	S	0	-	30.0	33.43				
8/26	0847	S	0	-	28.5	32.14				
9/3	1240	S	Ο	-	29.8	29.03				
9/5	1625	S	0	-	28.6	27.82				
		В	0	-	28.6	27.84				
9/10	1451	S	0	-	30.5	31.62				
9/11	1132	S	P	0.0	28.9	33.93				
		В	Ρ	0.0	28.6	34.22				
9/16	1330	S	0		28.0	27.25				
9/20	1322	S	0	-	29.8	28.87				
		В	0	**	29.8					
9/23	1402	S	Ĥ	1.1	30.0	32.39				
9/24	0936	S	Ο	-	30.5	30.97				
		В	0	-	31.0	31.52				
9/26	0915	S	P	140	29.5	33.67				
		В	F	276	29.3	33.91				
9/29	1237	S	Р	238	28.8	31.47				
		В	P	234	28.4	32.36				
10/15	1605	S	Р	6.0	25.5	32.81				
10/21	1132	S	Ρ	580	24.5	32.82				
10/24	1215	S	\mathbf{P}	240	24.0	32.25				
10/28		S	\mathbf{P}	120	17.5	29.43				
11/4	1348	S	P	30	22.0					
12/6	0832	S	P	0.6	15.0	34.14	-	-	1.5	
10/10	1/ 22	В	F	1.6	14.9	32.56				
12/12	1633	S	Р	0.0	12.3	32, 21				
12/19	1110	S	P	6.0	15.3	33.40				
1958	1015	c	0		10.0					
2/12	1215	S	0		12.2	30.73				
2/18	1105	S	0		9.5	30.79				
3/17	1038	S	P	0.0	16.7	31.69				
4/1	1214	S	P	0.0	18.5	31.83				
4/21 5/1	0843	S	0		21.7	30.68				
5/29	1241	S S	0		26.0	31.76				
6/11	0807	S	0 0	-	27.3	33.60	0.02			
0/11	0917	Э	0	644	29.3	32.56	0.03			

45

STATION A 15a		Depth of 16 feet			27°42.5	82°44.9'W.				
Doto	Time	S	C	breve	° C.	Sal.	Cu.	PC	.	NC
Date	1 mile	or B	$\frac{\mathrm{d}}{\mathrm{C}}$	M.	0.	Jai	Cu.	In.	Tot.	NC3- NO2
1957			<u> </u>	IVIe					100.	<u></u>
10/2	1120	S	0		27.5		0.04			
10,0	1100	В	õ	-	27.4	-	0.00			
11/27	0855	S	P	1940	21.0	34.60	0.05			
	0000	В	P	980	21.4	34.40	0.02			
12/3	0925	s	\mathbf{P}	840	17.5	33.39	0.12			
14,5	0/20	В	P	440	17.5	33,30	0.01			
12/16	1053	S	0	-	14.4	33.39	0.05	0.4	0.8	0.3
10,10	1035	В	õ	-	14.5	33,44	0.05	0.5	0.7	0.5
1958		Ľ	\sim	-	- 1, 5	55, 11	0,00	0.0	0.1	0.5
1/10	1425	S	0	-	10.9	32.05	0.03		1.8	
-,	- 145	В	č	-	10.8	31.49	0.06	-	1.7	
1/15	0936	S	0	-	13.5	32.03	0.01	0.9	1.3	0.1
.,	0750	Б	0	-	13.0	32.66	0.02	2.0	3.7	0.2
1/28	0908	S	0		13.4	32.03	0.02	0.8	1.7	1.3
1,20	0700	В	0	-	13.5	32.23	0.01	1.2	2.7	0.9
2/10	0940	S	0	-	12.2	30.57	0.08	<i>u</i>	1.0	0.8
2710	0740	В	0	-	12.1	30.86	0.02	1.6	2.5	1.2
2/25	1019	S	0	-	14.0	32.48	0.02	0.5	0.5	0.1
2125	1017	B	0		13.1	32.54	0.02	0.8	0.9	0.0
3/11	0857	S	0	-	18.5	31.71	0.03	1.4	1.9	0.1
J/11	1000	Б	0	-	18.2	31.83	0.03	2.3	3,1	0.4
3/26	0955	S	P	0.6	17.1	30.86	0.01	0.7	1,1	0.3
5720	0755	B	P	0.0	16.9	31.17	0.03	1.0	1.2	0.4
4/7	0930	S	P	0.0	20.4	31.74	0.04	2.6	3.1	0.4
1/ /	0/50	В	0		19.9	32.30	0.04	2.5	3.9	0.8
4/21	0956	S	0	-	21.5	32.27	0.02	0.8	1.2	0.4
	0750	В	0	-	21.4	32.50	0.02	0.5	1.0	0.4
5/6	0906	S	0	-	26.3	32.50	0.02	1.7	2.3	0.2
570	0,00	В	0	-	26.5	32.50	0.02	*• I 	2.6	0.3
5/8	1200	s	0	-	25.1	32.32	0.04	0.4	1.0	0.6
570	1200	В	C C		23.3			1.3		
5/20	0908	S	P	0.1	24.9	32.61	0.03	2.8	3.3	0.5
5720	0,00	В	O	-	24.5	33.26	0.04	1.8	2.8	0.4
6/2	0931	S	0	_	27.9	34.42	0.01	0.9	1.4	0.8
012	0,51	В	0	-	27.9	34.22	0.00	1.0	2.0	1.0
6/18	0917	S	0	-	30.2	33.51	0.00	1.8	2.8	0.3
0,10	U/- (В	0	-	30.4	33.75	0.01	2.3	3.5	0.1
6/30	0928	S	0	-	29.9	33.82	0.01	1.9	3.1	0.4
0750	0/20	Б	0		30.0	33.86	0.02	2.5	3.3	0.3
		D	0		50.0	55,00	0.02	ر من	J. J	0.5

S °C, Date Sal. PO4 Time G. breve Cu. NO3or В С. M. NO2 In. Tot. 7/30 0912 32.1 33.22 S Ο 0.00 2.8 3.5 0.2 -32.3 33.21 В Ο 0.00 3.0 •=== 3.4 0.4 8/6 0940 S 29.6 33.08 Ο •••• 0.02 1.5 3.8 0.4 В С 29.8 33.21 0.00 1.5 -4.3 0.6 8/20 0846 S Ο 29.5 33.04 -0.04 1.5 2.2 0.5 В Ο 30.0 33.19 2.2 -0.02 4.3 0.6 9/2 0913 S Ο 30.5 33,22 1.8 ----0.09 1.0 0.3 В О ---33.28 30.6 0.03 1.0 1.8 0.3 S 9/15 0915 Ρ 0.2 29.6 32.99 0.02 4.1 5.0 0.4 В Ρ 0.1 29.7 32.70 0.02 4.1 5.0 0.4 10/20 0931 S Ρ 0.1 23.9 33.12 0.02 1.2 1.7 0.1 В Ρ 0.0 23.9 33.13 0,02 2.0 3.0 0.4 10/28 0738 S Ο 22.8 33.44 1.4 0.03 0.8 0.8 -В Ο 22.9 33.48 0.03 1.0 1.7 0.2 -11/18 0756 S О 22.5 33.17 0.03 1.5 ---1.6 0.4 В Ο 23.0 33.22 1.1 ---0.03 1.7 0.4 11/24 S 0807 Ο 23.0 33.28 0.05 1.2 1.6 0.1 -В 0 23.0 33.39 -0.05 1.2 1.6 0.3 12/17 0929 S С 15.7 32.25 -0.05 0.7 1.5 0.2 В С -15.3 32.14 0.05 0.9 1.7 0.1 1959 1/12 1148 S Ο 13.7 31.96 -0.04 0.6 1.0 0.4 В Ο 13.2 31.85 0.02 0.4 1.0 0.6 -3/26 S 0735 Ο 19.1 31.47 0.01 1.1 1.8 0.1 В С 19.2 31,80 0.01 1.6 3.3 0.0 -4/16 0917 \mathbf{S} F 0.0 21.0 31.42 0.02 2.1 2.8 0.2 31.51 В Ρ 0.1 20.8 0.05 2.1 2.7 0.2 5/8 0826 S Ο 25.0 33.39 0.03 0.8 1.4 2.0 ** В О 25.0 33.53 0.03 0.5 1.2 1.8 ---6/16 1022 S Ο 3.5 29.3 33.37 0,06 4.1 0.5 ---В Ο 29.5 33.62 0.03 3.4 4.1 0.8 ----7/8 0921 S Ο 30.1 32,70 0.03 2.0 3.0 0.1 -В 0 30.7 33.35 ----0.02 2.5 4.3 0.2 7/16 0928 S Ο 30.5 31.80 0.03 ----4.9 5.6 0.0 В Ο 30.5 32.30 0.04 4.2 5.3 ----0.2 8/12 1021 S Ο ----28.0 29.07 0.03 4.1 4.5 0.6 В С 28.0 29.87 0.03 5.0 8.4 0.8 9/2 0925 S Ĥ 0.0 28.0 24.49 0.02 5.5 7.8 0.3 Б Ο 28.3 30.05 0.00 5.8 9.1 0.3 ----

STATION A 15a (Cont'd)

ST	ATION A	15a	(Con	t'd)						
		S								
Date	Time	or	_	breve	° C.	Sal.	Cu.	E C	\mathcal{D}_4	NO3-
		В	С.	M				In.	Tot.	NO2
10/23	0944	S	P	0.4	27.0	31.02	0.05	5.0	5.4	0.2
		В	О	-	26.9	31.91	0.04	3.4	3.9	0.2
11/3	0855	S	С	-	24.7	32.30	0.02	3.2	4.3	0.5
		В	0		24.8	32.52	0.03	3.2	4.5	0.3
ST	ATION A	15b	De	epth of 8	feet 2	27°42.3'1	N. 82	°44.2'	w.	
1957				1						
12/6		S	Ρ	320						
		В	Р	34						
12/9	1205	S	F	140	16.6	31.64				
		В	P	140	16.8	31.74				
1958										
1/10	1150	S	0		10.5	30.63	0.05	-	5.5	
1/22	1148	S	0	-	14.0	30.57				
		В	0	-	14.8	30.77				
1/31	1022	S	0	-	14.2	30.72				
		В	0		14.5	30.68				
3/4	1540	S	0		20.0	28.73	-	640	4.7	
		В	0	-	17.9	29.25	ect	Ŧ	3.5	
3/13	1008	S	С	-	20.0	28.48				
		В	С	-	19.8	29.47				
3/18	1100	S	С	-	18.4	29.81				
		В	0	-	17.9	30.55				
3/25	1430	S	0		18.6	28.59				
		В	0		17.5	29.36				
4/2	1130	S	P	0.0	20.5	29.85				
		В	0	-	19.2	30.21				
4/11	0948	S	С	-	21.5	28.55				
		В	С	-	21.0	29.40				
4/17	1550	S	Ο	-	20.7	30.03				
		В	0	-	19.9	30.46				
4/23	1050	S	0	-	23.5	29.42				
		В	0	()	22.6	30.28				
4/29	1445	S	0	(me)	29.0	29.27				
		В	С	-	27.0	29.97				
5/8	1025	S	0	*1	23.5	31.44				
		В	0	807	23.4	31.56				
5/13	1155	S	Ρ	0.0	25.7	30.26				
		Б	0	e -	25.0	30.86				
5/21	1305	S	0	-	29.5	29.38				
., .		В	0		26.5	31.87				
		<u></u>	<u> </u>	-						

STATION A 15b (Cont'd)

	111101(1		1000	• ~,						
		S		_			-			-
Date	Time	or	_	breve	°C.	Sal.	Cu.	PC		NO3-
		В	С.	M.				In.	Tot.	NO2
5/27	1035	S	0		28.6	31.58				
		В	0		28.0	31.62				
6/3	1120	S	0	••	28.6	29.99				
		В	Ο	-	28.4	31.64				
6/10	1110	S	0		29.7	31.65				
		В	0		29.0	31.65				
6/16	1117	S	Ο	C18	31.1	31.15				
		В	Ο	-	30.2	32.29				
6/24	1103	S	0	-	30.0	32.47				
		В	0		29.5	32.81				
7/2	1128	S	О		30.0	32.00				
		В	0		29.5	32.20				
8/7	1210	S	0		31.8	32.52				
		В	О		30.5	32,52				
8/9	1545	S	0	~	30.7	31.15				
		В	0		29.4	31.24				
8/13	1115	S	0	-	29.3	30.79				
		В	0		28.9	30.82				
8/26	1030	S	0	-	32.2	31.65				
		В	0	•=	31.4	32.03				
9/3	1130	S	0		31.2	31.80				
		В	O	-	30.5	31.94				
9/9	1111	S	Ο	-	31.5	30.68				
		В	0		30.5	30.77				
9/17	1114	S	0		29.7	31.40				
		В	Ο	**	29.7	31.40				
9/23	1245	S	P	0.0	31.0	31,42				
		В	0	-	30.7	31.46				
9/29	1237	S	Р	0.1	29.9	32.29				
		В	Р	0.0	29.2	32.27				
10/21	1225	S	P	0.0	24.3	32.03				
		В	Р	0.0	23.3	32.47				
10/30	1540	S	Р	0.0	21.2					
		В	0	-	21.4	32.86				
11/19	1142	S	F	0.0	24.9					
		В	0	-	24.5	31.27				
11/25	1140	S	Р	0.0	24.2	31.27				
		В	P		23.8	31,83				
12/18	1512	S	0	-	15.5	31.73				
. –		Б	Õ		15.6	31.80				
		~	-	-		500				

	ATION A	S								
Date	Time	or	G.	breve	°C,	Sal.	Cu.	ΡO	\mathcal{D}_4	NO3-
		В	C.	M.				In.	Tot.	NO2
1959										
1/8	1218	S	О		15.7	30.41				
		В	С	-	16.0	31.08				
2/12	1540	S	0	-	22.0	30.59				
		В	С	-	21.8	3 0. 70				
3/30	1130	S	Ο		21.1	26.47				
		В	Ο	-	21.2	27.99				
4/23	1205	S	0	-	24.2	28.10				
		Б	0		23.5	28.96				
5/18	1435	S	С	-	29.8	30.25				
		В	С		28.5	30.99				
6/22	1455	S	0	1	31.7	28.55				
		В	С	-	30.1	29.25				
7/13	1248	S	О	-	31.5	29.02				
		В	0	-	29.7	29.31				
8/14	1308	S	С	-	30.0	25.25				•
		В	С	-	29.8	26.26				
9/15	1030	S	Ο	-	29.8	25.07				
		В	O		29.7	26.08				
10/13	1455	S	Р	1.6	30.4	28.51				
		B	F	0.1	29.4	28.93				
11/16	1445	S	P	0.0	22.6	30.66				
		B	0	6 2	22.5	30.81				
12/28	1137	S	С		18.6	29.79				
		B	0	1	18.3	30.43				
ST	ATION A	17	Dep	th of 13	feet	27°39.7'I	<u>v. 82'</u>	°40.6	' W.	
1957										
7/2	0845	S	С		29.5	32.90	0.04			
7/9	0917	S	С		29.0	31.61				
7/17	0926	S	Ο	-	30.8	31.81	0.04			
7/26	1100	S	О		28.1	30.88	0.02	-	5.4	
8/1	1057	S	С	64	28.5	32.26	0.08			
8/12	0722	S	С	-	29.2	28.52				
8/20	0915	S	0		30.5	30.73				
8/26	0855	S	С	-	28.8	28.23				
9/3	0815	S	O	67	28.5	26.86	0.02			
9/10	1014	S	0	⇔	28.0	29.06	0.02			
9/16	1322	S	0	1.1	27.8	26.09				
9/23	1214	S	0	-	30.0	28.73				

STATION A 17 (Cont'd)

		S								
Date	Time	or	G.	breve	°C,	Sal.	Cu.	Ľ	04	NO3-
2000		В	С.	M.				In.	Tot.	NOZ
10/15	1009	S	<u>2</u>	0.0	25.3	25.88	0.21			
10/24	1002	S	F	96	24.0	27.89				
10/28	1310	S	Р	110	19.0	28,57				
11/4	1543	S	F	16	22.9					
11/14	0810	S	1	1.6	20.0	29.76				
11/18	1235	S	Р	100	24,5	30.24	0.08			
11/25	1016	S	Р	5.0	22.7	30.18				
12/2	0955	S	Р	420	14 . 8	30.43				
12/6	1042	S	P	500	14.5	30.05	0.06			
12/12	1452	S	P	180	12.0	30.44	0.02			
12/19	1105	S	Р	6.0	15.2	29.18				
1958										
2/12	0950	S	0	-	12.0	30.17	0.02			
2/18	1059	S	Ο	-	9.3	30.91				
3/17	1032	S	С		16.3	29.76	0.02			
4/1	1108	S	0	-	19.5	28.17	0.04			
4/21	0849	S	0	-	21.5	28.42				
5/1	1248	S	0	-	27.5	28.35				
5/20	1250	S	0	-	26,5	28.24	0.03			
5/29	0813	S	0	-	28.2	29.22				
6/11	0923	S	0		29.2	30.59	0.03			
6/26	0837	S	С	-	29.0	31.49				
ST	ATION A	20	Dep	th of 34	feet 2	7°36' N.	82° 5	1.7'V	1.	
1957										
8/14	1015	S	0	-	30.7	33.68	0.08		2.5	
		$\mathbf{N}_{\mathbf{i}}$	0	0.0	29.3	35.`57	0.10	**	1.9	
		В	С	-	29.5	35,47	0.03	80	0.9	
9/11	1158	S	P	0.3	29.1	34.17	0.04	60	1.4	
		В	P	-	29.0	34.38	0 .0 5	-	1.4	
9/24	1030	S	P	12	30.0	33.24				
		В	Р	-	29.7	34.03				
10/2	1052	S	Ο		27.0					
		В	О	-	26.7	-	0.10			
10/6	1202	S	E.	19	-	34.54	0.04			
		В	P	2.0	-	32.02	0.06			
10/11	1220	S	P	360	27.0	-	0.15			
		В	P	300	26.3	34,66	0.01			
10/12	0934	S	Р	2380	26.4	34.37	0.02			
		В	P	680	26.2	34.58	0.08			

STATION A 20 (Cont'd)		'd)								
		S								
Date	Time	or	G.	breve	°C,	Sal.	Cu_{\bullet}	PC	94	NO3⊷
		В	С.	M.				In.	Tot.	NO2
10/13	1045	S	О	-	25.5	33.54				
		В	С		25.5	33.78				
10/23	0829	S	P	600	24.0	33.19				
		В	\mathbf{F}	180	24.0	33.37				
10/30	0852	S	F	140	20.0	33.27				
		В	\vec{P}	120	20.7	34.33				
12/16	1 449	S	Р	0.1	15.2	33.49	0.02	0.4	0.4	0.1
		В	0		15.5	34.78	0.00	0.4	0.5	0.2
1958										
1/15	1315	S	0	-	14.9	32.88	0.05	0.7	1.0	0.4
		В	С		13.0	33.44	0.03	1.0	1.6	0.7
1/28	1242	S	F	0.0	14.0	32.83	0.03	~	0.7	0.2
. – –	_	Б	0	-	13.9	33.62	0.01	1.1	2.0	1.0
2/10	1314	S	0	-	12.2	32.07	0.02	0.5	0.7	0.8
-,		В	С	-	12.2	33.21	0.02	0.4	0.9	0.2
2/25	1401	S	Õ	-	13.0	33.21	0.00	0.4	0.4	0.1
-,		Ē	0	-	12.4	33.49	0.00	0.5	0.6	0.2
3/11	1240	S	P	0.0	18.1	32.07	0.03	1.3	1.7	0.4
5722		В	Ĉ		17.5	33.17	0.03	0.7	1.0	0.3
3/26	1259	S	Ē	0.1	16.7	32.41	0.03	1.0	1.2	0.1
3720	× = 0 /	B	Õ		15.9	32,52	0.05	0.4	0.7	0.2
4/7	1319	S	õ	-	18.5	34.09	0.04	0.5	0.8	0,5
1/ 1	131/	В	P	0.1	18.4	34.11	0.04	0.7	0.9	0.1
4/21	1 349	S	$\hat{\mathbf{P}}$	0.0	20.6	33.48	0.02	0.6	1.0	0.4
1/ 5.	131/	В	P	0.0	19.2	33,95	0.02	0.4	0.8	0.4
5/8	1534	S	* 	0.1	24.6	32.86	0.02	0.9	1.2	0.4
570	1991	B	Ō	-	24.1	32.99	0.03	-	2.0	0.4
5/20	1252	S	0	-	25.1	34.52	0.01	0.5	0.6	0,8
5720	10/0	В	0	-	24.4	34,52	0.01	0.5	0.6	0.4
6/2	1317	S	0	-	29.1	34.45	0.02	1.0	1,3	1.0
0,1		В	C	-	27.5	34.45	0.01	1.0	1,5	0.5
6/18	1306	S	0	-	29.9	34.67	0.04	0.6	1.2	0.1
0/10	1000	B	0		29.5	34.60	0.04	1.1	1.4	0.2
6/30	1309	S	0	-	31.2	34.58	0.02	0.7	1.5	0.5
0750	1307	B	0	-	30.0	34,58	0.02	0.7	1.0	0.3
7/30	1337	Б S	0	1	32.2	33.62	0.02	1.0	2.0	0.5
1120	1001	M	0	***	32.0	33.66	0.02	1.7	2.3	0.3
		\mathbf{N}_{1} \mathbf{E}	0	H	31.4	34.14	0.02	0.9	1.7	0.6
0/2	1242		0	1		33.84	0.02	1.3	1.8	0.4
8/3	1342	S			30.7 30.7	33.91	0.03	1,2	1.8	0.3
		M	0					1.2	1.0 2.0	0.8
		В	С	840	30.7	33.89	0.02	1.4	2.0	0.0

STATION A 20 (Cont'd)

		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	i- C	\mathbf{b}_4	NO ₃ -
Date	1 11110	В	$\frac{\overline{C}}{C}$	M.	0.		040	In.	Tot.	NO ₂
8/20	1226	S	0	-	31.4	33.33	0.03	2.4	2.9	0.3
		\mathbf{M}	0	-	30.3	33.55	0.02	2,2	2.7	0.4
		В	C	-	30.1	33.93	0.02	1.1	1.7	0.6
9/2	1313	S	P	0.0	30.6	34.11	0.03	1.6	1.9	0.2
		$\mathbf{N}_{\mathbf{i}}$	С	-	31.0	34.11	0.08	1.3	1.8	0.2
		В	О	L 27	30.5	34.38	0.03	1.0	l.4	0.1
9/15	1403	S	P	0.0	30.5	34.65	0.02	0.4	0.8	1.5
		\mathbf{N}_{1}	С	_	29.8	34.58	0.03	0.3	0.6	0.3
		E	О		30.0	34.63	0.01	0.5	0.8	0.3
10/22	0831	\mathbf{S}	С	-	24.0	33.84	0.03	0.4	0.8	0.2
		NĒ	С	-	24.0	33.89	0.03	0.5	0.7	0.0
		B	0	*3	23.7	33.89	0.01	0.5	0.8	0.0
10/28	1145	S	С	-	23.7	33.89	0.01	0.2	0.5	0.2
		\mathbf{M}	О	-	24.0	33.93	0.01	0.4	0.5	0.2
		B	С	-	23.7	33.89	0.01	0.2	0.5	0.0
11/18	1145	S	 -	0.0	23.5	33.82	0.02	1.6	2.3	0.3
		\mathbf{N}	P	0.2	23.2	33.82	0.05	1.6	2.3	0.3
		В	P	0.0	23.4	33.96	0.03	1.3	2.4	0.3
11/24	1152	S	Ē	0.3	23.1	33.57	0.03	1.6	1.9	0.2
		$\mathbf{N}_{\mathbf{n}}$	F	0.2	23.1	33.64	0.04	1.5	1.9	0.6
		В	F	0.2	23.0	33.82	0.04	0.9	1.3	0.3
ст		22	D	41 - 6 27	f t	יול ככיד	NT 0.2	● 4 0 K 1	317	
1957	ATION A		Dep	th of 27	<u>1eet</u> <u>2</u>	7°33.3'1	<u> </u>	°48.6'		
8/14	1050	S	С		31.7	33.12	0.12	-	3.0	
0/11	1050	M	0	8-9 8-9	29.4	35.04	0.09	-	1,3	
		Б	õ	-	29.4	35.01	0.17	-	1.5	
8/15	0851	ŝ	P	0.0	30.4	35.02			-0-	
0, -0	0001	Б	C		29.5	35.92				
9/11	1248	S	Ē	0.1	29.4	33.62	••	-	l .4	
<i>,</i> ,		B	F	0.0	28.8	33.91	0.05	-	2.3	
9/12	1140	S	Ē	0.4	28.9	34.17	0.03	5	1.0	
9/24	1020	S	P	6.4	29.9	33.93				
		B	P	0	29.6	32.61				
10/13	1720	S	F	250	26.0					
		В	\mathbf{F}	2000	26.9					
10/23	0844	S	F	280	23.6	31.65				
		В	1'	140	24.0	33.46				
12/6	0918	S	1-	300	16.0	32.94				
		Б	1	160	16.5	34.04				

STATION A 23 (Cont'd)

		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	FO	4	NO3-
		В	С.	М.				In.	Tot.	NC2
12/19	1047	S	F	6.0	15.6	33.98	0.05	1.5	1.6	0.7
		В	P	0.0	15.5	34.63	0.01	1.0	1、3	0.2
1958										
1/14	1025	S	Ο	-	13.0	33.08	0.16	0.7	1.6	0.2
		Б	С	-	12.9	33.15	0.11		-	2.2
1/20	1039	S	Р	0.0	12.4	32.18	-	2.6	2.9	2.0
		В	Ο	-	12.6	32.83	0.08	1.1	1.6	0.8
2/6	1005	S	Ο	-	12.8	32.99	0.05	1.0	1.6	0.7
		В	Ο	e 1	12.9	33.13	0.04	1.4	2.7	0.2
2/20	0958	S	С		10.0	29.81	0.11	1.0	1.3	0.4
		В	О	-	9.8	31.04	0.05	1.2	1.4	0.3
3/6	0910	S	С	-	17.2	31.56	0.07	1.7	1.9	0.3
		В	C	-	16.9	32.14	0.03	1.0	1.4	0.3
3/17	0937	S	Ο	-	16.7	30.95	0.03	4.3	4.6	0.0
		В	Ο	-	16.4	34.04	0.04	1,5	1.5	0.1
4/1	0953	S	P	0.1	16.8	33.39	0.01	1.1	1.4	0.2
		В	Р	0.1	16.5	33.55	0.01	1.0	1.4	0.2
4/18	0915	S	Ē	0.0	18.0	31.04	0.02	4.8	5.5	0.4
		В	Р	0.0	19.4	32.54	0.02	2.2	3.1	0.7
4/28	0952	S	Ο	940	23.5	33.39	0.08	l .4	1.9	1.1
		В	Ο	-	22.9	33.57	0.08	1.5	1.9	0.0
5/12	0949	S	С	940	24.4	32 .92	0.01	2,2	2.5	0.5
		Б	О	-	24.0	33.60	0.02	2.1	2.7	0.4
5/26	0917	S	Ο	-	26.3	33.31	0.05	3.3	3.9	0.3
		В	Ο	-	25.4	34.31	0.03	1.2	1.4	0.8
6/9	0948	S	P	0.0	28.1	34.60	0.00	1.1	1.3	0.1
		Б	\mathbf{P}	0.0	28.0	34.60	0.00	1.1	1.8	0.4
6/25	0933	S	С		29.5	34.49	0.03	1.0	1.6	0.2
		В	Ο	cm)	29.3	34.25	0.02	1.3	2.1	0.3
7/1	0940	S	С	**	29.8	34.51	0.03	0.7	1.2	0.0
		В	O	6.0	30.0	34.52	0.02	0.8	1.3	0.6
7/31	0954	S	С	-	31.3	34.00	0.05	0.7	1.5	0.5
		\mathbf{M}	С	-	31.4	34.00	0.03	0.7		0.5
		В	С	-		34.07		0.9		0.6
8/14	0903	S	С	-		34.05				0.2
		\mathbf{M}	Ο	91		34.02	0.03	0.9		0.2
		В	С	***		34.05	0.01	0.7	1.1	0.2
8/25	0940	S	Ο	-		32.95	0.05	1.2	3.4	0.5
		N_*	P	0.0		34.04	0.09		2.1	0.3
		В	О	1	30.5	34.67	0.00	0.9	1.6	0.3

STATION A 23 (Cont'd)

		S								
Date	Time	or	G.	breve	°C,	Sal.	Cu.	ΡO	4	NO3-
		В	С.	M.				In.	Tot.	NO_2
9/8	0952	S	C		30.2	34.29	0.01	1.8	2.3	0.3
		М	С	-	30.0	3 4.38	0.05	0.9	1.5	0.5
		В	0	-	29.8	34.40	0.00	0.7	1.3	0.4
9/22	0945	S	С		30.0	34.51	0.02	1.9	2.6	
		В	0	**	30.1	34.85	0.02	0.5	1.2	
10/22	0913	S	P	0.1	23.5	33.84	0.03	0.8	1.3	0.1
		в	P	0.0	23.5	33.87	0.01	0.9	1.3	0.0
10/29	0935	S	F	0.0	22.2	33.17	0.02	3.5	4.2	0.2
		в	С		22.1	33.24	0.02	2.9	3.6	0.4
11/13	0830	S	Р	0.0	22.0	31.17	0.02	3.3	3.9	0.5
		В	F	0.1	22.3	33.08	0.02	3.3	3.8	0.7
11/20	0945	S	P	0.1	24.0	33.28	0.04	3.2	3.8	0.9
		В	Р	0.4	23.8	33.82	0.03	2.1	2.9	0.2
12/10	1014	S	С	-	21.2	32.48	0.02	4.1	5.2	0.0
		В	С	et	21.0	32.48	0.03	-	5.3	0.0
ST.	ATION A	23a	De	pth of 35	feet	27°33.4'	N. 82	2°50.8	'W.	
1957										
8/14	1033	S	О	-	30.7	33.29				
		В	С		29.3	35.64				
9/11	1235	S	-Ĩ	0.4	29.2	33.66				
		В	P	0.0	28.8	33.98				
9/24	1345	S	P		30.2	33.45				
		В	Р	14	29.8	34.05				
1958										
9/8	1426	S	Έ	0.0	31.5	34.90	0.03	4.2	4.9	0.4
		\mathbf{M}	О	-	30.0	34.31	0.08	0.8	l .4	0.5
		В	С		30.0	34.29	0.02	1.0	1.6	0.4
9/22	1542	S	Ρ	0.0	31.0	34.05	0.00	2,5	3.4	
		N_1	F	0.2	30.4	34.70	0.02	0.1	1.4	
		В	Р	0.1	30.2	34.70	0.00	0.6	1.6	
11/13	0942	S	F	0.1	22.5	33,53	0.04	2.1	2.3	0.3
		\mathbf{M}	0		22.5	33.68	0.05	2.0	2.3	0.3
		В	P	0.0	22.5	33.78		1.5		0.4
11/20	0955	S	Ē	0.1	23.5	33.78	0.04	2,1	2.4	0.3
		$N_{\!\scriptscriptstyle \perp}$	Р		23.6		0.03	2.5	2.9	0.3
		В	\mathbf{P}		23.5		0.03	1.6	2.0	0.4
12/10	1028	S	0		21.2		0.03	2.3	3.1	0.1
		М	С	-	20.7				3.8	0.0
		В	С	-	20.9		0.02	2.0	2.9	0.0

ST	ATION A		De	pth of 10) feet	27°31.7'	N. 8	32°42.2	W.	···
		S	~	1	80		C	5.0		
Date	Time	or		breve	°C,	Sal.	Cu.	PO.	·	NC 3-
1057		В	С.	M.				In.	Tot.	NC2
1957	0.0.20	c	0		20 E	25 11				
7/2	0929	S	0	-	29.5	35.11				
7/9	0921	S	0	815	29.2	32.88				
7/17	0941	S	0	-	31.5	33.87				
8/1	1141	S	0	5 40	28.3	33.86				
8/12	0916	S	0	818	29.3	25.32				
8/20	0950	S	О	**	30.5	32.04				
8/26	1007	S	Ο	-	28.5	29.06				
9/3	1227	S	0	-	30.0	30.75				
9/10	1446	S	0		30.0	33.23				
9/16	1245	S	О	-	27.5	32.46				
9/23	1159	S	P	0.1	30.0	30.52				
10/15	1555	S	1-	0.0	25.7	25.75				
10/21	1132	S	1-	0.0	23.5	28.99				
10/24	1016	S	F	0.0	24.4	29.47				
10/28	1255	S	Ρ	2.0	18.0	27.82				
11/4	1255	S	P	0.4	23.5	30.13				
11/14	0825	S	Ĩ-	11	20.0	28.72				
11/18	1253	S	P	14	24.8	32.32	0.05			
11/21	1115	S	P	0.4	20.2	32.40				
·		В	F	0.2	21.2	32.40				
11/25	1057	S	0		23.0	31.67				
12/2	0938	S	Ē	60	14.5	33.42				
10,0	0,50	D	1	00	- 10 5	554 12				
ST	ATION A	A 24a	D	epth of 1	1 feet	27°31.5	' N.	82°39.2	<u>' w.</u>	
1957										
11/4	1302	S	1-	0.2	22.1	28.36				
11/25	1005	S	F	0.2	22.8	28.88				
12/2	0945	S	\mathbf{F}	140	12.5	29.88				
12/6	1030	S	Ρ	1360	14.0	28.42				
12/12	1440	S	Р	220	12.0	28.71				
12/19	1055	S	Р	300	14.8	29.34				
1958										
2/12	0940	S	0	-	11.8	26.62				
2/18	1050	S	Õ		9.2	24.65				
3/17	1023	S	0	**	15.8					
4/1	1158	S	0		19.5	24.02				
	0858	S	0		20.5	24.02				
4/15										
5/1	1258	S	0	•	27.3	27.20				
5/20	1006	S	0	-	25.5	29.87				
5/29	0822	S	0	1	28.3	30.77				

ST	ATION A		(Cont	:'d)						
		S								
Date	Time	or	G. 1	oreve	°C,	Sal.	Cu.	ΡC	⁾ 4	NO3-
		В	C.	М.				ln.	Tot.	NO ₂
6/11	0931	S	0		29.5	31.87				
6/26	0817	S	Ο	-	28.7	32.27				
ST	ATION A	25	Dept	h of 4 f	leet 27	°30'N.	82°34.	4' W.		
1957										
7/2	0831	S	Ο		29.8	24.00	0.07			
7/9	0905	S	0	-	29.8	32.77				
7/17	0936	S	0	-	30.7	26.43	0.06			
7/26	1130	S	0	-	28.1	14.42	-	-	7.3	
8/1	1044	S	С	-	29.0	14.17	0.09			
8/12	0708	S	0		29.2	6.08				
8/20	0945	S	С	-	30.7	24.71				
8/26	1014	S	О	-	28.7	26.51				
9/3	0816	S	0	••	28.5	24.14	0.03			
9/10	1025	S	0	-	28.5	25.33	0.00			
9/16	1251	S	0	-	28.8	23.75				
9/23	1205	S	P	0.0	30.0	27.89				
10/15	1020	S	С	-	25.3	21.17	0.06			
10/24	1012	S	P	0.1	24.0	25.97				
10/28	1300	S	Р	2.0	19.0	25.73				
11/14	0820	S	P	13	20.0	27.58				
11/18	1246	S	P	0.0	23.2	29.27	0.08			
ST.	ATION A	. 30	Dept	h of 14	feet 2	7°26.5'I	N. 82°	41.3 ¹	w.	
1957										
7/2	0945	S	О	-	30.0	34.87				
7/9	0930	S	0	-	29.2	35.26				
7/17	0947	S	Ъ	0.0	30.5	35.82				
7/25	1350	S	С	-	30.0	35.45				
8/1	1150	S	Ρ	0.0	28.3	34.50				
8/12	0924	S	P	0.6	29.5	34.54				
8/14	1248	S	0	-	30.7	34.64	-	-	1.2	
•,		В	Ō	-	29.1	35.28	0.02		1.4	
8/20	0958	S	õ	1	30.0	34.42				
8/26	1058	S	õ	-	29.2	34.91				
9/3	1220	ŝ	Õ	-	29.5	34.36				
9/10	1437	S	P	0.0	30.0	32.97				
9/11	1350	S	P	0.3	29.4	32.76	0.04	-	1.2	
<i>,.</i>		В	Ō		28.7	33.11	0.10	-	1.4	
9/16	1236	S	P	0.2	27.8	31.07			-	
// = 0		2	-	- 5 -						

STATION A 30 (Cont'd)

	ATION A	<u> </u>	Com	· · · · ·						
Date	Time	or	G.	breve	°C.	Sal.	Cu.	PC) /	NO3-
Dave	1 11110	В	C.	<u>M.</u>	0.		• •••	In.	Tot.	NO ₂
9/23	1151	S	P	0.8	29.2	33.56				
9/24	1105	S	F	2.0	30.2	34.04				
		В	P		29.8	33.91				
10/6	1252	S	F	27	27.9	33 . 54				
		В	P	0.5	28.0	34.18				
10/15	1546	S	P	280	26.0	34.21	0.13			
10/18	0938	S	P	340	25.4	33.72	0.06			
10/21	1128	S	F	220	24.5	34.34				
10/23	0919	S	ř	280	24.5	34.44				
		В	F	80	24.4	34.27				
10/24	1525	S	Ρ	88	24.8	34.49				
		В	Ē	76	24.5	34.49				
10/28	1247	S	F	12	17.0	29.43				
10/31	1511	S	Р	12	21.0	31.75				
		В	F	4.0	20.4	33.96				
11/4	1250	S	P	60	22.7	33,89				
11/6	1513	S	Р	1.8	22.8	34.39				
		B	F	11	22.2	34.43	0 15			
11/14	0809	S	Р	102	20.8	33.97	0.15			
		В	P	58	20.5	33.94	0.10			
11/18	1302	S	P	60	23.5	34.37	0.07			
11/20	1200	S	P	104	21.6	35.20				
	1 - 1 -	B	F	86	21.6	35.20	0.20			
11/21	1510	S	P	460	22.5	34.42	0.20			
11/05	0040	B	P	300	22.1	34.20	0.12			
11/25	0949	S	Ē	60	23.7 21.0	33.64 34.20				
11/26	1303	S	F	320	21.0	34.20 34.20				
12/2	0020	B	P	$\frac{180}{140}$	17.5	32.81				
12/2	0930	S	P		16.5	33.53		_	2,2	
12/6	0940	S B	F P	198 50	16.8	33.44		644	2, 2	
12/12	1 422	D S	P P	100	13.3	32.34	0.02			
12/12	1432			6.0	15.5		0.05		1.0	0.5
12/19	1120	S	l- E	0.2	15.2	34.25	0.05	0.6	0.8	0.2
1958		Б	P	0.2	1 J . L	510 25	0.00			
2/12	0930	S	0		12.0	31.76	0.03			
	1040	S	C		9.8	31,17				
2/18 3/17	1040	S	0	**	16.8	32.52	0.02			
$\frac{3}{1}$	1015 1148	S	C C		17.8	33, 40	0.01			
	0850	S	C	•••	20.0	33.89				
4/15	0000	G	\cup	**	20.0	55.07				

ST	ATION A	30 (0	Cont	'd)						
		S								1
Date	Time	or	G.	breve	°C.	Sal.	Cu.	ΡC	94	NC3-
		В	С.	М.	_			In.	Tot.	NC ₂
5/1	1307	S	Р	0.0	26.5	33.84				
5/20	1015	S	0	**	24.8	34.43	0.01			
5/29	0831	S	\mathbf{P}	0.0	27.0	34.34				
6/11	0940	S	0		29.1	34.74	0.02			
6/26	0810	S	0	-	29.5	34.45				
ST	ATION A	30a	De	pth of 20	feet	27°26.5'	N. 8	2°42.6	' W.	
1957										
9/24	1225	S	Р	0.8	30.7	33.28				
		В	P		30.0	34.22				
1958										
1/14	1102	S	P	0.1	13.4	33.15	0.07	•		2.5
		В	Ο	-	12.9	32.95	0.14	1. 4	1.7	0.2
1/20	1113	S	С	-	12.5	32.88	0.09	1.0	1.4	0.4
		В	0		12.9	33.28	0.05	0.5	0.8	0.9
2/20	1029	S	0		10.1	31.92	0.04	1.1	1.3	0.8
		В	0		10.4	32.50	0.04	1.1	1.5	1.4
3/6	0943	S	0		16.9	32.65	0.04	0.6	0.8	0.4
		в	Ο	#2	16.9	32.72	0.03	0.6	0.9	0.3
3/17	1012	S	С		17.0	32.65	0.02	1.7	1.7	0.2
		В	О	-	16.8	33.95	0.02	1.0	1.0	0.1
4/1	1029	S	0		17.2	33.84	0.01	0.6	0.9	0.1
		В	О	-	16.9	33.93	0.01	1.2	1.6	0.4
4/18	0948	S	F	0.0	19.3	32.27	0.02	2.8	3.2	0.3
		В	0	-	19.3	32.95	0.02	2.9	4.0	1.1
4/28	1035	S	0	840	23.5	33.33	0.04	l .4	1.8	0.7
		в	Ο		23.1	33.26	0.03	••	2.2	0.5
5/12	1022	S	F	0.2	24.9	32.99	0.02	2.2	2.7	0.2
		В	F	0.0	24.4	33.30	0.02	2.2	2.8	0.6
5/26	0950	S	0	-	26.4	34.42	0.02	1.0	1.5	0.3
		В	Ρ	0.0	26.7	34.43	0.02	1.1	1.6	0.3
6/9	1022	S	\mathbf{F}	0.0	28.4	34.61	0.00	1.1	1.8	0.2
		В	P	0.0	28.5	34.61	0.02	1.1	1.6	0.2
6/26	1010	S	0	н	29.9	34.29	0.02	1.0	1.6	0.2
		в	0		29.5	34.33	0.01	l .4	2.3	0.1
7/1	1015	S	0	-	29.9	34.45	0.02	0.8	1.4	0.8
		В	0	-	29.6	34.56	0.03	1.5	1.6	0.4
7/31	1029	S	O		31.7	33.73	0.02	0.7	1.7	0.6
-		В	0		31.5	33.60	0.02	0.6	1.4	0.4
8/14	0941	S	P	0.0	29.9	34.00	0.01	0.8	1.7	0.9
	-,	В	F	0.0	29.7	33,93	0.03	0.8	1.6	1.5
		-	-	- • •						-

STATION A 30a (Cont'd)

		S								
Date	Time	or	G.	breve	°C,	Sal.	Cu.	PO		NO3-
		В	С.	M.				In.	Tot.	NO2
8/25	1024	S	F	0.0	31.1	34.16	0.06	1.2	1.8	0.2
		В	О		31.2	34.18	0.06	1.1	1.6	0.4
9/8	1027	S	G	84	30.3	34.20	0.04	1.2	2.4	0.5
		В	F	0.0	29.9	34.31	0.01	0.9	1.8	0.4
9/22	1019	S	P	0.1	30.4	34.60	0.02	0.9	1.9	
		в	F	0.1	30.5	34.99	0.00	0.7	1.8	
10/22	1109	S	P	0.0	23.7	33.22	0.03	4.8	5.4	0.0
		В	Ē	0.0	23.7	33.30	0.03	4.3	5.3	0.1
10/29	1008	S	Р	0.0	21.9	33.51	0.00	3.1	4 . 1	0.2
		В	0		22.4	34.00	0.01	2.5	2.9	0.2
11/13	0922	S	P	0.2	21.9	33.64	0.02	1.9	2.5	0.4
		В	0	**	22.1	34.00	0.02	1.5	2.1	0.2
11/20	1036	S	P	0.2	24.0	33.98	0.03	0.9	1. 4	0.1
		В	Ρ	0.7	23.7	34.02	0.03	0.9	1.6	0.2
12/10	1422	S	С		21.8	33.08	0.03	1.9	2.5	0.3
		В	Р	0.0	21.4	33.24	0.03	1.8	2.7	0.4
1959										
1/19	1055	S	0	-	13.2	32.01	0.03	1.8	2.4	0.2
		В	0		12.7	31.89	0.03	2.0	2.5	0.3
3/4	0955	S	0	***	18.5	32.56	0.02	2.4	3.1	0.2
		В	С	-	19.7	32.81	0.02	2.4	3.0	0.4
4/20	1046	S	0	-	23.3	33.13	0.03	1.1	1.8	0.1
		Б	О	-	23.0	33.26	0.02	1.2	1.6	0.0
5/7	0900	S	Ο	⊷	24.0	34.65	0.02	1.3	1.6	0.2
		В	0	6 1	23.8	34.69	0.02	1.2	1.7	1.9
6/12	1006	S	С	-	28.2	34.79	0.03	l.4	1.5	0.9
		В	Ο	-	28.0	34.54	0.02	1.3	1.7	1.2
7/20	1004	S	0	808	30.6	32.61	0.05	0.8	1.2	0.1
		В	0	-	30.6	32.57	0.02	1.0	1.6	0.2
8/4	0949	S	С	-	29.6	31.80	0.02	1.0	1.5	0.2
		В	0	63	29.5	31.76	0.03	1.1	1.6	0.7
9/8	1509	S	P	6.0	30.8	33.40	0.00	0.5	l.0	0.8
		В	\mathbf{P}	62	30.1	32.97	0.00	0.9	1.7	0.2
10/12	1020	S	F	340	28.5	34.69	0.02	0.7	1.4	0.2
		В	P	10	28.3	34.92	0.02	0.6	1.2	0.4
11/4	0942	S	С	-	24.0	31.96	0.01	2.5	3.5	0.1
		Б	С	-	25.1	33.39	0.01	2.3	3.7	0.6

21	ATION P		Der		eet	<u> </u>	<u> </u>	58.1 W.	
		S							
Date	Time	or	G.	breve	°C.	Sal.	Cu.	FC4	NO3⊷
		B	С.	M _i .				In. Tot.	NO2
1957									
7/2	0955	S	O	-	29.8	35.04			
7/9	0935	S	0		30.2	34.41			
7/17	0949	S	0	-	30.7	35.27			
7/25	1400	S	0	-	30.0	35.26			
8/1	1158	S	C	-	28,5	34.16			
8/12	0930	S	F	0.0	29. 7	31.66			
8/20	1006	S	С		30.0	32.87			
8/26	0950	S	0	-	28.2	32.48			
9/3	1212	S	С	-	29.7	32.92			
9/10	1430	S	P	0.0	29.5	32.43			
9/16	1230	S	F	0.0	28.5	30.85			
9/23	1144	S	С	-	30.0	32.07			
10/15	1030	S	0	-	25.0	31.78			
10/21	1124	S	P	0.0	23.5	32.01			
10/24	1027	S	Ē	40	24.0	32.18			
10/28	1240	S	Ο	-	17.0	32.78			
11/4	1244	S	F	0.0	23.0	32.56			
11/14	0839	S	С	-	21.0	33,58			
11/18	1210	S	Ο		25.0	33.45			
11/25	0941	S	С	-	23.5	33.29			
12/2	0921	S	\mathbf{P}	38	11.8	33.89			
12/6	1014	S	Ρ	14	13.5	33.22			
12/12	1424	S	F	42	10.2	32.83			
12/19	1037	S	P	80	16.0	32.84			
1958									
2/11	0941	S	0	-	12.5	32.07	0.03		
2/18	1032	S	0	**	10.0	31.09			
3/17	1008	S	0	_	14.5	30.10	0.02		
4/1	1128	S	Ο	~	19.7	29.31	0.01		
4/15	0843	S	0		20.7	30.66			
5/1	1315	S	0	-	27.8	32.25			
5/20	1022	S	0	-	25.8	33.55	0.02		
5/29	0836	S	0	-	28.5	34.22			
6/11	0945	S	0	e u	29.1	35.01	0.02		
6/26	0804	S	С		28.5	34.23			
-									

STATION A 33 Derth of 6 feet 27°22.7'N. 82°38.1'W.

SI	ATION A		De	epth of 3	4 feet	27°22.8'	N.	82°43.6	' W.	·····
Date	Time	S or	G.	breve	°C.	Sal.	Cu.	D	04	NOa
Dave	1 1110	В	<u>c.</u>	M.	0.	Jaio	ou.	In.	Tot.	NO3 NO2
1957				1020				1110	100.	NO2
8/15	0820	S	0	-	30.0	35.43			0.0	
- •		M	Õ	-	29.5	35.94	_	-	0.4	
		В	0	e 3	30.0	35.62	_	-	0.6	
9/12	1115	S	F	0.0	28.9	33,93		-		
9/24	1135	S	P	1.7	29.8	33.74				
		В	P		30.2	34.17				
1958			-			0 10 - 1				
4/28	1350	S	С	83	24.3	34.00	0.07	0.5	1.1	0.3
		В	P	0.0	20.4	34.00	0,08		1.3	0.3
5/12	1313	S	F	0.4	25.3	33.84	0.02		1.0	
		В	О	~	24.0	33.87	0.04		1.0	0.6
5/26	1241	S	Ρ	0.2	26.5	34.42	0.02	0.5	0.9	0.4
		В	P	0.1	26.3	34.56	0.01	0.6	0.8	0.3
6/9	1315	S	F	0.1	29.2	34.61	0.00	0.4	0.9	0.3
		В	0	-	28.3	34.58	0.00	0.5	0.9	0.2
6/25	1308	S	С	-	29.7	34.49	0.02	0.7	1.2	0.1
·		В	0		29.8	34.49	0.02	1.0	1.5	0.2
7/1	1316	S	Ο	-	30.2	34.54	0.01	0.9	1.1	0.3
		В	0		30.0	33.86	0.01	0.8	1.7	0.2
7/31	1327	S	0		31.9	33.89	0.02	0.3	0.7	0.4
		\mathbf{M}	0		31.6	33.87	0.02	0.4	1.0	0.5
		В	0	-	31.2	33.87	0.02	0.9	1.5	0.5
8/14	1244	S	Ρ	0.0	30.5	34.09	0.06	0.5	0.9	0.2
		\mathbf{M}	P	0.0	30.4	33.69	0.05	0.4	0.9	0.3
		В	Р	0.0	30.2	34.04	0.00	0.6	0.9	0.2
8/25	1302	S	0	-	31.1	33.91	0.03	0.5	2.1	0.3
		Μ	0	-	31.0	34.36	0.04	0.8	1.0	0.3
		В	Ο	-	30.8	34.45	0.03	0.7	1.3	0.4
9/8	1332	S	0	-	30.5	34.63	0.02	0.5	1.0	0.4
		\mathbf{M}	Ο		29.8	34.72	0.05	0.2	0.8	0.4
		В	P	0.0	29.4	34.81	0.02	0.3	0.8	0.6
9/22	1446	S	Р	0.2	30.7		0.00	0.8	1.2	
		М	\mathbf{P}	0.0	30.2	34.76	0.00	0.5	1.1	
		В	Р	0.1	30.0	34.87	0.00	0.5	1.0	
10/22	1408	S	Р	0.1	24.6	34.18	0.05	1.8	2.1	0.1
		М	С	-	24.4	34.33	0.02	1.7	2.0	0.1
		В	P	0.0	24.4	34.36	0.03	1.7	1.8	0.0
10/29	1320	S	$\overline{\mathbf{P}}$	0.2	23.4	34.18	0.01	0.7	1.0	0.2
		М	0		23.4	34.22	0.02	0.6	0.9	0.2
		В	О	-	23.3	34.14	0.01	0.8	1.0	0.2

ST) S °C. Date G. breve PO4 Time Sal. Cu. NO3- \mathbf{or} В С. M. NO2 In. Tot. 11/13 1246 S Ρ 0.1 23.1 34.33 0.03 0.6 0.9 0.4 Μ F 0.2 23.2 34.33 0.03 0.7 1.0 0.2 0.0 23.3 34.38 В P 0.02 0.7 0.9 0.3 11/20 1323 S \mathbf{P} 6.2 24.0 34.05 0.04 0.7 1.0 0.2 Ê 23.9 34.16 0.03 0.4 Μ 0.4 0.9 0.3 В Ρ. 0.6 23.9 34,23 0.04 0.7 1.0 0.8 12/10 1114 S Ο 21.6 33.51 0.10 0.9 1.5 0.2 ---- M_{-} Ο 21.3 33.51 0.03 1.0 1.4 0.1 ---В Ο 21.3 33.51 0.03 1.0 1.8 0.0 1959 1/19 1352 S 15.6 32.25 0.03 0.9 1.2 0.1 Ο -М Ο 13.7 32.25 0.03 0.6 1.1 0,2 -В 32.30 0.6 1.1 0.2 Ο 13.8 0.03 -3/4 1256 S Ρ 19.2 33.49 1.5 0.2 0.0 0.04 1.0 М Ο 19.1 33.49 0.05 1.0 1,6 0.2 0.0 В F 19.2 33.69 0.03 0.9 1.5 0.3 4/20 1353 S Ρ 0.0 24.5 33.78 0.04 0.4 0.7 0.2 Μ Ο 23.3 33.80 0.03 0.5 0.7 0.1 -В 33.71 0.5 0.8 0.1 Ο 23.2 0.03 5/7 1150 S 25.5 34.56 1.0 1.3 0.2 Ρ 0,0 0.03 М Ρ 0.0 24.4 34.61 0.09 1.0 1.2 1.8 Ρ 0.1 34.65 0.9 1.4 2.4 В 24.2 0.03 6/12 1303 S 29.1 35.62 0.8 0.9 0.9 Ρ 0.0 0.06 35.14 0.06 0.7 \mathbf{M} Ο 28.8 0.7 0.5 -В С 28.8 35.14 0.05 0.6 0.9 1.0 -0.9 7/20 1311 S Ο 30.6 32.86 0.03 0.5 0.1 ---- \mathbf{M} Ο 30.6 32.99 0.02 0.6 1.2 0.1 -33,21 0.04 0.6 1.5 0.3 В С 30.5 ... 8/4 1251 S С 30.2 33.26 0.03 0.9 1.0 0.6 \mathbf{M} \mathbf{P} 0.0 30.0 33.30 0.02 0.8 1.0 0.9 в Ο 30.0 33,87 0.03 0.8 1.0 1.0 9/8 1217 \mathbf{S} Ρ 0.1 31.3 33.68 0.01 0.5 1.0 0.3 M Ρ 0.1 29.8 33.40 0.02 0,5 0.9 0.6 В 0.2 30.1 33.40 0.6 1.1 $\widetilde{\mathsf{P}}$ 0.02 0.3 10/12 S 4.8 29.0 34.94 0.01 0.6 0.6 0.2 1325 P 120 М Ρ 28.4 34.83 0.02 0.4 0.8 В Ρ 56 28.3 34.83 0.01 0.6 1.0 0.1 11/4 1312 \mathbf{S} Р 4.6 25.5 33.53 0.02 1.4 2.0 0.9 1.3 M. Ρ 2.3 25.9 33.53 0.04 1.2 2.0 В \mathbf{P} 1.9 25.5 33.71 0.03 1.4 2.1 0.3

ATION	А	33a	(Cont'	'd)
-------	---	-----	--------	-----

ST.	ATION A		ې De	th of 15	feet 2	7°19.7'1	N. 82	°35.2'	W	
		S	C	1	20	C 1	c	DC	、 、	
Date	Time	or		breve	°C.	Sal.	Cu.	PC	7 <u>4</u> Tot.	NC3-
1057		В	С.	<u>M.</u>				In.	101.	NO2
1957	1420	C	0		20 2	25 24				
7/25	1430	S	0	-	30.3	35.34	0 10		0 7	
8/14	1349	S	0	-	30.7	35.12	0.18	-	0.7	
0 /11	3455	В	0	–	29.3	35.44	0.10	-	1.7	
9/11	1455	S	F	0.1	29.5	32.47	0.03	-	1.6	
a (a (В	0		28.7	33.01	0.05	***	2.2	
9/24	1203	S	P	2.7	30.2	33.71				
		B	Ē	-	29.9					
10/6	1326	S	Р	0.5	27.8	32.32				
	_	В	Р	0.1	27.9	33.58				
10/10	1400	S	F	-	27.0	34.31				
		В	Р		27.0	34.70				
10/18	0925	S	О	-	25.6	34.15	0.17			
10/23	0952	S	Ρ	300	24.2	34.47				
		В	Р	160	24.5	34.45				
10/24	1033	S	Р	80	24.5	34.49				
10/28		S	Р	0.0	20.5					
10/31	1437	S	P	0.2	20.4	33.27				
		в	F	0.2	20.3	33.54				
11/4	1240	S	P	8.0	23.0	34.09				
11/6	1438	S	F	4.0	22.0	34.56				
		в	F	6.2	21.5	34.63				
11/14	0844	S	P	30	20.6	34.64	0.13			
		В	Р	28	20.8	34.49				
11/18	1328	S	P	320	24.0	34.20	0.10			
11/20	1459	S	P	120	23.2	34.60				
11/21	1429	S	F	500	22.4	34.13	0.07			
		В	Р	420	22.2	34.23	0.13			
11/25	0935	S	Р	0.0	23.0	33.62				
11/26	1109	S	Р	740	22.5		0.02			
	,	В	Р	400	23.9	35.40	0.00			
12/2	0915	S	P	80	16.7					
12/6	1015	S	F	160	17.0					
1270	1015	В	F	4.0	15.4					
12/12	1417	S	P	80	13.0		0.06			
12/12	1030	S	P	0.0	15.5					
12719	1000	0	T	0.0	* J0 J	5 10 50				
2/11	0932	S	0		12.5	32.38	0.03			
	1025	S	0	-	10.7					
2/18		S	0		16.5	33.28	0.01			
3/17	1000	2	U	••	10.0	JJ. 20	V. V.			

ST	ATION A		Cont	d)						
-	-	S	~		6 -		~	_		
Date	Time	or		breve	°C.	Sal.	Cu.	PC		NO3-
4/1	1120	B S	<u>C.</u> 0	M.	18.0	33, 35	0.02	In.	Tot.	NO2
4/15	0836	S	0	-	20.3	34.11	0.02			
$\frac{4}{15}$	1321	S	0		26.5	33.71				
5/20	1030	S	0	**	24.9	34.61	0.02			
5/20	0843	S	0	-	24.9		0.02			
		S		•		34.49	0.05			
6/11	0952	S	P	0.0	29.3		0.05			
6/26	0755	3	0	-	29.5	34.51				
	ATION A	35a	De	pth of 24	4 feet	27°19.1'	N. 8	2°36.2	<u>'</u> W.	
1957	1225	ç	73	1 4	20.2	24 20				
9/24	1225	S B	P	1.4	30.2	34.30 33.58				
12/10	1159		P	_	29.8		0.04	0 1	0 (0 0
12/19	1157	S	P	0.8	16.0		0.04	0.4		0.0
1958		В	P	0.0	15.8	34.38	0.03	0.5	1.3	0.1
1/14	1127	C	Р	0.1	13.5	22 41	0 02	2.0	5.5	0.2
1/14	1137	S				32.61	0.03			0.2
1/20	1140	В	0	-	13.0	32.97	0.05	3.7	5.5	0.7
1/20	1148	S	0	-	12.6	32.99	0.04	1.6	2.1	0.2
2/20	1100	В	0	-	13.0	33.24	0.00	1.0	1.1	0.7
2/20	1103	S	0		10.6	-	0.05	0.4	0.6	0.3
o 14	1010	В	0	-	10.5	32.39	0.04	-	0.5	0.7
3/6	1019	S	0	-	17.4	32.54	0.06	0.8	1.0	0.3
		В	0	-	16.9	32.81	0.05	0.6	0.9	0.2
3/17	1047	S	P	0.0	17.2	32.27	0.03		0.6	0.0
		В	F	0.0	16.5	33.96	0.05	1.1	1.1	0.6
4/1	1104	S	0	-	17.0	34.07	0.01	0.5	0.9	0.1
		В	С	-	17.0	34.14	0.01	0.5	1.1	0.1
4/18	1023	S	Į.	0.0	19.2	32.14	0.01	3.3	3.5	0.4
		В	С	-	19.4		0.02	4.0	4.3	0.8
4/28	1117	S	Ο	-	24.4	33.84	0.03	0.6	1.1	0.3
		В	Ο	**	23.6	33.91	0.09	1.0	l .4	0.3
5/12	1057	S	Р	0.0	25.2	33.71	0.02	1.0	l. 4	0.8
		В	С	-	24.6	33.69	0.03	1.2	1.5	0.4
5/26	1027	S	Ρ	0.1	26.5	34.27	0.00	0.7	1.1	0.4
		В	P	0.0	26.1	34.23	0.00	0.7	1.0	0.6
6/9	1058	S	P	0.0	29.1	34.61	0.01	0.7	1.1	0.5
		В	Р	0.0	28.6	34.58	0.00	0.9	1.4	0.2
6/25	1049	S	0	**	29.9	34.43	0.02	1.0	1.4	0.5
		В	С	-	29.7	34.23	0.02	1.0	1.5	0.1
7/1	1059	S	0	-	31.5	34. 34	0.03	0.9	1,5	0.1
		В	Ō	-	30.0	34.42	0.04	0.9	1.5	0.0
						•		-		

STATION A 35a (Cont'd)

		S								
Date	Time	or		breve	° C.	Sal.	Cu.	PC	⁾ 4	NC 3-
		В	С.	M.				In.	Tot.	NO ₂
7/31	1103	S	С	-	32.2	33.87	0.02	0.8	1.5	0.5
		В	0	~~	31.4	33.58	0.02	l .4	2.1	0.5
8/14	1019	S	р	0.1	29.6	33.78	0.05	0.9	2.1	0.2
		В	\mathbf{P}	0.0	29.4	33.95	0.02	0.9	1.3	0.2
8/25	1046	S	О	C10	31.1	34.31	0.05	0.7	1.2	0.2
		В	0	~	31.2	34.42	0.06	-	1.4	0.5
9/8	1102	S	\mathbf{P}	0.1	30.0	34.14	0.02	0.5	1.2	0.5
		В	F	0.0	29.7	34.31	0.01	0.8	1.4	0.5
9/22	1053	S	\mathbf{P}	0.2	30.1	34.51	0.02	0.6	1.2	
		В	F	0.2	30.2	34.51	0.02	0.6	1.1	
10/22	1145	S	\mathbf{P}	0.0	24.3	33.60	0.03	3.7	4.0	0.5
		В	Ρ	0.0	24.1	33.80	0.03	3.0	3.5	1.4
10/29	1100	S	С	45	23.0	34.31	0.01	1.2	3.2	0.2
		в	О		22.9	34.33	0.01	1.2	1.6	0.2
11/13	1000	S	P	1.3	22.6	34.05	0.02	0.9	1.3	0.3
		В	Р	1.1	22.6	34.09	0.02	0.9	1.2	0.2
11/20	1109	S	P	1.0	24.1	34.02	0.03	0.8	1.2	0.3
		В	P	1.4	23.5	34.04	0.02	0.9	1.2	0.4
12/10	1346	S	O	-	21.8	33.58	0.03	1.3	2.0	0.1
		В	\mathbf{P}	0.0	21.8	33.58	0.03	1.4	2.0	0.4
1959										
1/19	1134	S	0	-	13.6	32.56	0.03	1.3	1.8	0.2
		В	О	-	13.1	32.56	0.03	1.4	2.1	0.2
3/4	1032	S	0	-	18.6	32.88	0.02	1.4	2.0	0.2
		В	Ο	-	18.9	32.97	0.02	1.6	2.3	0.4
4/20	1023	S	0	-	23.5	33.49	0.06	0.6	1.0	0.3
		в	С	-	22.9	33.53	0.02	0.7	1.0	0.3
5/7	0934	S	Р	0.0	24.5	34.61	0.03	0.7	1.2	1.1
		В	С	-	24.3	34.69	0.02	0.9	1.4	1.3
6/12	1040	S	Р	0.1	28.6	35.07	0.03	1.3	2.0	0.5
		В	С	-	28.7	34.92	0.03	1.1	1.2	1.2
7/20	1040	S	0	-	30.5	32,18	0.02	0.9	1.5	0.1
		В	0	-	30.4	32.61	0.05	1.2	1.8	0.1
8/4	1025	S	С	dis	29.6	31.87	0.03	1.0	1.6	0.8
		В	Ο	-	30.1		0.03	1.7	1.7	0.8
9/8	1435	S	Р	4.5	30.8		0.00	0.8	1.4	0.5
		В	P		29.7		0.00	0.7	1.2	0.5
10/12	1105	S	P	30	29.0	34.40	0.01	0.5	0.8	0.2
· · —		В	Р	32	28.6	34.34	0.04	0.3	0.7	0.4
11/4	1026	S	P	0.0	25.3	33.49	0.04	0.7	1.5	0.1
		В	0	-	25.1	33.62	0.01	0.8	1.7	0.4

ST	ATION A	39	Del	oth of 7 f	eet 27	°20' N.	82°32.7	'W.		
		S								
Date	Time	or	G.	breve	° C.	Sal.	Cu.	P	04	NG3-
		В	С.	М.				In.	Tot.	NO2
1957										
7/2	1028	S	С		30.0	33.65	0.04			
7/9	1005	S	0	-	30.5	34.47				
7/17	1001	S	0	••	31.0	35.57	0.03			
7/25	1335	S	0	-	30.7	34.44	0.13		4.8	
8/1	1215	S	Р	0.8	28.5	33.23	0.00			
8/18	1056	S	Р	0.1	31.5	32.89				
8/19	0735	S	0	-	30.5	32.48				
8/26	1043	S	0		29.7	34.33				
9/3	0830	S	P	0.0	29.0	33.87	0.03			
9/10	1038	S	О		29.0	28.61	0.05			
9/11	1355	S	Р	0.0	30.0	30.88	-		4.4	
		В	0	-	29.3	31.81	••	~	15.1	
9/16	1220	S	٣	-	28.7	26.71				
9/23	1137	S	F,	1.2	30.0	30.92				
10/2	1200	S	0	-	25.5	21.20				
		Р	0	-	27.0	33.47				
10/15	1537	S	0		26.2	33.70	0.18			
10/24	1100	S	F	60	2 4.5	34.05				
11/4	1137	S	Р	20	22.7	33,38				
11/14	0900	S	Ō	-	20.6	34.54				
ST	ATION A	40	Dep	oth of 7 f	eet 27	°18.3' N	. 82°:	33.4'	w.	
1957										
7/2	1033	S	0	-	30.2	34,40				
7/9	1010	S	F	0.0	29.7	35.26				
7/17	1007	S	F	0.0	30.5	35.64				
7/25	1320	S	О	-	30.0	35.32				
8/1	1225	S	P	0.4	29.0	34.30				
8/12	1002	S	О	-	29.7	34.53				
8/20	1015	S	С	-	30.5	38.38				
8/26	1051	S	P	0.0	29.2	34.59				
9/3	1204	S	υ	-	29.2	33.00				
9/10	1422	S	0	-	30.0	29.72				
9/16	1150	S	0	-	28.7	29.22				
9/19	1438	S	P	0.7	29.2	33.10				
		В	C	-	29. 2	33.22				
9/23	1110	S	P	2.0	29.0	33.52				
10/3	0730	S	Р	0.8	26.0	25.36				
		В	0		27.4	32.61				
			-		-					

- -279201 NT 02022 71 117 . . .

STATION A 40 (Cont'd)

		S		<u>`_</u>						<u> </u>
Date	Time	or	G.	breve	°C.	Sal.	Cu.	FC	4	NO3⊷
		Б	C.	N~•				In.	Tot.	NO ₂
10/10	1427	S	Ē		27.0	34.50			·····	U
10/15	1040	S	Р	0.2	25.5	33,62				
10/18	0922	S	0		25,5	34.16	0.11			
10/23	1005	S	Р	6.0	24.0	34.45				
		В	<u>.</u>	2.0	24.3	34.43				
10/24	1028	S	5	0.0	24.5	34.28				
10/28	1150	\mathbf{S}	<u>1</u> -	4.0	18.0					
10/31	1420	S	P	14	21.0	33,18				
		В	P	6.0	20.5	33.27				
11/4	1134	\mathbf{S}	۲	8.0	22.2	34.05				
11/5	0926	S	P	8.8	21.9	34.29	0.07	1.5	1.7	0.0
		в	P	0.6	21.6	36.49	0.00	2.0	3.0	0.3
11/14	0855	S	Р	2,4	20.5	34.59				
11/18	1221	S	Р	140	25.1	34.21				
11/20	1452	S	Р	158	23.2	34.60				
11/25	0929	S	Ē	400	23.7	34.54				
11/26	1147	S	Ē.	440	21.7	34.80	0.02			
		В	P	200	23.2	34.80	0.05			
12/2	0910	S	Р	60	17.0	34.22				
12/6	1029	S	Р	140	15.8	33.71				
		В	Р	60	15.6	33.58				
12/12	1411	S	F	22	12,5	32.95	0.07			
12/19	1024	S	\mathbf{P}	0.0	15.5	34.07				
1958										
2/11	0925	S	0		12.8	32.75	0.03			
2/18	1019	S	0	-	10.5	31.91				
3/17	0924	S	С	-4	16.0	31.76	0.01			
4/1	1114	S	С	-	18.5	33.26	0.02			
4/15	0829	S	С		20.2	33.48				
5/1	1021	S	С	-	26.0	33.75				
5/20	1036	S	Þ	0.0	24.8	34.63	0.03			
5/29	0903	S	P	0.2	27.2	34.34				
	1009	S	0	м	29.4	34.70	0.02			
6/26	0750	S	0	-	29.2	34.61				
ST.	ATION A	46	Dept	th of 6 f	<u>eet</u> 27	°12.5' N.	82°3	30.61	<u>w</u> .	
1957									-	
7/2	1041	S	С	-	29.7	33.92				
7/9		S	G	-	29.5	35,34				
7/17		S	С	-	30.3	35.54				

STATION A 46 (Cont'd)

		S								
Date	Time	or	G . 1	breve	°C.	Sal.	Cu.	ΡC		NC3-
		В	С.	M.				In.	Tot.	NO ₂
8/1	1234	S	P	0.0	29.7	32,75	······································		104	1102
8/12	1010	S	C		29.5	35.09				
8/14	1447	S	õ	-	31.0	35.05			1.7	
0,		B	Õ		30.6	35.13	0.15		0.9	
8/20	1100	S	č		30.5	31.39			,	
8/26	1100	S	õ		29.7	34,48				
9/3	0840	ŝ	Õ		28.5	34.07				
9/10	1048	S	Õ	cust.	29.0	32, 33				
9/12	0800	ŝ	Ğ	**	28.6	32.32				
//		Ē	Õ		28.7	33.46				
9/16	1141	S	Õ	# 4	28.5	27.68				
9/23	1100	S	P	0.8	29.0	33, 48				
10/6	1434	S	0		28.8					
		В	Ō	-	28.1	33,23				
10/10	1243	S	Ō		27.0	35.21				
••		В	0	**	27.0	34.57				
10/15	1050	S	С		25.7	31.32				
10/21	1113	S	0		24.8	34.42				
10/23	1023	S	С		24.2	34.28				
		В	С	-	24.6	34.27				
10/28	1125	S	Р	0.0	18.5					
10/31	1401	S	P	38	21.0	33.28				
		В	P	26	20.5	33.29				
11/4	1125	S	P	0.4	22.5	33,99				
11/6	1408	S	Р	5.4	22.0	34.42				
		В	P	0.8	21.5	34.57				
11/14	0915	S	Р	26	21.0	34.49	0.34			
		В	Ρ	30	20.9	34.60	0.15			
11/21	1410	S	P	38	22.5	34.31	0.03			
		В	Ρ	30	22.5	34.40	0.06			
11/25	0920	S	ŀ	100	24.2	34.00				
12/2	0902	S	Ρ	100	17.5	34.04				
12/6	0944	S	11	18	16.3	33.39				
12/12	1400	S	P	80	13.3	32.97				
12/19	1225	S	P	0.2	16.0	34.02	0.02	0.5	0.8	0.6
		В	F	0.0	15.8	34.60	0.00	0.4	0.8	0.3
1958										
2/11	0916	S	C	-	12.8	32.79				
2/18	1010	S	0	_	10.8	32.41				
3/17	0914	S	С	**	15.8	34.11				
4/1	1104	S	0	***	17.7	34.18				

ST.	ATION A		Cont	t'd)						
		S								
Date	Time	or	<u>G</u> .	breve	°C.	Sal.	Cu.	PO		NO3 -
		В	С.	М.				In.	Tot.	NO2
4/15	0821	S	0	-	20.3	33.98				
5/1	1013	S	Ο	-	25.7	33.13				
5/20	1044	S	0	-	25.0	34.05	0.04			
5/29	0912	S	\mathbf{P}	0.0	26.8	34.34				
6/11	1017	S	0	-	29.3	34.61				
6/26	0740	S	0	-	29.3	34.18				
ST	ATION A	46.a	De	epth of 25	i feet	27°12.5'	N. 8	2°31.7	۱w.	
1958				op on or po						
1/14	1206	S	Р	0.0	14.5	33.55	0.09	1.5	1.5	0.4
-,		В	0		14.0	33.62	0.09	5.4	8.4	1.0
1/20	1218	S	0		12.8	33.06	0.04	1.1	1.2	1.5
•		В	0	-	13.1	33.10	0.03	0.9	1.2	0.2
2/20	1128	S	0		10.8	32.18	0.03		0.9	-
·		В	0		11.0	31.78	0.04	-	0.9	
3/6	1050	S	0		17.8	32.20	0.08	0.9	1.2	0.3
- • -		В	0		17.1	32.77	0.03	0.8	0.9	0.3
3/17	1116	S	Р	0.0	16.5	34.27	0.04	0.5	0.8	0.1
•		В	Р	0.0	15.6	34.61	0.06	0.5	0.6	0.4
4/1	1135	S	0		17.1	34.31	0.00	0.5	0.9	0.3
		В	О		17.1	34.36	0.01	0.7	1.2	0.1
4/18	1053	S	0		19.6	32.05	0.01	2.9	3.3	0.4
		В	0	-	19.6	32.84	0.01	2.5	3.0	0.5
4/28	1150	S	Р	0.0	24.7	34.00	0.08	0.4	0.8	0.0
·		В	0	-	23.0	33.69	0.01	0.9	1.4	0.5
5/12	1128	S	Р	0.0	25.5	33.69	0.01	0.8	1.3	0.7
		В	0	-	24.6	33.91	0.02	1.3	1.7	0.4
5/26	1056	S	Ρ	0.0	26.1	34.20	0.01	0.6	0.9	0.4
		В	Р	0.0	26.1	34.31	0.00	0.8	0.9	0.5
6/9	1129	S	Р	0.0	29.1	34.58	0.00	1.0	1.2	1.3
		В	Р	0.0	28.5	34.51	0.00	0.9	1.2	0.4
6/25	1120	S	0	60	30.0	34.58	0.02	1.1	1.6	0.1
• -		В	0		29.9	34.58	0.02	1.2	1.7	0.3
7/1	1129	S	Р	0.0	30.0	34.29	0.04	0.8	1.4	0.2
-		В	\mathbf{P}	0.0	29.8	34.09	0.03	0.8	1.3	0.4
7/31	1134	S	0	-	31.6	33.68	0.02	0.5	1.0	0.4
		В	С	-	31.5	33.68	0.02	1.0	1.6	0.5
8/14	1053	S	Р	0.0	29.7	29.23	0.03	0.7	1.0	0.3
		В	P	0.0	29.9	33,51	0.02	0.8	1.2	0.2
				-						

STATION A 46a (Cont'd)

		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	ΡŌ	4	NC3⊷
		В	С.	M.			_	In.	Tot.	NG2
8/25	1115	S	0	-	31.4	34.22	0.04	0.8	1.4	0.4
		Б	0		31.2	34.42	0.03	0.9	2.1	0.2
9/8	1135	S ·	0	e =3	30.0	34.38	0.01	0.9	1.6	0.4
		В	О	-	28.8	34.65	0.02	1.2	1.7	0.6
9/22	1123	S	Ρ	0.5	30.3	34.23	0.02	0.7	1.3	
		В	Р	0.0	30.1	34.47	0.02	0.8	1.3	
10/22	1214	S	F	0.2	24.5	33.87	0.03	2.5	2.5	0.2
		Б	Р	0.2	24.3	34.05	0.07	2.0	2.5	1.6
10/29	1130	S	Р	0.1	22.6	34.27	0.01	l. 4	2.0	0.2
		В	0	-	22.7	34.05	0.01	1.2	1.7	0.2
11/13	1032	S	P	0.0	22.6	32.84	0.02	1.3	1.8	0.5
		В	Р	0.1	22.5	33.78	0.02	1.0	1.5	0.7
11/20	1140	S	\mathbf{P}	0.4	24.1	33.96	0.03	0.9	1.2	0.2
		В	P	0.4	23.7	34.13	0.04	0.9	1.3	0.2
12/10	1316	S	F	0.0	21.9	33.44	0.04	1.7	2.3	0.0
		В	F	0.0	21.9	33.66	0.03	1.5	2.2	0.0
1959										
1/19	1205	S	0	-	13.8	32.70	0.03	1.1	1.8	0.2
		В	0	-	13.4	32.65	0.03	1.5	2.2	0.3
3/4	1103	S	Р	0.0	18.8	32.97	0.02	1.0	1.7	0.4
		В	Р	0.0	19.0	33.15	0.03	1.0	1.8	0.5
4/20	1202	S	С	-	24.5	33.58	0.09	0.5	0.7	0.2
		В	0	-	24.3	33.53	0.03	0.6	1.0	0.0
5/7	1005	S	F	0.0	24.9	34.76	0.02	0.5	1.1	1.8
		В	Ρ	0.0	24.4	34.97	0.02	0.7	1.2	2.3
6/12	1112	S	С	-	28.7	35.05	0.06	1.1	1.3	
		В	О		28.8	34.90	0.02	0.9	1.2	0.9
7/20	1113	S	0	-	31.0	31.20	0.02	1.1	1.8	0.0
		В	0	-	30.5	32.39	0.02	1.0	1.3	0.3
8/4	1057	S	0	~	29.8	31.94	0.04	1.2	1.4	1.1
		В	С		30.0	31.98	0.03	1.3	1.5	1.0
9/8	1406	S	P	1.1	30.5	32.21	0.02	0.8	1.3	0.2
		В	Ρ	0.1	30.0	32.52	0.00	0.8	1.3	0.4
10/12	1205	S	\mathbf{P}	0.2	29.7	33.60	0.02	0.5	0.8	0.2
		В	F	8.0	28.6	34.09	0.04	0.9	1.0	0.7
11/4	1103	S	0		25.7	33.33	0.02	0.9	1.7	0.1
		В	0	673	25.5	33.53	0.02	0.7	l.4	0.5

ST	ATION A		D	epth of 4	4 feet	27°06.9'	N. 8	2°34.8	3' W.	
		S	~		1.0		~	10.0		
Date	Time	or	_	breve	°C.	Sal.	Cu.	PO		NG ₃ -
1055		В	С.	<u>M.</u>				ln.	Tot.	NO2
1957	0/10	G	0		20.0	24.04	0.02			
8/15	0610	S	C C		30.0	34.94	0.02		0.2	
0/10		В	0		29.3	34.72	÷ '		0.3	
9/12	0910	S	P	1.5	29.0	33.39				
1050		В	Р	0.9	28.9	33.69				
1958	124/	~	.	0.0	216	24 00	0.02	05	0.7	0.5
4/28	1246	S	P	0.0	24.6	34.00	0.02 0.07	0.5	0.8	0.5
E / 1 2	1212	В	0	-	20.4	34.79 34.22	0.01	0.6 0.7	0.8	0.4
5/12	1212	S	P	0.3	25.3 23.6	34. 22 34. 45	0.01	0.7	0.9	0.4
E /26	1120	В S	P	0.0 0.1	26.1	34. 43 34. 07	0.02	0.4	0.7	1.1
5/26	1139		P O		25.0	34.60	0.00	0.5	0.6	0.3
610	1212	B S	P	- 0.0	29.3	34.43	0.00	0.4	0.8	0.3
6/9	1213	B	O	-	28.0	34.38	0.00	0.7	0.8	0.1
6/25	1206	S	0	-	29.8	34.45	0.00	0.7	1.1	0.2
0725	1200	В	0		28.9	32.32	0.02	0.8	1.2	0.2
7/1	1212	S	0	-	30.0	34.34	0.01	0.7	1.1	0.3
() 1	1212	Б	0	-	29.7	34.13	0.01	0.7	1.2	0.6
7/31	1225	S	F	0.0	31.7	33.42	0.02	0.4	0.9	0.2
1751	1665	В	0		31.4	34.18	0.02	0.5	0.9	0.5
8/14	1140	S	P	0.1	30.0	33, 98	0.02	0.4	0.7	0.4
0/14	1110	В	P	0.0	30.0	33.96	0.02	0.4	0.6	0.2
8/25	1158	S	P	0.0	31.7	34.25	0.04		1,0	0.2
0,13	1130	M	Õ	-	31.2	34.27	0.05	0.5	0.9	0.2
		В	0	_	31,0	34.67	0.03	0.4	0.8	0.4
9/8	1221	S	P	0.0	30.4	34.90	0.02	0.3	0.8	0.4
//0	1001	M	Ō	-	29.8	34.69	0.04	0.4	0.9	0.4
		B	P	0.0	29.4	34.70	0.04	0.4	0.9	0.4
9/22	1211	S	P	0.2	30.4	34.33	0.00	0.5	0.8	
//28		M	P	0.2	30.1	34.56	0.02	0.5	1.0	
		В	Р	0.0	30.1	34.27	0.00	0.6	1.3	
10/22	1300	S	0	-	25.5	34.76	0.03	0.9	1.1	0.5
10,62	1000	M	P	0.0	25.2		0.03	0.8	1.0	0.0
		В	0		25.2		0.03	0.9	1.1	0.0
10/29	1214	S	P	0.0	23.5	34.52	0.01	0.6	1.1	0.1
. – .		N_1	0	-	23.4	34.56	0.01	0.5	1.1	0.2
		Б	0		23.4		0.01	0.7	0.9	0.2
11/13	1119	S	P	0.6	23.5		0.02	0.4	0.8	0.5
•		\mathbf{N}_{1}	P	0.6	23.2	34.49	0.02	0.6	0.7	0.4
		В	P	0.6	23.5	34.45	0.01	0.5	0.8	0.3

51.	ATION A			n'aj						
		S								
Date	Time	or		breve	°C.	Sal.	Cu.	PC		NO3-
		B	С.	Nio				In.	Tot.	NO2
11/20	1220	S	P	3.9	24.1	34.63	0.04	0.5	0.7	0.3
		\mathbf{N}_{-}	P	0.1	24.0	34.63	0.04	**	0.7	0.3
		в	F	0.2	23.8	34.67	0.04	0.5	0.7	0.0
12/10	1220	S	Р	0.0	22.1	34.11	0.03	1.1	1.7	0.1
		\mathbf{M}	Ο	-	22.0	34.11	0.02	1.0	1.6	0.4
		В	P	0.0	22.0	34.16	0.00	1.0	1.7	0.0
1959										
1/19	1249	S	\mathcal{P}	0.0	15.4	33.30	0.04	0.6	0.9	0.2
		\mathbf{M}	0	-	14.2	33.17	0.03	0.6	1.1	0.2
		В	F	0.0	14.0	33.26	0.03	0.6	1.2	0.2
3/4	1149	S	P	0.1	19.4	33.66	0.00	0.5	0.9	0.2
		N-	P	0.0	19.3	33.73	0.03	0.6	1.0	0.2
		В	\mathbb{P}	0.0	19.3	33.68	0.03	0.5	1.0	0.2
4/20	1249	S	С	-	24.0	33.89	0.04	0.5	0.7	0.1
		М	С	-	23.0	33.91	0.03	0.5	0.8	0.3
		В	0	-	23.1	33.87	0.04	0.5	0.7	0.0
5/7	1047	S	P	0.0	24.9	34.90	0.02	0.5	0.7	0.2
		м	F	0.0	24.6	34.90	0.03	0.4	0.9	2.0
		В	\mathbf{P}	0.0	23.4	34.51	0.00	0.3	0.8	2.0
6/12	1200	S	Р	0.0	29.0	35.07	0.04	0.8	1.2	0.7
		Ni	0	-	28.8	35.10	0.04	0.6	1.0	0.4
		В	С	-	28.8	34.97	0.07	0.7	0.8	1.0
7/20	1201	S	0	-	31.5	34.11	0.05	0.5	0.6	0.2
		М	0	-	30.2	34.11	0.02	0.6	0.6	0.1
		в	0	676	30.1	34.45	0.03	0.3	0.5	0.1
8/4	1142	S	С		29.6	34.22	0.03	0.5	0.5	1.1
		N_1	С		29.7	34.29	0.02	0.5	0.5	0.9
		В	0	-	29.9	34.63	0.02	0.8	0.8	0.9
9/8	1155	S	P	1.0	30.8	32.30	0.01	0.8	1.2	0.6
		Μ	P	0.6	29.8	32.59	0.02	0.8	1.2	0.3
		В	Ê	0.1	30.1	33.40	0.02	1.0	1.3	0.5
10/12	1306	S	1-	0.2	29.4	33.95	0.02	0.5	1.0	0.5
	-	M	P	44	28.6	34.23	0.02	0.4	0.7	0.3
		В	\overline{P}	540	28.4	34.58	0.02	0.5	0.9	0.3
11/4	1203	S	Ĉ		25.8	33.89	0.04	0.4	1,1	1.4
		\tilde{N}_{t}	0	, ma	26.5	33.86	0.04	0.5	1.0	0.2
		B	0		25.7	34.04	0.04	0.5	0.9	0.4
		1	\sim			0 10 V I	0001	U 0 0	~ 0 /	~o 1

STATION A 46b (Cont'd)

ST	ATION I		Dep	th of 9 fe	et 27°	06.6'N.	82°2	8'W.		
Det	m:	S	C	h	°C.	Cal	Cu.	PC	`	NOa
Date	Time	or B	<u>G.</u> C.	breve M.	U.	Sal.	Cu.	In.	Tot.	NO3- NO2
1957				1410					1000	1102
8/14	1530	S	0	-	31.2	34.67				
		В	Ō	-	30.2	35.47				
9/12	0836	S	0	_	29.0	-	0.02	-	1.8	
		В	0	-	28.9	30.33	0.14	-	1.8	
10/6	1456	S	0	-	28.5	24.13				
		В	0	-	28.4	34.15		a		
10/10	1505	S	О	-	28.0	29.89				
		В	О	-	27.0	34.53				
10/23	1045	S	Р	10	25.0	34.62				
		В	P	0.2	25.0	34.46				
10/31	1339	S	P	20	21.0	33.45				
		в	Р	12	20.7	33.43				
11/6	1341	S	P	50	22.4	34.47				
		В	Р	1.2	22.2	34.72				
11/14	0939	S	Р	44	21.2	34.39	0.14			
		В	P	24	20.8	34.59	0.07			
11/21	1349	S	P	160	22.9	34.65	0.07			
		В	Р	220	22.9	34.65	0.11			
			Ð	.1 ()7	с , э	7°0(01 1	лт 02 ⁻	° 20 - 21	347	
	ATION E	5 5a	Dep	oth of 27	ieet 2	7°06.8'1	N. <u>82</u>	°29.2'	°	
1957	1240	C	0		16.6	34.54	0.03		0.5	0.3
12/19	1248	S	0 0	**	16.3		0.03	2	0.7	0.3
1050		В	0		10.5	54, 01	0.01	*	0.1	0.5
1958	1228	S	Р	0.0	14.6	33.40	0.05	1.9	2.1	0.6
1/14	1220	B	г О	~	14.0	.33, 55	0.07	4.7		0.7
1/20	1242	S	F	0.0	13.0	32.88	0.07	1.2		0.4
1720	1242	В	O I		13.0	34.05	0.03	0.7	1.2	1.0
2/20	1158	S	c	-	11.1		0.04		0.7	
2720	1150	В	0		11.9	32.70	0.04	-	0.6	
3/6	1114	S	õ		17.4	32.63	0,11	0.8		0.4
570	1111	В	õ	-	16.9	32,90	0.04	0.9	1.3	0.5
3/17	1140	S	F	0.0	16.5	34.47	0.06	0.5	1.8	0.1
2711	11-10	В	P	0.0	15.1	34.76	0.06	0.8	0.8	0.2
4/1	1157	S	Ō	-	17.8	34.60	0.03	0.5	0.8	0.1
1/1	1171	В	0	-	17.4	34,60	0.03	0.6	1.0	0.1
4/18	1117	S	0	_	19.6	33.37	0.02	1.3	1.6	0.3
7/10		В	õ	_	19.6	33.60	0.02	1.4	2.1	0.4
4/28	1220	S	Õ		24.5	33.71	0.00	0.5	0.9	0.0
1, 50		В	0	-	23.2	34.04	0.03		1.4	0.5
		D	\sim	_			-			

STATION B 5a (Cont'd)

		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	PC		NO3-
		В	С.	М.				In.	Tot.	NO2
5/12	1152	S	F	0.0	25.2	33.73	0.02	0.8	1.0	0.4
		В	Р	0.0	24.5	34.13	0.02	0.9	1.1	0.5
5/26	1120	S	Ρ	0.1	26.5	34.16	0.00	0.8	1.0	0.2
		В	Р	0.0	25.4	34.18	0.00	0.7	0.9	0.3
6/9	1152	S	F	0.0	29.4	34.56	0.00	0.8	1.3	0.4
		В	P	0.0	28.6	34.58	0.00	0.8	1.2	0.7
6/25	1145	S	0	-	29.7	34.33	0.02	1.1	1.5	0.1
		В	0		29.2	34.22	0.02	1.1	1.7	0.1
7/1	1151	S	О	-	30.0	34.07	0.02	0.9	1.3	0.5
		В	0		29.9	34.00	0.03	0.9	1.4	0.6
7/31	1205	S	Р	0.0	31.8	33.80	0.01	0.5	1.0	0.4
		В	Ο	-	31.4	34.27	0.02	-	1.3	0.4
8/14	1118	S	F	0.1	29.6	33.03	0.04	0.8	1.2	0.5
		В	0	-	29.6	33.10	0.02	0.8	1.1	0.3
8/25	1130	S	Ο		31.5	34.14	0.03	0.5	1.2	0.5
		В	О		31.0	34.83	0.03	0.7	1.6	0.2
9/8	1200	S	0		30.2	34.63	0.03	0.7	1.4	0.5
		В	О	-	29.7	34.47	0.04	1.0	1.7	0.5
9/22	1147	S	Р	0.1	30.9	34.05	0.02	1.1	1.5	
		В	F	0.1	30.5	34.27	0.00	0.8	1.3	
10/22	1236	S	Ρ	0.1	24.6	33.46	0.03	2.2	2.5	0.4
		В	0	-	25.0	34.04	0.03	2.1	2.3	0.0
10/29	1150	S	0	-	22.8	34.00	0.01	1.9	2.5	0.2
		В	0		22.9	34.11	0.01	1.9	2.7	0.2
11/13	1058	S	P	0.5	23.0	33.12	0.05	1.2	1.7	0.2
		В	P	0.4	22.7	33.89	0.02	1.2	1.6	0.3
11/20	1200	S	Ρ	0.7	24.l	34.14	0.04	0.9	1.2	0.4
		В	F	0.4	23.9	34.20	0.03	1.0	l . 4	0.2
12/10	1252	S	0		21.9	34.16	0.04	1.0	1.7	0.1
		В	О	-	22.0	33.98	0.03	1.2	1.8	0.1
1959										
1/19	1230	S	С	-	14.2	32.56	0.04	1.3	1.9	0.3
		В	0		13.5	32.66	0.04	1.3	2.1	0.3
2/10	1107	S	r	0.2	20.8	33.28				
		В	Ρ	0.0	18.8	33.58				
3/4	1130	S	Р	0.2	19.0	33.30	0.05	0.8	1.3	0.3
		В	Р	0.0	19.0	33.30	0.05	0.9	1.6	0.5
4/20	1226	S	Ο	-	25.2	33.44	0.04	0.6	0.8	0.2
		В	С	-	23.7	33.44	0.02	0.5	1.0	0.1
5/7	1027	S	Ρ	0.0	24.9	34.90	0.02	0.3	0.9	2.1
		В	Р	0.0	24.2	35.14	0.00	0.6	1.1	2.7

STATION B 5a (Cont'd)

		C								
		S	C	-	° 7	C 1	9			
Date	Time	or		breve	°C.	Sal.	Cu.	PC		NO3-
		<u> </u>	С.	M.				In.	Tot.	NO2
6/12	1138	S	C	-	29.2	34.58	0.03	1.1	1.4	0.8
		В	0	-	29.3	35.07	0.04	0.9	1.3	0.4
7/20	1139	S	С	**	31.0	31.36	0.03	1.1	1.5	0.1
		В	С	-	30.4	33.46	0.02	1.0	1.3	0.2
8/4	1121	S	\mathbf{P}	0.0	29.8	31.26	0.03	1.1	1.5	0.4
		Б	Ο	-	30.0	33.06	0.03	1.0	1.0	0.4
9/8	1343	S	P	0.1	30.9	31.62	0.02	0.8	1.4	0.5
		В	P	0.8	30.1	31.73	0.02	0.8	l.4	0.5
10/12	1227	S	P	1.0	29.8	33.33	0.02	0.6	0.9	0.5
		В	P	2.0	28.4	34.04	0.02	0.5	0.8	0.5
11/4	1139	S	O	903	25.6	33.57	0.03	0.7	1.3	0.4
		В	О	-	25.6	33.53	0.02	0.6	l. 4	0.4
ST	ATION E	3-9	Dept	h of 2 fe	et 27°	01'N.	82°25'	W.		
1957										
7/2	1052	S	0		30.5	12.89				
7/9	1030	S	О	-	30.0					
8/12	1023	S	С	can.	31.0	1.21				
8/20	1113	S	0	-	30.7	14.45				
8/26	1115	S	О	-	29.5	6.54				
9/3	0854	S	0	**	28.0	10.26				
9/10	1058	S	С		28.3	0.30				
9/16	1130	S	Ō	-	27.5	0.60				
9/23	1047	S	Õ	-	29.5					
10/15	1103	S	õ	-	26.0	0.78				
11/4	1110	S	õ	-	22.5	18.77				
11/25	0906	S	õ	-	25.5	12.03				
12/2	0850	S	0 O	-	11.5	10.77				
12/6	0927	S	õ	-	12.5	6.83				
12/12	1347	S	0	-	10.3	11.13				
12/12	1002	S	0		17.8	11.29				
1958	1002	3	0		1(.0	11.47				
	0005	C	0		12 2	2 72				
2/11	0905	S	0	-	13.2	3.73				
2/18	0955	S	0	-		9.49				
3/17	0900	S	0	-		4.83				
4/1	1050	S	0	-		8.31				
4/15	0810	S	0	-	21.5					
5/1	1000	S	О			9.51	0 0 7			
5/20	1116	S	0	-	27.2		0.05			
5/29	0925	S	С	-	30.0					
6/11	1029	S	С	-	30.6	19.54				
6/26	0729	S	О	-	28.7	16.62				

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	ST	ATION E		Dep	th of 7 i	feet 26	°55.8'N.	82°	21.3' \	<i>N</i> .	
B C. M. In. Tot. NO2 1957 7/2 1103 S 0 - 30,5 33,47 0.03 7/2 1040 S 0 - 29,7 35,54 7/17 1033 S 0 - 30,0 32,294 0.04 7/25 1100 S 0 - 30,0 32,94 0.00 8/12 1034 S 0 - 30,5 30,48 8/26 1126 S 0 - 30,5 30,48 8/26 1126 S 0 - 28,5 31,40 0.06 9/16 1120 S 0 - 28,3 23.03 9/23 1041 S 0 - 26,2 25,59 0.09 10/21 1056 S 0 - 19,3 111/4 104 S P 2,0 23,1 30,86	Data	Time		C	brovo	°C	5-1	Cu	D)	NO
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	Date	1 me				0.	ാപം	Cu.			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1957								1110	100.	1102
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1103	S	0		30.5	33.47	0.03			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					-						
8/11347SO. 30.0 32.94 0.00 $8/12$ 1034SO. 30.5 30.48 $8/20$ 1122SO. 31.0 32.36 $8/26$ 1126SO. 29.0 31.87 $9/3$ 0902SO. 28.5 31.40 0.06 $9/10$ 1359SO. 29.5 22.64 $9/16$ 1120SO. 28.3 23.03 $9/23$ 1041SO. 26.2 25.59 0.09 $10/15$ 1114SO. 26.2 25.59 0.09 $10/21$ 1056SO. 19.3 $11/4$ $11/4$ 1104SF 2.0 23.1 30.86 $11/25$ 0858 SF 0.00 24.7 31.83 $12/6$ 0917 SP 3.6 14.2 31.46 $12/12$ 1340 SP 0.01 11.5 31.06 0.09 $12/19$ 0953 SP 1.4 16.8 32.2 22.14 $9/58$ $2/11$ 0855 S $ 13.3$ 29.81 0.01 $2/18$ 0947 SO $ 19.5$ 28.66 0.04 $4/15$ 0822 S $ 12.2$ 31.38 $5/1$ 0951 S $ 26.3$ 32.14 $5/20$ 1127 <td></td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td> <td>0.04</td> <td></td> <td></td> <td></td>				0				0.04			
8/1 1347 S O - 30.0 32.94 0.00 $8/12$ 1034 S O - 30.5 30.48 $8/20$ 1122 S O - 31.0 32.36 $8/26$ 1126 S O - 29.0 31.87 $9/3$ 0902 S O - 28.5 31.40 0.06 $9/10$ 1359 S O - 28.3 23.03 $9/23$ 1041 S O - 26.2 25.59 0.09 10/15 1114 S O - 26.2 25.59 0.09 10/21 1056 S O - 19.3 11/1 11/25 0858 S P 0.0 24.7 32.72 12/2 0842 S P 120 14.7 31.83 12/6 0917 S P 31.46 0.01 12/12 1340 S P 0.0 11.5 31.06 </td <td></td> <td></td> <td>S</td> <td>0</td> <td></td> <td></td> <td></td> <td>-</td> <td>-</td> <td>1.0</td> <td></td>			S	0				-	-	1.0	
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$		1347	S	0		30.0		0.00			
8/20 1122 S O - 31.0 32.36 $8/26$ 1126 S O - 29.0 31.87 $9/3$ 0902 S O - 28.5 31.40 0.06 $9/10$ 1359 S O - 28.5 31.40 0.06 $9/10$ 1359 S O - 28.3 23.03 $9/23$ 1041 S O - 28.3 23.03 $10/15$ 1114 S O - 26.2 25.59 0.09 $10/21$ 1056 S O - 19.3 $11/4$ 1104 S F 2.0 23.1 30.86 $11/25$ 0858 S P 0.0 24.7 31.83 $12/2$ 0842 S P 120 14.7 31.83 $12/12$ 0847 S O - 13.3 29.81 0.01 $2/18$ 0947 <td< td=""><td>8/12</td><td>1034</td><td></td><td>0</td><td></td><td>30.5</td><td></td><td></td><td></td><td></td><td></td></td<>	8/12	1034		0		30.5					
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	8/20	1122	S	0			32.36				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8/26	1126	S	О	-						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9/3	0902	S	0	-			0.06			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9/10	1359	S	0			22.64				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9/16	1120	S	0	-	28.3	23.03				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9/23	1041	S	О	-	29.7	25.33				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/15	1114	S	0	-	26.2	25.59	0.09			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/21	1056	S	0	••	24.0	30.77				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/28	1120	S	0		19.3					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11/4	1104	S	F	2.0	23.1	30.86				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11/25	0858	S	P	0.0	24.7	32.72				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12/2	0842	S	P							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12/6	0917	S	P	3.6	14.2	31.46				
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	12/12	1340	S	Р	0.0	11.5	31.06	0.09			
1958 $2/11$ 0855SO-13.329.810.01 $2/18$ 0947SO-10.827.56 $3/17$ 0852SO-15.827.660.10 $4/1$ 1042SC-19.528.660.04 $4/15$ 0802SO-21.231.38 $5/1$ 0951SO-26.332.14 $5/20$ 1127SO-26.033.800.03 $5/29$ 0934SO-27.933.96 $6/11$ 1113SO-30.434.380.02 $6/26$ 0720SO-28.832.43STATION B 14Depth of 5 feet $26^{\circ}53.8^{\circ}$ N. $82^{\circ}20.4^{\circ}$ W.19577/21109SO-30.234.687/91044SO-29.735.62	12/19	0953		P	1.4	16.8	32.32				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1958										
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2/11	0855	S	0	-	13.3	29.81	0.01			
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	2/18	0947	S	0		10.8	27.56		-		
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	3/17	0852	S	Ο	-	15.8	27.66	0.10			
$ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	4/1	1042	S	0	-	19.5	28.66	0.04			
$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	4/15	0802	S	0	-	21.2	31.38				
$5/29 0934 S O - 27.9 33.96 \\ 6/11 1113 S O - 30.4 34.38 0.02 \\ 6/26 0720 S O - 28.8 32.43 \\ \hline \frac{\text{STATION B 14}}{1957} \underline{\text{Depth of 5 feet}} \underline{26^{\circ}53.8' \text{ N.}}_{7/2} \underline{82^{\circ}20.4' \text{ W.}}_{1109} S O - 30.2 34.68 \\ 7/9 1044 S O - 29.7 35.62 \\ \hline \end{array}$	5/1	0951	S	0	-	26.3	32.14				
	5/20	1127	S	0	-	26.0	33.80	0.03			
6/26 0720 S O - 28.8 32.43 <u>STATION B 14</u> Depth of 5 feet 26°53.8' N. 82°20.4' W. 1957 7/2 1109 S O - 30.2 34.68 7/9 1044 S O - 29.7 35.62	5/29	0934	S	0	-	27.9	33.96				
<u>STATION B 14</u> Depth of 5 feet 26°53.8' N. 82°20.4' W. 1957 7/2 1109 S O - 30.2 34.68 7/9 1044 S O - 29.7 35.62	6/11	1113	S	0		30.4	34.38	0.02			
1957 $7/2$ 1109 S O 30.2 34.68 $7/9$ 1044 S O 29.7 35.62	6/26	0720	S	0	-	28.8	32.43				
1957 $7/2$ 1109 S O 30.2 34.68 $7/9$ 1044 S O 29.7 35.62	ST.	ATION B	14	Dept	h of 5 f	eet 26	°53.8'N.	82°2	20.4' V	V.	
7/2 1109 S O - 30.2 34.68 7/9 1044 S O - 29.7 35.62					• • • • • • • • • • • • • • • • • • • •						
7/9 1044 S O 🛥 29.7 35.62		1109	S	0		30.2	34.68				
					-						
	8/12	1038	S	Ê	0.0	30.0	34.78				
8/20 1216 S C - 31.0 33.47											

STATION B 14 (Cont'd)

	ATION	5 <u>1 1</u> (<u>~/</u>					
Date	Time	or	G.	breve	°C.	Sal.	Cu.	PO ₄	NO3-
		В	C.	M.				In. Tot.	
8/26	1134	S	0	tan a	30.2	29.08		· · · · · · · · · · · · · · · · · · ·	
9/3	0906	S	P	0.0	29.0	33.88			
9/10	1110	S	P	0.0	29.2	32.81			
9/16	1114	S	О		28.0	30.32			
9/23	1034	S	1	1.2	29.0	34.33			
10/6	1547	S	0	6.0	29.0	28.49	0.04		
		В	О	-	29.0	33.98	0.04		
10/21	1054	S	0	-	25.0	34.64			
10/23	1138	S	Р	0.4	25.5	34.76			
		В	P	0.2	25.0	34.75			
10/28	1025	S	О	-	17.5				
11/4	1100	S	Р	2.0	22.5	34.33			
11/6	1248	S	Р	4.6	22.5	34.86			
		В	F	0.6	22.3	34.67			
11/14	1036	S	0	-	21.5	34.93	0.09		
		Б	0	-	21.6	34.93	0.11		
11/20	1320	S	P	120	24.2	34.40			
11/21	1258	S	$\widehat{\mathbf{P}}$	300	22.9	34.70	0.15		
		В	P	148	22.9	34.70	0.05		
11/25	0852	S	\mathbf{P}	120	24.3	34.26			
12/2	0836	S	P	220	17.7	34.47			
12/6	0911	S	\mathbf{P}	140	15.5	34.04			
12/12	1337	S	Р	58	13.3	33.12			
12/19	0900	S	P	0.6	16.5	34.42			
1958									
2/11	0847	\mathbf{S}	0	-	13.0	32.88			
2/18	0942	S	С	-	11.2	31.78			
3/17	0845	S	0		15.8	34.31			
4/1	1035	\mathbf{S}	0	-	18.3	33.62			
4/15	0755	S	С	-	20.5	33.71			
5/1	0945	S	О	-	25.5	32.95			
5/20	1132	S	0		25.7	33.68			
5/29	0939	S	Ľ.	0.1	27.5	34.42			
6/11	1117	S	Р	0.0	29.5	34.43			
6/26	0715	S	0	•1	29.5	33.48			

ST	'ATION E	3 17	Dep	oth of 5	feet 26	°51.5'N.	82°	18.3'W.	
		S							
Date	Time	or	G.	breve	°C.	Sal.	Cu.	PO4	NC 3-
		В	<u>C.</u>	Mi.	<i>2</i> ,	0 art	Ou.	In. Tot.	NO ₂
1957	·····			1110				11. 10.	NOZ
7/2	1115	s	0		30.2	33.64			
7/9	1048	s	c	-	30.3				
				-		29.20			
8/12	1044	S	0		31.0	33.48			
8/20	1223	S	0	-	31.7	33.10			
8/26	1141	S	0	-	29.5	22.27			
9/3	0914	S	0	*	28.7	34.05			
9/10	1115	S	С	**	29.5	30.58			
9/16	1107	S	Ο	~	27.8	30.27			
9/23	1028	S	Ο	-	30.0	31.57			
10/15	1514	S	Ο		26.0	34.67			
10/21	1046	S	Ο	-	24.1	34.40			
10/28	1020	S	P	0.2	17.5				
11/4	1055	S	Р	6.0	23.0	34.67			
11/20	1314	S	P	1040	24.7	34.80			
11/25	0845	S	P	6.0	25.0	34.96			
12/2	0830	S	Р	180	16.0	34.22			
12/6	0904	S	P	100	14.2	34.69			
12/12	1325	S	Р	86	12.0	33.87			
12/19	0852	S	Ρ	140	17.0	33.89			
1958									
2/11	0840	S	0		13.0	32.30			
2/18	0935	S	0	-	11.2	32.57			
3/17	0840	S	0		16.2	32.14			
4/1	1028	S	0	-	19.5	32.21			
4/15	0750	S	Õ		21.7	32.48			
5/1	0938	Š	Õ	-	27.5	33.19			
5/20	1138	S	õ	-	27.1	33.68			
5/29	0945	S	õ	-	29.4	33.80			
6/11	1124	s	õ	-	30.5	35.34			
6/26	0708	S	õ	-	29.0	33.64			
0720	0700	5	0	-	27.0	77.04			
ст	A TION D	10	Den	th of 7	fact 26	9 4 9 4 L NT	0201		
	ATION B	19	Dep	oth of 7	<u>1001</u> <u>20</u>	°48.6'N.	04 .	15.7'W.	
1957 7/2	1101	C	\sim		20 2	24 04			
	1121	S	0	-	30.3	34.94			
7/9	1053	S	0	-	30.0	35.56			
7/17	1043	S	0	-	31.0	32,25			
8/1	1400	S	P	0.0	30.0	33.03			
8/12	1051	S	0	-	30.5	33.32			
8/20	1230	S	Ο	-	31.0	28.29			

STATION B 17 Depth of 5 feet 26°51.5' N. 82°18.3' W.

STATION B 19 (Cont'd)

<u> </u>	IIIION I		00110	<u>u</u> ,						
		S								
Date	Time	or	G.	breve	°C.	$\operatorname{Sal}_{ullet}$	Cu.	_PO		NO3-
		В	С.	<u>M.</u>				In.	Tot.	NO2
8/26	1150	S	0	-	30.0	34.66				
9/3	0919	S	0		28.5	28.33				
9/10	1121	S	0	-	29.2	26.43				
9/16	1100	S	С	-	27.7	23.29				
9/23	1022	S	F	0.0	29.7	27.90				
10/21	1040	S	С	-	25.0	34.62				
10/23	1200	S	0	-	25.3	34.82				
		В	0	-	25.0	34.78				
10/28	1030	S	F	0.0	19.5	34.56				
10/31	1221	S	F	0.2	21.0	34.82				
		В	Р	0.0	20.7	34.66				
11/4	1050	S	P	240	22.5	34.55				
11/6	1220	S	Р	4.0	22.8	34.80	0.01			
		В	0	**	21.9	34.76	0.16			
11/14	1100	S	С	ud	21.5	34.94	0.12			
		В	0		21.9	35.02	0.20			
11/20	1308	S	Р	140	23.8	34.60				
11/21	1236	S	P	58	22.9	34.61	0.15			
		В	\mathbf{F}	56	22.9	34.61	0.25			
11/25	0839	S	P	22	24.5	33.62				
12/2	0825	S	1-	400	18.7	34.78				
12/6	0855	S	Ŀ	22	15.5	34.42				
12/12	1318	S	P	60	12.0	33.91				
12/19	0845	S	Р	7.8	16.5	33.89				
1958										
2/11	0832	S	0	-	15.0	32.94	0.02			
2/18	0927	S	0	-	11.5	32.77				
3/17	0830	S	F	0.1	17.0	33.06	0.06			
4/1	1022	S	С	-	17.8	33.84				
4/15	0742	S	0	-	21.2	27.20	0.05			
5/1	0929	S	С	463	26.0	32.47				
5/20	1208	S	С	4.46	25.9	33.49	0.03			
5/29	0952	S	٢	0.0	28.2	33.80				
6/11	1130	S	Ο	63	30.0	31.92	0.02			
6/26	0655	S	О		29.0	33.17				
-										

ST	ATION 1		Dep	th of 10	feet	26°44.4'	N. 82°	<u>'10'</u> W	/.	
		S	_		0 -					
Date	Time	or		breve	°C.	Sal.	Cu.	FC		NO 3-
		B	С.	M.				In.	Tot.	NC2
1957		-	-							
7/9	1100	S	С	-	30.3	30.08				
8/12	1056	S	С	~	31.3	17.37				
8/26	1158	S	0	-	30.0	25.67				
9/3	0925	S	О		28.3					
9/10	1130	S	О	-	29.0	22.66				
	ATION E	3 29	Dep	th of 65	feet	26°42.8'	<u>N. 82°</u>	15,5	<u>W</u> .	
1957										
7/2	1130	S	О	-	30.5		0.05			
7/9	1107	S	С	-	29.8	34.51				
7/17	1050	S	Р	0.0	30.8	29.68				
7/31	0750	S	С	-0	30.6	33.12	0.08	••	1.4	
		В	С	••	30.0	32.75	0.18	-	1.4	
8/12	1059	S	P	0.0	**	30.05				
8/20	1238	S	С		31.0	31.46				
8/26	1208	S	С		29.7	32.41				
9/3	0945	S	С	-	28.5	26.01	0.03			
9/10	1344	S	0	13	30.2		0.00			
9/16	1050	S	С	-	27.5		-			
9/23	1015	S	F	0.0	29.2					
10/6	1640	S	C		28.5		0.05			
		Б	Ċ	**	28.7		0.05			
10/23	1220	S	Õ	**	25.0	31.75	0,00			
10/20		В	õ	-	25.3	33.98				
11/4	1042	S	P	- 40	22.3	31.57				
11/6	1152	S	P	130	22.0	34.23	0.02			
11/0	1154	M	P	54	21.9		0.02			
		B	P	50	21.9		0.04			
11/14	1122	S			21.9					
11/14	1122	B	r D	8.0			0.13			
11/21	1212		P	4.0	22.0	33.40	0.11			
11/21	1213	S	P	2.1	22.7		0.18			
11/25	0000	В	F	2.6	22.9		0.23			
11/25	0830	S	P	40	24.5					
12/17	1436	S	Ρ	54	16.5	33.10				
1958										
2/5	1409	S	С	-	14.0		0.05			
4/8	1426	S	0	-	22.3		0.00			
5/13	0832	S	С	-	25.2		0.01			
5/29	0959	S	Р	0.0	27.4					
6/10	1250	S	0	**	30.3	32.61				
6/17	1147	S	0	-	29.5	33.26				

ST	ATION E		Dej	oth of 21	feet	26°36.5'	N. 82	°13.3	<u>W.</u>	
		S	C	1	°.C	C - 1	Cu	DC		NO
Date	Time	or B	$\frac{G}{C}$	breve	°C.	Sal.	Cu.	PC In.	7 <u>4</u> Tot.	NO3 - NO2
1957		D	<u> </u>	M.	·		<u> </u>	111.	100	<u>NO2</u>
7/2	1138	S	0		30.5	34.31	0.03			
7/9	1115	S	õ	_	30.3					
7/17	1057	S	P	0.0	31.0	32.57	0.05			
7/31	0906	S	Ō		30.3	32.05	0.10		1.2	
• • •		В	Ċ		30.3	32.67	0.14	-	1.0	
8/1	1414	S	P	0.0	30.2	33.37	Ţ			
8/12	1110	S	0	-	30.5	35.18				
8/20	1247	S	0	-	30.5	32.26				
8/26	1235	S	0	-	30.0	34.57				
9/3	0955	S	F	0.0	28.2	29.32	0.02			
9/10	1140	S	0		29.0	33.87	0.05			
9/16	1042	S	0	-	27.3	25.97				
9/23	1008	S	P	0.1	29.0	35.05				
10/6	1707	S	Ο	***	28.4	22.19				
		В	0		28.6	30.29				
10/15	1137	S	Ο	649	25.8	27.98				
10/23	1247	S	0	-	25.7	34.49				
		В	О		25.7	34.53				
10/28	1000	S	P	820	16.0	32.02				
11/4	1035	S	\mathbf{P}	0.8	22.5	33.79				
11/6	1128	S	P	24	22.5	34.11	0.20			
		В	\mathbf{F}	24	22.2	34.17				
11/14	1148	S	\mathbf{k}	10	22.0	32.79	0.09			
		В	P	10	22.0	33.12	0.06			
11/20	1251	S	P	8.0	24.0	34.40				
11/21	1150	S	Р	8.0	22.5	34.02	0.08			
		В	Р	1.6	22.5	33.84	0.11			
12/2	0812	S	Р	1.4	11.7	33.31				
12/10	1500	S	\mathbf{F}	100	16.7	32.83				
12/12	1303	S	Ρ	92	10.0	33.30				
12/17	1427	S	F	28	15.8	33.71				
12/23	1356	S	Ρ	62	17.8	33.86				
1958										
2/5	1402	S	P	0.0	13.7	32.50				
2/14	1212	S	Ο		13.0					
2/24	1315	S	Ο		14.0					
3/11	1251	S	0		20.3					
4/1	1009	S	Ο		18.8	32.21				

ST	ATION E		Cont	'd)						
		S								
Date	Time	or	_	breve	°C.	Sal.	Cu.	P	04	NO3-
		В	С.	M.				In.	Tot.	NO2
4/8	1436	S	0	**	23.5	31.94				
4/20	1634	S	Ο	-	23.2	32.54				
5/21	1317	S	С	**	27.0	33.86				
6/10	1241	S	Ο		29.2	29.27				
6/17	1140	S	P	0.0	29.9	32.50				
ST	ATION B	3 47	Dep	th of 3 f	eet 26	°33.1' N.	82°	12' W.		
1957										
7/2	1145	S	О		30.5	34.83	0.01			
7/9	1120	S	0		30.5	35.53				
7/17	1105	S	0	-	31.2	30.75	0.04			
7/31	0935	S	О	**	30.1	27.33	0.08		0.6	
		В	0	-	30.4	30.05	0.10		2.4	
8/1	1 420	S	С		30.2	31.34	0.02			
8/12	1120	S	F	0.0	30.5	34.88				
8/20	1253	S	0	-	30.8	29.27				
8/26	1245	S	0	-	30.0	34.42				
9/3	1002	S	Р	0.0	28.0	25.22	0.02			
9/10	1144	S	0		29.0	34.11	0.06			
9/16	1034	S	С	649	27.2	24.59				
9/23	1002	S	P	0.0	29.0	34.26				
10/6	1721	S	O		28.0	26.78				
		В	0	aca	28.0	31.77				
10/15	1144	S	O		26.0	22.32				
10/21	1026	S	0	-	25.6	33,68				
10/23	1306	S	P	200	-4	27.58				
		В	Ŀ	120		32.97				
10/28	0956	S	12	1140	18.0	32.82				
11/4	1005	S	0	**	22.1	34.47				
11/6	1109	S	Р	10	22.6	33.70	0.02			
		В	Р	14	22.2	33,61	0.08			
11/14	1212	S	0	=	21.9	29.73	0.14			
		В	Ο	-	21.9	33.02	0.12			
11/20	1250	S	F	20	24.3	34.60	-			
11/21	1132	S	F	0.6	22.8	32.46	0.06			
		В	P	0.6	22.5	32.63	0.11			
12/2	0804	S	P	58	16.8	33.67				
12/10	1453	S	P	360	16.8	33.30	0.01			
12/12	1255	S	F	280	13.0	34.05	00 U L			
12/17	1420	S	P	12	16.2	33.69				
12/23	1350	S	P	24	17.3	34.14				
•			-			- 10 I I				

STATION B 47 (Cont'd)

51.	ATION E		<u>com</u>	u)						
		S								
Date	Time	or		breve	°C.	Sal.	Cu.	PC		NO ₃ ⊶
	. <u></u>	В	С.	M.				In.	Tot.	NO2
1958										
2/5	1355	S	Ο	-	13.5	32.94	0.04			
2/14	1206	S	О	•	13.2	33.10				
2/24	1307	S	С	•••	14.0	32.63				
3/11	1246	S	Γ	0.0	20.7	30.39				
3/25	1151	S	Р	0.0	17.5	32.88				
4/9	0749	S	P	0.0	20.5	33.31	0.00			
4/20	1625	S	O		22.3	31.27				
5/13	0820	S	Ο	-	25.5	31.08	0.01			
5/21	1311	S	Ο	-	27.4	33.91				
6/10	1236	S	O	-	29.4	30.88				
6/17	1107	S	Ο	949	29.6	32.99				
ST	ATION E	5 57	Dep	th of 11	feet 2	26°29.7'	N. 82	°08.8	' W.	
1957										
7/2	1210	S	0		31.0	29.19				
7/9	1127	S	0	-	31.5	25.64				
8/1	1427	S	О	two	30.2	24.67				
8/12	1126	S	0	603	31.3	24.11				
8/20	1302	S	С	-	31.0	24.23				
8/26	1255	S	О		30.0	22.33				
9/3	1010	S	0	••	28.0	20.69	0.05			
9/10	1150	S	0		29.7	23.56	0.03			
9/16	0950	S	0	••	27.3	23.66				
9/23	0951	S	õ		29.5	22.24				
10/15	1150	S	Õ		25.8	21.52				
10/21	1020	S	P	300	22.5	24.52				
10/23	1323	S	ŀ	720	24.8	21.97				
10/25	1000	В	P	300	24.5	22.70				
10/28	0950	S	P	180	15.5					
10/20	1100	s	0	-	19.9	30.57				
10/51	1100	В	õ		19.5	30.51				
11/4	1004	S	P	2.0	22.2					
11/4	1004 1243	S	P F	560	24.5	33.60				
		S		1760	24.3	32.88				
11/25	0817		1-1		12.2	33. 41				
12/2	0755	S	Ē	106		33.41 33.57	0.04			
12/10	1445	S	P T	38	15.8		0.04			
12/17	1415	S	F	360	16.2	33.71				
12/23	1342	S	P	14	18.3	32.66				

ST	ATION		Cont	'd)						
		S	~							
Date	Time	or		breve	°C.	Sal.	Cu.		04	NO3 ⊸
		В	С.	M.				ln.	Tot.	NO2
1958		9	~				0 0 F			
2/5	1348	S	0		14.0	31.64	0.05			
2/14	1200	S	0	-	11.7	31.26				
2/24	1300	S	0	-	15.5	27.48				
3/11	1233	S	P	0.6	21.7	23.24				
4/1	0958	S	0	-	19.8	26.92				
4/8	1449	S	Ο	-	24.0	27.36				
4/20	1619	S	0	-	22.8	27.74				
5/13	0809	S	0	-	25.3	24.96	0.02			
5/21	1304	S	0	-	28.4	27.99				
6/10	1230	S	Ο	-	31.1	27.12				
6/17	1102	S	0	-	29.8	28.46				
ST	ATION E	3 60	Den	th of 12	feet 2	6°28.3'	N. 82°	00.2'	W.	
1957			<u>bep</u>			0 20.0				
7/2	1221	S	0		31.5	25.12				
7/9	1136	S	õ	-	31.5	31.46				
8/1	1438	S	õ	_	30.2	25.39				
8/12	1225	S	õ	-	30.7	24.13				
8/20	1335	s	õ	-	30.7	26.90				
9/3	1018	s	F	0.0	28.5	29.33				
9/10	1326	S	P	0.0	28.5	28.17				
9/16	0945	s	Ō	⊶	27.5	20.11				
9/23	0922	s	0	-	29.5	22.31				
10/15	1240	S	P	80	27.2	29.13	0.22			
10/21	0932	S	P	440	25.3	24.54	0.44			
10/28	0937	S	P	740	19.3					
11/4	0955	S	P	0.2	22.0	30.19				
11/4	1017	S	P	1.0	22.0	28.16	0.05			
11/0	1017	B	P	0.0	22.0	28.35				
11/14	1202	Б S	г О				0.09			
11/14	1302			1	22.0	31,33	0.09			
11/20	1210	B	С	-	22.1	32,51	0.10			
11/20	1210	S	P	300	24.8	34.20	0 07			
11/21	1048	S	P	30	23.5	33.22	0.07			
12/10	1 41 0	В	P	4.0	23.3	33.16	0.07			
12/10	1410	S	P	40	17.0	30.43	0.13			
12/17	1339	S	Ē	60	15.5	21 24				
12/23	1312	S	P	14	17.5	31.96				

ST	ATION E	3 60 (Cont	d)						
		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	PC	94	NO3-
		В	С.	M.				ln.	Tot.	NO2
1958										
2/5	1308	S	Ο		13.2	27.32	0.03			
2/14	1129	S	0	-	13.3	26,18				
2/24	1230	S	0	-	15.7	26.40				
3/11	1110	S	P	0.6	21.5	26.33				
4/1	0945	S	Ο		19.7	23.82				
4/8	1342	S	Ο	875	23.3	23.98				
4/20	1138	S	О		21.8	28.98				
5/13	0720	S	С		25.5	19.58	0.02			
5/21	1248	S	С	=	28.3	31,55				
6/10	1220	S	С	0-0	29.5	24.69				
6/17	1051	S	С	c=0	30.3	30.53				
ST	ATION E	3 75	Dep	th of 16	feet 2	6°23.7' I	N. 81	°55.6'	W.	
1957										
7/10	1115	S	Ο	•	30.0	32.75				
		В	О		30.1	35.59				
7/11	1050	S	Ο	-	30.5	34.24				
		В	Ο	-	30.4	35.85				
7/23	1135	S	Ο		31.0	34.66				
		В	С		31.0	35.48				
8/8	1022	S	Ο		29.9	32.70				
		В	0							
9/19	0735	S	Р	0.1	28.3	33.98				
		В	Ο		28.4	33.93				
10/7	0703	S	89	-	27.5	24.69	0.05			
		В	-	-	28.0	33,58	0.07			
10/23	1411	S	Р	980	25.5	33.33				
		В	P	2380	25.5	34.00				
11/6	0954	S	Р	28	22.2	32.46	0.07			
		В	Р	22	22.1	33.29	0.05			
ST	ATION B	76	Dep	th of 9 f	eet 26	°24.3' N.	81°	53' W.		
1957							•			
7/2	1231	S	Ο	6-3	30.8	32.59				
7/9	1145	S	Ο	-	30.5	35.08				
7/23	0928	S	Ο	-	30.6	30.97				
		В	O	-	31.1	34.92				
7/31	1134	S	F	0.0	30.5	30.72				
		В	Ο		30.3	30.84				

STATION B 76 (Cont'd)

		S								
Date	\mathbf{Time}	or	G.	breve	°C.	Sal.	Cu.	PO_4		NO3⊷
Date	1 11110	В	C.	M.			0		Γot.	NOZ
8/6	1530	S	ŀ	0.0	29.0	31,20				
8/20	1344	S	Ο	-	31.5	27.22				
9/3	1027	S	О	-	28.0	29.37				
9/10	1308	S	О	-	29.2	31.49				
9/16	0935	S	0	-	27.0	30.19				
9/23	0914	S	О		29.0	33.09				
10/15	1250	S	Р	0.0	26.7	30.46				
10/21	0745	S	Ο	-	24.3	32.49				
10/28	0927	S	Ρ	260	18.0					
11/4	0946	S	P	8.0	22.8	34.43				
11/20	1200	S	P	6.0	24.5	35.20				
11/21	1030	S	F	8.0	23.8	34.57	0.22			
		В	Р	3.2	23.6	34.62	0.05			
12/10	1359	S	F	40	17.5	32.86				
12/17	1330	S	P	40	16.0	33.64				
12/23	1302	S	Р	12	18.2	33.71				
1958										
2/5	1300	S	\mathbf{p}	0.1	14.5					
2/14	1120	S	F	0.2	13.5	32.03				
2/24	1220	S	С	-	16.2	31.33				
3/11	1055	S	0		20.7	32.01				
3/25	1134	S	P	0.0	18.5	30.77				
4/8	1333	S	0	-	22.7	31.09				
4/20	1129	S	0	~	22.2	32.20				
5/6	1333	S	P	0.0	28.3	32.72				
5/21	1206	S	0	-	27.8	33.68				
6/10	1158	S	С	-	29.5	32.14				
ST	ATION E	79	Dep	th of 6 f	eet 26	°21.6' N.	81°F	51.6' W.		
1957			<u> </u>							
7/2	1237	S	0	-	32.3	32.19				
7/9	1150	S	0		31.3	35.19				
7/10	1000	\mathbf{S}	Ο	-	30.5	35.22				
		В	О		31.0	35.82				
7/11	1155	\mathbf{S}	0	-	30.6	35.23				
		В	О	-	30.5	34.78				
7/23	0915	S	0	-	30、5	30,60				
		В	С		30.7	34.65				
7/31	1200	S	0	-	31.2	31.07				
		В	О	-	31.0	32.35				

STATION B 79 (Cont¹d)

		S	<u> </u>							
Date	Time	or	G	breve	°C.	Sal.	Cu.	FO	4	NC 3-
Date	I III.C	E	$\frac{C}{C}$	N.	0.	Our.	Ou.	In.	4 Tot.	NC2
8/6	1530	S		0.0	29.7	30.43		1110	100.	1.02
8/8	1012	S	Ō		30.3	50, 15				
070	1012	В	C	046 044	30.2	33.27				
8/12	1236	S	G		30.5	34.18				
8/20	1350	S	C	ex.	32.0	29.58				
8/20	1020	S	C	80	30.3	34.47				
0/21	1020	B	C	*	30.3	34.73				
9/10	1215	D S			30.2	28.97				
	1315		ŀ	0.0		20.37				
9/16	0928	S	С	60	27.5					
9/23	0908	S	0	eed.	28.8	34.88				
10/15	1255	S	C C	44	27.2	19.37				
10/21	0750	S	С	⊷ 40	26.0	34.22				
10/23	1427	S	£	48	25.5	33.72				
10/20	0022	B	1	10	25.1	33.73				
10/28	0923	S	O		17.0	20 (2				
10/31	0951	S	£	280	20.5	30.62				
11/4	0.0.40	В	2	140	22.0	33.95				
11/4	0940	S	F	6.0	23.0	33.74	0.0/	1 2	1 0	0.2
11/6	0940	S	ł	18	22.5	34.16	0.06	1.3		
/	1015	Б	Ο	1	22.4	34.52	0.04	1.1	5.5	0.1
11/14	1345	3	1-	38	22.8	33.65	0.10			
		<u>D</u>	F	6.0	22.4	34.64	0.06			
11/20	1155	S	F	0.2	24 3	35.40				
11/21	1016	S	<u>.</u>	0.0	23.3	34.24	0.09			
		Б	È	0.0	23.1	34.33	0.05			
12/10	1352	S	ŗ.	220	17.5	33.03	0.07			
12/17	1324	S	F	54	17.2	32.27				
12/23	1256	S	1-	4.0	17.7	34.09				
1958										
2/5	1205	S	F	0.0	15.0	840	0.04			
2/14	1114	S	1-	0.0	14.0	32.56				
2/24	1150	S	C	173	15.2	32.45				
3/11	1049	S	r	0.1	20.5	26.96				
3/25	1127	S	С	et)	18.3	32.54				
4/8	1325	S	С	83	22.5	32.43	0.00			
4/20	1122	S	С	**0	21.7	33.39	0.01			
5/6	1327	S	5	0.2	28.5	32.97	0.01			
5/21	1200	S	С	ena	26.5	34.29				
6/10	1150	S	С		29.7	33.17				
0/10	44.50	0	\sim	6440		JJ0 11				

ST	ATION E		Dep	th of 6 f	eet 26	°17.5'N.	81°-	49.31	W	
		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	гC	4	NC 3-
		В	С.	M。				ln.	Tot.	NCZ
1957										
7/11	1230	S	О	**	30.9	35.00				
		Б	0	-	30.5	35.45				
7/23	1324	S	÷	0.0	32.0	31.87				
		В	Ο		31.2	35.65				
7/31	1231	S	0		31.0	34.13				
		В	0		30.7	34.00				
8/27	1147	S	F	0.1	30.7	34.91				
		В	Р	0.0	30.2	34.91				
10/7	0743	S	С	**	28.3	33.27	0.08			
		В	0		28.0	34.63				
10/31	0933	S	Р	480	22.6	31.55				
		Б	ĩ	320	22.5	34.03				
11/6	0920	S	Р	0.0	22.8	34.17	0.05	1.1	1.5	0.6
		В	P	0.0	22.8	34.21	0.07	1.3	1.9	0.3
11/14	1403	S	Р	390	22.4	35.06	0.18			
		В	P	470	22.6	34.60	0.11			
11/21	0958	S	\mathbf{P}	2.6	23.5	34.37	0.15			
		В	Р	10	23.5	34.46	0.07			
ST.	ATION B	92	Dep	th of 22	feet 2	6°13' N.	81°51	l.9'W	0	
1957									-	
7/11	1305	S	O	-	31.2	36.03				
		В	0	-	31.4	36.05				
7/31	1310	S	С	.	31.0	35.32				
		В	0	-	31.0	35.67				
10/31	0902	S	\vec{P}	1220	21.5	33.65				
		N_{\star}	Р	1240	21.5	33.62				
		В	P	960	21.5	33.63				
11/6	0905	S	P	18	22.6	34.50	0.05	0.9	1.2	0.2
	-	В	P	12	22.5	34.48	0.05	1.1	1.3	0.3
11/21	0937	S	F	0.8	23.5	34,65	0.16			
		В	F	0.0	23.0	34.63	0.15			

ST	ATION E	3 93	Dep	th of 10	feet	26°13' N.	81°4	9.6'W	•	
		S								
Date	Time	or	G. 1	breve	°C.	Sal.	Cu.	PO	4	NC3⊷
		В	_C.	M.				In.	Tot.	NO2
1957										
7/11	1330	S	О		31.7	36.34				
		В	Ο		31.3	36.30				
7/18	1009	S	С	•	30.7	35.87				
		В	0		31.0	35.97				
7/31	1325	S	О		31.0	35.60				
		Б	0	-	31.0	35.52				
8/13	1100	S	О	-		34.64				
11/14	1429	S	О	•	22.7	34.48	0.10			
		В	F	0.8	22.9	34.47	0.09			

ST	ATICN C		Dept	h of 19 f	eet 26	°07.5'N.	81°-	49.1'	W.	
Dete	m:	S	C	breve	°C.	Sal.	Cu.	PC	、 <u>.</u>	NO
Date	Time	or B	$\frac{G}{C}$	M.	С.	Jal.	Cu.	ln.	Tot.	NO3⊶ NO2
1957								1110	1000	1102
7/11	1355	S	Ρ	0.0	30.8	36.47				
		В	О	-	30.5	36.24				
7/31	1346	S	0	-	31.0	35.05				
		В	С	_	31.0	35.05				
8/13	0915	S	0		29.8	34.67				
8/19	0745	S	0	-	31.1	35.23	0.05			
		В	0		30.8	34.37				
10/24	0901	S	F	180	25.6	34.97				
		В	Ŀ	120	25.5	35.06				
11/6	0844	S	\mathbf{P}	26	23.0	34.15	0.07	1.2	2.2	0.4
		В	Ê	66	22.9	34.09	0.13	1.5	4.2	0.3
11/14	1439	S	F	32	22.5	34.38	0.04			
		В	Ξ	34	22.7	34.49	0.03			
ST	ATION C	5	Dent	h of 8 fe	et 26°	05.9'N.	81°4'	7.7'W		
1957	1111011 0		<u>D op </u>				<u> </u>		-	
7/2	1132	S	0	e1	31.2	32.58				
•••		В	С	-	31.2	32.97				
7/24	1640	S	0	-	32.1	18.06				
••		Б	С	_	32.0	26.25				
8/6	0930	S	С	-	29.5	28.83				
		В	0	-	29.3	29.39				
8/19	0847	S	0	-	30.9	32.95				
8/20	0909	S	0	-	31.2	26.17				
10/28	0907	S	٣	180	19.7					
11/18	1057	S	P	22	24.0	34.54	0.13			
		В	P	14	24.8	34.48	0.06			
ST	ATION C	2 7	Dept	h of 18 f	eet 26	°05.8'N.	81°-	48.7'	w.	
1957										
7/11	1421	S	P	0.0	30.8	36.25				
		В	0	-	30.5	36.17				
7/18	1100	S	Ó	-	31.0	34.52				
••		В	С	-	30.6	35.80				
7/23	1436	S	С	-	31.8	32.64				
		В	0	-	31.4	35.80				
7/24	1500	S	0	-	31.6	28.16				
		В	0	-	31.8	33.37				
7/31	1407	S	0	-	31.4	35.65				
		В	С	-	31.4	35.70				

STATICN C 7 (Cont'd)

		S		· · · · · · · · · · · · · · · · · · ·						
Date	Time	or	G.	breve	°C.	Sal.	Cu.	P	C4	NO3-
2010		В	C.	M.				In.	Tot	NO ₂
8/19	0720	S	0		30.6	34.67	0.12		0.4	
		В	Ō	-	31.0	35.14				
8/20	1137	S	0	-	31.2	30.20	0.03	-	1.1	
8/27	1345	S	О	-	30.2	34.84				
		В	С	e19	30.1	34.92				
9/9	1420	S	6	-	30.2	14.26				
9/16	0912	S	С	æ	27.7	24.63				
10/15	1345	S	O	-	27.5	33.28				
10/21	0812	S	С	-	25.5	35.01				
10/23	1530	\mathbf{S}	0	-	25.6	35.00				
		Б	O	-	26.0	35.00				
10/31	0832	S	F	320	21.6	33.84				
		В	Ŀ	480	21.0	33.34				
11/4	0915	S	P	42	22.7	33.69				
11/18	1035	\mathbf{S}	\overline{F}	44	24.4	34.54	0.13			
		В	Ρ	14	25.4	34,55	0.18			
11/20	1303	S	P	72	24.5	34.49	0.06			
		В	P	52	24.5	34.54	0.08			
11/21	0914	S	P	1.6	23.8	34.44	0.15			
		B	F	0.1	23.5	34.43	0.15			
12/10	1220	S	Р	280	17.7	33.87				
12/17	1248	S	P	160	16.3	34.27				
12/23	1240	S	Р	32	17.8	34.33				
1958										
2/5	1140	S		20	14.8	31.06				
2/14	1059	S	С	_	13.5	32.59				
2/24	1135	S	С	-	15.7	31.33				
3/11	1031	S	0	-	20.5	32,50				
3/25	1058	\mathbf{S}	\hat{P}	0.0	18.8	32.10				
4/8	1309	S	C	-	22.5	32.10				
4/20	1106	S	О	-	22.5	31.26				
5/6	1242	S	1-	0.0	27.0	33.60				
5/21	1131	S	С		26.3	34.20				
6/10	1117	S	Ο	-	29.8	24.60				
6/17	0950	S	С	-	29.8	31.27				

SI	ATION (C 15_	De	pth of 3	feet 2	6°02' N.	81°45	.2' W.		
		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	PC	94	NO3-
		В	С,	М.				In.	Tot.	NO2
1957										
7/8	1235	S	0	-	32.2	35.49	0.04			
9/9	1410	S	0	-	30.7	22.38	0.06			
9/16	0835	S	О	-	27.2					
9/23	0847	S	С	-	29.8	23.78				
10/15	1337	S	0	-	28.0	25.82	0.12			
10/21	0905	S	0	-	25.2	32.38				
10/28	0900	S	P	0.2	19.0					
11/4	0902	S	Р	180	22.6	29.75				
	ATION C	; 16	Dep	th of 16	feet 2	26°01'N.	<u>81°4</u>	5.8'W	•	
1957										
7/24	1600	S	0	-	32.4	30.43				
		В	0	-	32.4	31.35				
7/25	1138	S	0	-	30.6	33.62				
		В	0	-	30.5	34.59				
8/6	1010	S	Р	0.0	30.2	33.63				
		В	P	0.0	30.2	33.69				
8/13	1048	S	О		30.5	34.98				
8/19	0947	S	О		30.5	32.31				
8/20	0935	S	0	-	30.7	34.42	0.00	-	0,6	
		В	0		30.7	34.38	0.18	-	0.4	
9/9	1358	S	0	-	30.0	31.62				
9/16	0904	S	О		27.5	28.70				
9/23	0822	S	0	-	28.5					
10/15	1317	S	С	-	27.5	30.62				
10/28	0845	S	P	86	20.0					
11/4	0840	S	Р	460	22.5	33.67				
11/12	1158	S	P	10	22.0	33.65				
11/18	1201	S	\mathbf{P}	14	24.5	34.57	0.25			
		В	Р	10	24.8	34.40	0.15			
11/20	1122	S	P	1.4	24.7	35.20				
12/10	1212	S	Р	40	18.0	34.40				
12/17	1241	S	\mathbb{P}	40	16.2	34.29				
12/23	1232	S	Р	16	17.8	34.51				
1958										
2/5	1143	S	Р	0.2	15.0	31.89				
2/14	1050	S	Р	1.0	13.3	32.41				
2/24	1125	S	Ο		15.3	32.27				
3/11	1020	S	Ο	-	21.0	32.50				
3/25	1051	5	\mathbf{P}	6	18.8	32,12				

¢

ST	ATION C	; 16 ($Cont^{1}$	d)						
		S								
Date	Time	or	G_{\bullet}	breve	°C.	Sal.	Cu.	PC	\mathbf{D}_4	NO 3-
		B_	С.	Μ.				In.	Tot.	NO2
4/8	1300	S	Ó		22.7	32.56	-			
4/20	1058	S	0	-	21.8	32.38				
5/6	1233	S	Р	0.0	27.2	33.66				
5/21	1125	S	Ο		26.9	34.34				
6/10	1109	S	0	-	28.9	29.67				
6/17	0944	S	0		29.8	30.93				
STA	ATION C	20	Dep	th of 28	feet 2	5°58' N.	<u>81°4</u>	4.7'V	<u>v</u> .	
1957										
7/8	1227	S	0	-	31.0	36.06				
7/25	1330	S	0	**	31.5	35.87				
- 13		В	Ο	**	31.2	35.85				
8/6	1045	S	Р	0.2	30.3	34.07				
		В	Р	0.0	30.0	34.09				
8/13	1145	S	0		30.2	34.45				
8/19	0952	S	Ο	••	30.1	32.92				
8/20	1035	S	0	**	30.9	34.03	0.00	**	0.5	
		В	0		31.5	33.89	0.01	••	0.6	
9/9	1352	S	0	-	30.0	31.47				
9/16	0857	S	Ο		27.5	30.84				
9/23	0830	S	Ο	***	28.7	33.57				
10/15	1325	S	0		27.5	33.41				
10/21	0850	S	Ο		25.6	34.46				
10/28	0855	S	Р	8.0	20.0					
11/4	0855	S	Р	1100	22.5	33.55				
11/7	1320	S	\mathbf{P}	16	23.2	33.48				
11/12	1153	S	Р	12	21.3	33.80				
11/18	1236	S	Р	6.0	24.6	34.35	0.31			
		В	Р	8.0	24.7	34.29	0.17			
11/20	1116	S	Р	10	25.0	35.20				
12/10	1205	S	\mathbf{P}	140	18.0	34.61	0.05			
12/17	1236	S	Р	80	16.3	34.25				
12/23	1227	S	Р	20	18.0	34.45				
1958										
2/5	1131	S	Р	4.8	14.0	31.46	0.03			
2/14	1045	S	Р	4.0	13.5	32.07				
2/24	1120	S	0		16.5	32.00				
3/11	1114	S	0		21.7	32.36				
	1045	S	Р	0.1	18.0	32.12				
3/25	1045	5	+	0.1	10.0	JU. 10				

ST	ATION C		Cont'	d)						
		S								
Date	Time	or	G.	breve	°C.	Sal.	Cu.	PO.	4	NO3⊷
		В	С.	M.				In.	Tot.	NO2
4/20	1052	S	0	-	22.0	32.50				
5/6	1207	S	О	-	27.5	33.62	0.01			
5/21	1119	S	0		27.3	34.34				
6/10	1103	S	0	-	28.3	33.86				
6/17	0938	S	0	-	30.0	30.57	0.02			
	ATION C	; 32	Dep	th of 6 f	<u>eet 25</u>	5°54.3'N.	<u>81°</u>	43.6'	<u>W.</u>	
1957										
7/8	1220	S	О	-	31.3	36.27	0.03			
7/10	1145	S	0	-	31.2	35.67				
8/13	1106	S	Р	0.0	30.0	35.35				
8/19	1000	S	0	-	•	34.62				
9/9	1350	S	0	-	30.0	31.62				
9/16	0845	S	0	-	27.2	25.54				
9/23	0836	S	P	0.0	29.8	35.97				
10/15	1332	S	0	-	27.7	30.17	0.21			
10/21	0900	S	0	-	25.6	34.29				
10/28	0851	S	P	0.6	20.0					
11/4	0850	S	P	420	22.3	34.11				
11/7	1150	S	Р	54	23.0	33.45				
11/12	1145	S	Р	12	21.7	34.06				
11/15	1620	S	P	4.0	24.5	34.86	0.07			
11/20	1108	S	Р	60	25.2	35.20				
12/10	1155	S	Р	54	17.8	34.70	0.00			
12/17	1230	S	F	l40	16.5	34.34				
12/23	1221	S	Ρ	4.0	18.3	34.42				
1958										
2/5	1124	S	ŀ	26	13.7	32.39	0.03			
2/14	1038	S	P	4.0	13.5	32.23				
2/24	1112	S	С	-	16.5	31.82				
3/11	1005	S	0	-	22.8	31.53				
3/25	1038	S	Р	0.0	18.7	32,10				
4/8	1249	S	0		22.5	32.18	0.01			
4/20	1045	S	Ō	-	22.2	33,21				
5/6	1200	S	0	-	27.7	31,71	0.01			
5/21	1112	S	Ō		27.7	33, 86	-			
6/10	1050	S	Ō	_	29.8	33, 53				
6/17	0931	S	Ō	_	31.0	30.30	0.01			
-					-					

ST	ATION C		De	pth of 3	feet	25°50.4' N	V. 81°	40.4	W.	
		S								
Date	Time	or		breve	°C。	Sal.	Cu.	PC	04	NO ₃ ⊶
		В	С.	M.			· · · · ·	In.	Tot.	NO2
1957										
11/7	1140	S	F	112	23.0	33.93				
11/12	1137	S	P	4.0	21.5	34.01				
11/20	1058	S	Р	160	25.3	35.20				
12/10	1145	S	F	40	18.2	34.88				
12/17	1224	S	Ρ	180	16.2	33.93				
12/23	1215	S	Р	60	18.7	34.27				
1958					_					
2/5	1115	S	È.	60	14.0	32.68				
2/14	1030	S	Р	10	13.5	32.32				
2/24	1106	S	0	-	15.7	31,60				
3/11	0951	S	Ο	-	22.5	31.49				
3/25	1032	S	Р	0.2	18.3	32.23				
4/8	1241	S	Ο	-	23.5	32.07				
4/20	1036	S	Ο	-	21.7	33.39				
5/6	1151	S	Ο	•	28.5	33.60				
5/21	1105	S	Ο	-	27.5	33.49				
6/10	1049	S	Ο	-	29.5	30.97				
6/17	0925	S	Ο	-	29.8	29.85				
ST	ATION C	2 32b	De	pth of 4	feet	25°52.9' N	I. 81°	37.9'	w.	
1957				1						
11/12	1130	S	P	80	22.0	33.29				
11/20	1050	S	Р	120	25.5	34.20				
12/10	1140	S	P	26	18.2	34.79				
12/17	1216	S	Р	130	16.0	34.61				
12/23	1210	S	Р	160	19.0	34.61				
1958										
2/5	1109	S	Р	8.0	13.0	31.60	0.06			
2/14	1055	S	Р	1.4	12.5	30.79				
2/24	1100	S	0		16.5	32.05				
3/11	0944	S	0		23.0	30.64				
3/25	1029	S	С		19.0	32.18				
4/8	1235	S	Ō	-	23.5	32.14				
4/20	1031	S	Ō		22,3	33.37				
5/6	1145	S	Ō	-	28.2	31.71				
5/21	1100	S	Ċ	-	27.5	32.38				
6/10	1043	ŝ	C	-	29.5	32.05				
6/17	0920	S	0	-	29.8					
0,	- /				,	_				

ST	TATION O		De	pth of 2 i	feet	25°46'N.	81°23	w.		
Date	Time	S	G	breve	°C.	Sal.	C	DO		NO
Date	1 mie	or B	$\frac{\mathrm{d}}{\mathrm{C}}$	M.	0.	Jar.	Cu.	PO. In.	<u>4</u> Tot.	NO3⊷ NO2
1957			<u> </u>	1410					100.	NO2
7/8	0807	S	0	-	30.0	32.25				
8/19	1106	ŝ	Ō	-	31.5					
9/9	0850	S	0	-	28.0					
11/7	1115	S	0	-	23.0					
11/12	1109	S	0	-	21.5					
11/20	1130	S	0	-	25.8					
12/10	1117	S	0	-	17.8					
12/17	1200	S	0	-	16.2					
12/23	1106	S	0	-	19.8					
1958					,					
2/5	1045	S	0	-	13.5	14.47				
2/14	1008	S	0	-	12.5					
2/24	1043	S	0	-	17.3					
3/11	0928	S	0	-	23.7					
3/25	0942	S	0	-	18.7					
4/8	1122	S	0	-	23.8					
4/20	1012	S	0	-	23.0					
5/6	1125	S	0	-	27.8					
5/21	1042	S	0	-	27.3					
6/10	0942	S	0		29.2					
6/17	0903	S	0	-	30.2					
Ċœ		12 -	D		<i>c</i> ,	259401 37	01820	11 117		
	ATION C	4 2 a	De	epth of 9	ieet	25°48' N.	81-28	<u>. 1' W</u> .		
1957 11/7	1127	c	Р	24	23.0	21 22				
11/12	1116	S S	P	24 22	21.8					
11/12	1138	S	r O		25.7					
12/10	1125	S	0		18.0		0.00			
12/17	1206	S	P	0.0	16.0		0.00			
12/23	1200	s	P	0.0	19.7					
1958	- 200	5	T	0.0	± 70 l	54.75				
2/14	1015	S	Р	3.0	13.3	28.80	0.05			
2/14	1015	S	г О		17.3		0.00			
3/11	0936	s	0	-	24.0					
3/25	1016	s	0	-	19.2					
4/8	1225	S	0	-	24.5		0.02			
4/20	1019	S	0	-	23.0		V. V L			
5/6	1135	S	0	-	28.3		0.01			
5/21	1049	S	0	-	28.0		0.01			
6/10	1032	S	0	-	29.7					
6/17	0910	S	0	-	30.5		0.03			
0/1/	0710	5	0		- 00, 9		0.05			

SI	TATION (Dep	th of 5 i	feet 2	5°41' N.	81°17	<u>.5'</u> W.		
		S	_				_			
Date	Time	or		breve	°C.	Sal.	Cu.	PC		NO3⊷
1057		В	С.	M.	·····			In.	Tot.	NO2
1957 7/8	0915	C	\circ		20 5	21 20	0 02			
8/19	$\begin{array}{c} 0815\\ 1116 \end{array}$	S S	0		30.5	31.28	0.03			
9/9	0900	s S	0	-	31.3	31.18	0 02			
9/9 11/7	1105	s S	0 0	•	28.2	19.88	0.03			
11/12	1058	S	0	-	23.2 22.3	28.42 18.22				
11/12	1120	S	0							
12/10	1120	s S		••	25.8 18.7	32.80 27.83	0.01			
12/17	1041	S	O P	• 0.0	15.5	31.69	0.01			
12/23	1041	S	г О		19.7	28.59				
1958	10.30	5	0		17e î	20. 37				
2/5	1048	S	0		13.5	16.65				
2/14	0957	s	õ	-	13.0	29.94	0.11			
2/24	1035	s	P	0.0	18.5	24.04	0.01			
3/11	0917	ŝ	Ō		23.5	27.74	0801			
3/25	0935	ŝ	Õ		18.7	25.75				
4/8	1113	S	Ō		24.5	16.67	0.02			
4/20	1002	S	0		22.5	25.30				
5/6	1117	S	0	•	27.5	28,10	0.01			
5/21	1034	S	0		27.2	28.60				
6/10	0934	S	0		28.7	27.16				
6/17	0855	S	Ο	**	29.6	21.51	0.02			
and the second se	ATION C	54	Dept	h of 6 f	<u>eet 25</u>	°38' N.	<u>81°16.</u>	<u>4' W</u> .		
1957										
7/8	0824	S	0	-	30.2	34.40				
8/19	1122	S	0		30.8	33.29				
9/9	0907	S	0	-	28.0	31.29				
11/7	1058	S	0	-	22.8	30.81				
11/12	1050	S	0	-		29.87				
11/20	1114	S	0	-	25.7	32.60				
12/10	1058	S	0	-	17.8	33.87				
12/17	1035	S	Р	0.0	16.0	32.16				
12/23	1052	S	Р	0.0	19.7	32.77				
1958	1000		~		10.5					
2/5	1039	S	0	••	12.2	25.95				
2/24	1029	S	Р	32	18.3	27.94				
3/11	0909	S	0	-	23.5	29.90				
3/25	0928	S	0	-	18.7	27.50				
4/8	1106	S	0	**	23.7	25.79				

ST	ATION C	; 54 (Cont'e	d)						
		S								
Date	Time	or	G. 1	breve	°C.	Sal.	Cu.	PO	4	NO3-
		В	Ċ.	М.	_			In.	Tot.	NO2
4/20	0952	S	0		22.0	26.69				
5/6	1109	S	0	A	27.2	28.13				
5/21	1029	S	0	••	26.1	28.93				
6/10	0928	S	0	**	28.3	20.84				
6/17	0850	S	0	-	29.0	24.04				
ST	ATION C	61	Dept	th of 3 f	<u>eet 25</u>	°33' N.	81°12'	<u>W.</u>		
1957										
7/8	1040	S	0		31.0	25.23	0.01			
8/19	1252	S	0	••	31.2	16.64				
9/9	1155	S	0	-	30.5	5,17	0.05			
11/7	1049	S	0		23.5	10.37				
11/12	1045	S	0		22.3	9.71				
11/20	1007	S	0		26.0	18.50				
12/10	1047	S	0	-	18.3	-	0.07			
12/17	1025	S	Р	0.0	16.3	26.33				
12/23	1043	S	0	-	20.2	20.16				
1958										
2/5	1030	S	0	-	14.7	10.14				
2/24	1021	S	0		18.2	11.40				
4/8	1056	S	0		24.5	16.04				
4/20	0948	S	0		23.0	13.24				
5/6	1100	S	0	-	27.0	28.42				
5/21	1020	S	0		26.8	19.38				
6/10	0919	S	0	-	28.4	26.94				
6/17	0841	S	0	-	30.5	4.00				
	ATION C	64	Dept	h of 3 f	<u>eet 25</u>	°28.8'N.	<u>81°1</u>	<u>0'W</u> .		
1957										
7/8	1031	S	0	-	31.5	28.14	0.01			
8/19	1135	S	0		31.2	25.59				
9/9	0921	S	0		28.0	14.00				
11/7	1040	S	0	-	23.8	29.22				
11/12	1033	S	0		22.5	15.53				
11/20	1058	S	0		26.0	28.20				
12/10	1038	S	0	-	18.0	26.78				
12/17	1018	S	0	-	16.8	30.44				
12/23	1035	S	0	•	20.2	24.90				

SI	TATION C	C 64 (Cont	d)						
		S								
Date	Time	or	<u>G.</u> 1	oreve	°C.	Sal.	Cu.	PO	4	NO3⊷
		B	с.	M.				In.	Tot.	NO ₂
1958										
2/5	1018	S	0	-	14.5	13.55				
2/24	1014	S	0	-	18.2	19.76				
4/8	1048	S	0		24.0	18.21				
4/20	0941	S	0	-	22.3	17.68				
5/6	1052	S	0	**	28.7	25.68				
5/21	1013	S	0	-	26.6	24.05				
6/10	0912	S	0	-	28.0	12.72				
6/17	0833	S	0	-	29.6	15.84				
<u>ST.</u> 1957	ATION C	68	Dept	h of 3 f	<u>eet 25</u>	°22.1'N.	81°0)8.4'	W.	
7/8	1022	s	0		30.5	33.67	0.03			
8/19	1240	s	õ	-	31.5	32.80	0.05			
9/9	0932	S	õ	-	29.5	27.49	0.14			
11/7	1030	S	õ	-	23.0	27.33	0.11			
11/12	1020	s	õ		23.0	20.10				
11/20	0950	s	õ		26.0	26.60				
12/10	1022	s	õ	-	18.2	27.59	0.10			
12/17	1007	S	õ	-	16.5	25.90	0.04			
12/23	1027	S	õ	-	19.5	26.71	0.01			
1958	1001	0	Ũ	-	. /. 5	20.11				
2/5	1014	S	0	_	14.8	25.21	0.10			
2/24	1 006	S	Õ	_	17.3	20.88	0.10			
4/8	1040	S	Õ		24.5	22.94	0.02			
4/20	0932	S	Õ	_	23.0	23.87				
5/6	1044	s	Õ	_	27.2	21.60	0.01			
5/21	1004	S	Õ	_	27.1	25.44	•••			
6/10	0904	S	Õ		28.1	21.35				
6/17	0826	s	õ		29.9	18.26	0.03			
ST.	ATION C	72	Dept	h of 8 f	eet <u>25</u>	°19.4' N.	<u>81°C</u>	<u>9' W</u> .		
1957										
11/12	1015	S	0	-	22.7	26.60				
11/20	0944	S	0	**	26.2	31.40				
12/10	1015	S	Р	0.0	17.8	30.48	0.01			
12/17	1000	S	0	-	16.3	30.53	0.05			
12/23	1022	S	0	-	19.8	29.36				

STATION C 72 (Cont'd) S °C. G. breve Sal. PO_4 DateTime or Cu. NO3-М. C. Tot. In. В NO₂ 1958 2/5 1005 S 27.32 0 15.2 0.07 ... 16.5 28.19 2/24 1000 S Ο -4/8 1032 S О 23.7 27.16 0.02 ----4/20 S 22.5 0926 26.56 Ο -28.89 5/6 1035 S 27.2 Ο 0.01 ы 5/21 S 0959 27.2 28.60 Ο ... S 6/10 28.5 0858 Ο 20.70 -6/17 0819 29.8 24.85 0.01 S Ο _

ST	ATION I) 9	Depth	of 4 fe	et 25°	03.9'N.	80°59	9' W.		
		S								
Date	Time	or		oreve	°C.	Sal.	Cu.	PO		NO3-
		В	С.	<u>M.</u>				In.	Tot.	NO ₂
1957										
7/8	0910	S	0	-	31.2	40,98				
9/9	1016	S	0	•	28.3	37.16				
11/7	1002	S	0	=	23.0	32.79				
11/12	0955	S	0	-	22.0	32.26				
11/20	0921	S	0	~	26.3	33.40				
12/10	0955	S	0	-	17.3	32.07				
12/17	0940	S	0	-	16.7	31,38				
12/23	1005	S	0	-	20.3	32.30				
1958										
2/5	0945	S	0	••	12.7	32.94				
2/24	0944	S	0	-	18.0	30.46				
4/8	1012	S	Ο	-	24.2	31.64				
5/21	0941	S	0	••	26.5	33.37				
ST.	ATION D) 11	Dept	h of 9 f	eet 24	°59.2'N.	81°(0.7'V	<u>/.</u>	
1957										
7/8	1904	S	0	•	30.3	38,87				
9/9	1020	S	0	•	29.2	36.37				
12/10	0947	S	0		17.5	33.12				
12/17	0932	S	0	-	17.5	32.70				
12/23	1000	S	0	•••	20.3	34.02				
1958										
2/5	0939	S	0		13.5	32.90				
2/24	0938	S	0	-	16.5	30.12				
4/8	1005	S	0	••	23.3	32.14				
5/21	0936	S	0	-	26.5	35.70				

STATION DATA

Part II - Tampa Bay and adjacent waters




Figure 6.--Index map of southern Florida with outline of area sampled in Part II.




Figure 7.-- Tampa Bay area showing station locations for Part II.

	STA	TION 1	De	pth of 2	26 fe	et	27°43.1	'N. 8	82°36.	5' W.		
Date	Time	Depth	G.	breve	CA	Τr.	°C.	Sal.	Cu.	PO4	1	NO3-
			С.	М.						In.	Tot.	NO2
1958												
10/9	0954				0	-						
		1	P	0.0			26.7	28.13	0.09	-	21.7	0.2
		2	С				26.6	28.03	0.07	-1	17.7	0.3
		3	О	-			26.6	28,22	0.07	-	19.7	0.3
		4	Ο	-			26.6	28.40	0.07	17.3	20.0	0.3
11/6	0919				7	8						
		1	F	0.0			22.0	27.77	0.01	18.0	20.0	0.1
		2	Ο	-			21.8	27.77	0.02	18.2	18.7	0.2
		3	\mathbf{P}	0.0			21.7	27.81	0.02	18.0	18.6	0.3
		4	С	-			21.7	27.81	0.02	17.9	19.0	0.0
12/2	0925				3	5						
		1	O	-			21.0	27.20	0.04	23.2	25.5	0.0
		2	О				21.0	27.09	0.08	22.0	23.1	0.1
		3	0	-			20.8	27.18	0.05	20.2	22.9	0.6
		4	O				20.8	27.18	0.03	22.5	22.9	0.1
1959												
1/26	1013				9	9						
		1	С				13.6	24.74	0.03	25.3	27.7	0.5
		2	Ο	-			13.6	24.72	0.02	21.8	22.3	0.2
		3	Ο	-			13.6	24.76	0.02	23.0	24.0	0.3
		4	Ο	-			13.6	24.87	0.01	23.2	24.6	0.3
2/19	0905				7	9						
		1	С	-			22.0	24.90	0.02	26.6	27.2	0.2
		2	0				22.0	24.65	0.02	21.4	29.6	0.2
		3	С	-			22.2	25.05	0.02	23.6	24.5	0.4
		4	О	-			22.2	25.62	0.00	23.2	23.9	0.4
3/24	0754				4	$5\frac{1}{2}$						
		1	Ο	-			18.6	19.81	0.03	24.9	29.4	0.4
		2	Ο				18.6	19.74	0.01	25.9	26.4	1.2
		3	O				18.6	19.74	0.01	26.6		0.4
		4	O				18.6	19.74	0.01	24.9	26.4	0.4
4/9	0805				0	$5\frac{1}{2}$						
		1	Ο	***			23.0	16.98	0.02	22.8	26.1	0.6
		2	0				23.1	16.94	0.02	24.1	31.5	0.5
		3	Ο				23.6	17.38	0.02	23.1	27.9	0.5
		4	О				23.6	17.02	0.03	23.3	27.5	0.5
5/14	1409				9	9						
		1	0				27.1	22.77	0.02	20.2	20.6	0 . I
		2	Ο				27.1	22.77	0.03		19.2	0.5
		3	Ο				27.0	23.86	0.02	20.0	20.3	0.2
		4	Ο				26.9	24.47	0.04	22.0	28.0	0.2

.

	STAT	FION 1	(Cont ¹	'd)								
Date	Time	Depth	G. b	reve	CA	Tr.	°C.	Sal.	Cu.	PO	4	NO3-
			С.	<u>M.</u>						In.	Tot.	NO2
6/9	1003				7	$5\frac{1}{2}$						
		1	0				28.2	23.19	0.05	22.0	25.8	0.2
		2	0	-			28.2	23.19	0.05	20.9	22.9	0.6
		3	0	-			28.2	23.13	0.07	21.8	23.6	0.2
		4	0	-			28.5	23.26	0.03	20.0	22.6	0.3
7/6	0927				2	$7\frac{1}{2}$						
		1	0				29.6	21.46	0.02	24.4	25.8	0.1
		2	0				29.3	21.42		21.1	21.5	0.2
		3	С	-			29.3	21.42		14.4	24.2	0.2
		4	0	-			29.3	21.85	0.06	17.0	17.9	0.4
8/20	0705				4	7						
		1	0	-			28.4	17.03	0.02	23.6	24.0	0.5
		2	0				28.4	16.98	0.03	18.2	22.9	0.8
		3	0	-			28.5	16.94	0.04	18.3	23.0	1.0
		4	0				28.5	16.98	0.03	20.2	24.2	0.2
9/14	1041				4	$5\frac{1}{2}$						
		1	0	-			28.6	19.02	0.03	19.5	22.2	0.1
		2	0	-			28.2	19.25	0.02	17.8	18.8	0.1
		3	0				28.2	19.58	0.03	18.0	20.3	0.1
		4	0				28.2	20.23	0.03	17.4	18.0	0.1
10/14	0955				6	$8\frac{1}{2}$						
		1	0	-			27.7	21.31	0.02	22.1	22.8	0.3
		2	0	-			27.7	21.37	0.04	21.8	21.9	0.1
		3	0				27.7	21.42	0.04	22.8	22.8	0.2
		4	0	-			27.7	21.56	0.02	22.0	22.0	0.2
11/5	1040				3	8						
		1	0				25.5	19.72	0.02	23.4	23.5	0.2
		2	0				25.3	19.94	0.02	22.2	23.9	0.1
		3	0				25.2	19.98	0.02	23.0	23.1	0.2
		4	0	-			24.5	19.98	0.02	23.2	23.2	0.1
12/16	1305				6	9						
		1	O	-			17.2	23.75	0.02	16.9	24.3	1.4
		2	0	-			17.1	23.78	0.02		23.5	0.3
		3	0	-			17.2	23.77	0.02	18.6	21,4	0.2
		4	0				17.3	23.82		19.5	22.8	0.2
			-							- / • -	•	

Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	PO	4	NO3.
		1	C.	M.						In.	Tot.	NO ₂
1958							· · ·					1102
10/9	1010				0	••						
		1		-			26.6	28.59	0.06	20.1	25.4	0.3
		2	-	-			26.6	28.53	0.08		21.9	0.0
		3	-	••			26.6	28.49		21.2	23.6	0.3
		4	-	-			26.6	28.53		17.5	20.7	0.3
11/6	0937				7	••						
		1	-				21.6	27.05	0.02	~	22.0	0.1
		2	-	••			21.6	27.50	0.02		17.1	0.2
		3	-	-			21.6	27.95	0.02	19.7	19.7	0.3
		4	-				21.6	28.19	0.02	-	15.7	0.3
12/2	0931				3	5						
		1		-			20.9	27.21	0.04	24.0	25.0	0.1
		2	***	••			21.0	27.14	0.04	22.3	26.1	0.5
		3	-				20.8	27.14	0.03	20.5	22.4	0.4
		4		-			20.8	27.11	0.03	23.6	24.8	0.3
1959												
1/26	1033				9	8						
		1	-				13.8	25.01	0.02	24.0	24.7	0.4
		2	-	-			13.6	25.01	0.02	21.7	21.7	0.2
		3		-			13.6	24.99	0.02		23.0	0.5
		4	-				13.7	25.10	0.00	21.6	27.7	0.3
2/19	0922				7	8						
		1		-			22.0	24.94	0.00	26.3	27.6	0.5
		2	~	-			22.0	24.90	0.02	23.1	24.3	0.5
		3	-	-			22.1	24.99	0.02	20.3	26.0	0.5
		4	-	***			22.0	25.03	0.00	25.8	27.0	0.4
3/24	0811	ŀ			4	5						
		1	-				18.8	20.07	0.01	26.6	33.2	0.6
		2		**			18.8	20.07	0.01	24.9	25.4	0.7
		3	***				18.8	20.07	0.01	22.1	27.8	0.5
		4	-	-			18.8	18.24	0.00	19.9	29.7	0.4
4/9	0824				0	6						
		1	**				23.3	17.38	0.03	22.8	33.0	0.4
		2	-	-			23.3	17.34	0.02	20.5	27.7	0.4
		3	60	-			23.2	17.41		23.3	24.0	0.4
		4		-			23.2	17.57	0.03	-	23.0	0.4
5/14	1352				9	9						
		1	•••	**			27.3	22.72	0.03	-	19.2	0.2
		2	-	-			27.3	22.81	0.03	-	17.8	0.3
		3	-	-			27.2	22.95	0.03		22.2	0.3
		4					27.2	23.84	0.03	19.6	20.3	0.5

		TION 2										
Date	Time	Depth	<u>G.</u> b		CA	Tr.	°C.	Sal.	Cu.	ΡC		NC3-
			С.	Μ.						In.	Tot.	NO2
6/9	1021				7	$7\frac{1}{2}$						
		1	-	-			28.5	23,22	0.08	24.7	30.6	0.0
		2	-				28.5	23.19	0.03	23.4	23.4	0.8
		3					28.5	23.12	0.05	22.7	24.3	0.2
		4	**				28.7	23.22	0.07	20.7	24.3	0.3
7/6	0947				2	$5\frac{1}{2}$						
		1	**	-			29.6	22.05	0.04	22.0	23.2	0.1
		2		-			29.5	22.12	0.03	20.9	21.2	0.1
		3	-				29.5	22.14	0.03	19.3	25.8	0.2
		4	-				29.5	22.18	0.04	18.0	18.1	0.2
8/20	0728				4	4						
		1	-	-			28.0	16.80	0.03	20.1	24.2	0.3
		2	••				28.0	16.85	0.03	15.8	22.4	0.5
		3	••				28.0	16.89	0.03	20.2	24.5	0.4
		4	-				28.0	16.80	0.03	20.2	25.4	0.6
9/14	1057				4	$5\frac{1}{2}$						
		1	**	**			28.6	20.70	0.03	18.6	21.3	0.1
		2	-	-			28.4	20.70	0.03	17.4	18.9	0.2
		3	-	-			28.3	21.02	0.03	17.5	18.6	0.1
		4	678	**			28.3	21.74	0.03	15.8	17.5	0.1
10/14	1015				6	5						
		1	•				27.7	22.99	0.02	20.2	20.3	0.2
		2	-	-			27.7	22.90	0.01	21.8	21.9	0.1
		3					27.7	23.01	0.02		21.6	0.1
		4	a)				27.7	23.06	0.02	21.3	21.5	0.2
11/5	l 054				3	$7\frac{1}{2}$						
		1	-	-			24.7	19.40	0.02	21.9	21.9	0.1
		2	-	-			24.5	19.29	0.02	21.9	24.2	0.2
		3	-				24.5	19.40	0.00	23.8	24.5	0.1
		4	-	••			24.5	19.43	0.01	21.6	21.7	0.1
12/16	1317				6	8						
		1	-	**			16.9	24.38	0.03	18.0	21.2	0.6
		2	-	-			16.9	24.38	0.03	18.4	21.6	1.1
		3	-				16.9	24.43	0.03	17.3	21.9	0.3
		4	-	-			17.0	24.43	0.04	18.1	21.9	0.3

		TION 3		pth of 3			27°41.6		32°33.			
Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	PO		NO 3=
			С.	М.						In.	Tot.	NO2
1958												
10/9	1036				0	-						
		1	Ο	-			27.2	29.54	0.05	19.4	21.7	0.0
		2	Р	0.0			27.1	29.54	0.04		19.4	0.2
		3	Р	0.0			27.2	29.65	0.04		20.1	0.2
		4	P	0.1			27.2	29.83	0.03	16.4	17.8	0.4
11/6	0957				7	-						
		1	Р	0.1			21.8	28.87	0.02	18.8	18.8	0.4
		2	Р	0.1			21.7	29.65	0.02	14.7	14.7	0.3
		3	Р	0.1			21.7	29.69	0.02	15.3	16.2	0.1
		4	Р	0.0			21.8	29.76	0.02	15 .l	16.0	0.2
12/2	0951				3	6						
		1	0	-			21.0	26.87	0,03	22.9	25.7	0.0
		2	Ο				21.4	26.76	0.04	24.0	26.0	2.0
		3	Ο	••			21.0	27.72	0.04	21.6	22.9	0.7
		4	0	**			21.7	29.25	0.03	17.9	18.6	0.1
1959												
1/26	1058				3	$7\frac{1}{2}$						
		1	О				14.0	24.81	0.03	23.3	25.0	0.2
		2	O	-			14.0	25.35	0.03		23.8	0.7
		3	0				14.0	26.04	0.03	18.2	23.0	0.4
		4	0	-			14.0	26.71	0.02	19.5	19.5	0.3
2/19	0941				7	$7\frac{1}{2}$						
		1	0	-			22.2	25.66	0.03	23.2	26.6	0.2
		2	0				22.2	25.72	0.03	19.9	24.3	0.5
		3	0	-			22.2	25.88	0.02	21.2	22.7	0.1
		4	0				22.2	25.93	0.02	-	20.0	0.1
3/24	0831				4	$4\frac{1}{2}$						
		1	Ο	-			19.2	15.93	0.04	29.6	33.2	0.9
		2	0				18.8	17.23	0.04	23.6	26.6	1.0
		3	Ο				18.7	19.81	0.04	23.2	27.6	1.3
		4	0				18.6	21.24	0.03	22.9	25.6	0.6
4/19	0846				0	7						
		1	0				23.5	18.73	0.02	23.6	31.2	0.5
		2	0				23.6	18.91	0.03		23.5	0.7
		3	0				23.6	20.26	0.02		23.8	0.8
		4	0	-			23.5	21.31	0.03		24.8	0.2

	STAT	TION 3	(Cont'	d)								
Date	Time	Depth	G. b	reve	CA	Tr.	°C.	Sal.	Cu.	PO	4	NO3-
			С.	M.						In.	Tot.	NO2
5/14	1335				9	10						
		1	0				27.4	25.73	0.03	16.4	16.7	0.1
		2	0	•••			27.3	25.19	0.02	17.7	17.8	0.1
		3	0				27.2	25.64	0.02	-	16.8	0.4
		4	0				27.0	25.97	0.02	16.6	17.1	0.3
6/9	1040				7	$6\frac{1}{2}$						
		1	0	-			28.8	24.47	0.06	21.1	23.3	0.2
		2	0	-			28.9	24.65	0.06	19.3	19.3	0.4
		3	0				29.0	25.75	0.05	18.3	21.1	0.3
		4	0				28.9	26.26	0.06	17.3	20,9	0.3
7/6	1010				2	7						
		1	0	•••			29.8	22.54	0.06	22.3	23.4	0.0
		2	0	**			29.8	22.99	0.03	18.1	20.5	0.3
		3	0	-			29.9	23.66	0.04	16.3	21.4	0.2
		4	0				29.9	24.09	0.04	16.0	21.3	0.2
8/20	0749				4	4						
		1	С	**			28.0	16.58	0.03	18.5	24.8	0.2
		2	0	-			28.2	17.34	0.02	18.2	24.4	0.9
		3	0				28.4	18.12	0.02	18.5	24.4	0.7
		4	0	-			28.4	19.90	0.03	19.1	23.6	0.4
9/14	1117				4	8						
		1	0	••			29.0	21.37	0.04	18.0	18.0	0.2
		2	P	0.0			28.8	22.94	0.03	15.2	16.4	0.2
		3	0				28.8	24.02		14.4	16.6	0.2
		4	0				28.7	24.33		13.1	15.9	0.1
10/14	1038				6	6						
		1	Р	34			28.2	25.79	0.02	15.1	15.1	0.2
		2	Р	30			28.2	26.15	0.02		15.6	0.1
		3	F	36			28.2	26.20	0.02		16.1	0.2
		4	Р	32			28.2	26.20		15.5	16.1	0.2
11/5	1114				3	7	-	-				
		1	0				25.3	19.16	0.02	23.8	23.8	0.1
		2	0				25.1	20.34			22.6	0.2
		3	0				25.2	22.56		19.0	20.1	0.2
		4	0	-			25.4	23.24		18.4	20.2	0.1
12/16	1332	-	-		6	$9\frac{1}{2}$	~				• =	-
/-0		1	0		v	12	17.1	24.72	0,02	19.8	22.8	0.2
		2	õ	-			16.9	25.44		17.4	21.1	0.2
		3	õ				16.9	25.75		18.2	20.4	0.3
		4	õ	-			16.9	25.75		17.3	20.3	0.5
		*	\sim	-			~~~ /		~ . ~ L	~ • • • •		U a U

	STA	TION 4	Dep	th of	16 fe	et	27°41.	3' N.	82°32.			
Date	Time	Depth	G.b	reve	CA	Tr.	°C.	Sal.	Cu.	PO	4	NO3-
			Ċ.	M.						In.	Tot.	NO ₂
1958												
10/9	1057				0	eri						
		1	-	•••			27.4	29.54	0.08	19.7	20.1	1.0
		2					27.4	29.47	0.05	18.3	20.1	0.2
		3					27.4	29.47	0.04	18.4	19.2	0.2
		4	-				27.5	29.47	0.04	18.3	21.0	0.2
11/6	1013				7	***						
		1		•••			22.3	29.81	0.02	15.8	16.6	0.1
		2	-	-			22.3	29.83	0.02	15.1	15.5	0.1
		3		•••			22.4	29.94	0.02	16.2	16.7	0.9
		4	-	-			22.4	29.94	0.02	14.8	16.0	0.2
12/2	1008				3	$3\frac{1}{2}$						
		1				D	21.2	27.68	0.03	23.1	25.0	0.2
		2	-				21.2	27.63		23.5	25.2	0.2
		3	•••	-			21.1	27.57		23.4	25.2	0.2
		4	-	-			21.2	27.57		22.6	23.5	0.1
1959												
1/26	1114				3	$7\frac{1}{2}$						
		1	-	-		2	14.1	24.69	0.03	25.0	25.3	0.2
		2	-				14.0	25.08		21.0	23.3	0.3
		3					14.0	25,37		18.8	20.0	0.4
		4		•••			14.1	25.93		17.8	21.7	0.3
2/19	0955				7	7		• /	-			·
,		1	-				22.3	26.69	0.04	19.1	21.8	0.1
		2	-				22.3	26.69		19,1	23.4	0.1
		3	-				22.3	26.78		19.0	25.3	0.1
		4		-			22.2	26.76		20.8	25.3	0.2
3/24	0848	-			4	4			-0			- • -
-,		1	-	-	-	-	19.6	14.31	0.03	25.8	27.1	0.4
		2	-	_			19.1	15.21		25.7	29.7	0.9
		3	_				19.0	17.85	0.03	23.2	25.6	0.7
		4	_	_			19.0	18.10		23.2	24.9	0.7
4/9	0904	-	_		0	8	- /• •	- 0, - 0	0000		- 20 /	
-1 /	0,01	I	-	-	Ū	0	23.6	20.50	0.02	20.3	25.1	0.4
		2	-	_			23.5	20.21		21.2	23.8	0.5
		3	-	-			23.5	20.28		20.4	22.0	0.4
		4	-	-			23.5	20.61		20.1	26.7	0.5
5/14	1317	Ŧ	-	and .	9	9	ر وریا	LU, UI	0.00		50° 1	0.5
J/14	1101	1)	/	27.4	25.77	0.03	17.9	19.0	0.1
		2		•••			27.4	25.77	0.07	16.8	20.0	1.9
			-	-								
		3		-			27.4	25.70	0.03	-	16.8	2.4
		4	-	-			27.4	25.70	0.03	-	16.2	0,2

	STA	FION 4	Cont'	1)								
Date	Time	Depth	G.b:	reve	CA	Tr.	°C.	Sal.	Cu.	PO	4	NO3-
			С.	Μ.						In.	Tot.	NO2
6/9	1054				7	$7\frac{1}{2}$						
		1	-	-			29.0	24.16	0.06	21.6	22.4	0.9
		2	-	•			29.0	24.56	0.05	19.3	21.8	0.4
		3		-			29.0	25.01	0.07	16.6	20.1	0.4
		4	-	-			29.1	25.34	0.03	12.5	19.3	0.2
7/6	1028				2	$7\frac{1}{2}$						
		1	-	-			29.8	22.83	0.03	22.0	23.9	0.1
		2	-	•			29.8	22.83	0.05	18.4	18.4	0.2
		3	-	•			29.8	22,83	0.04	19.0	24.4	0.2
		4					29.8	22.85	0.02	21.0	23.8	0.1
8/20	0802				4	$2\frac{1}{2}$						
		1	•	-			28.0	17.63	0.04	20.8	26.8	0.7
		2	-	-			28.0	17.52	0.03	19.0	22.4	0.6
		3		•			28.0	17.52	0.04	19.9	22.7	0.3
		4	-	••			28.1	17.61	0.04	16.3	25.4	0.3
9/14	1135				4	$5\frac{1}{2}$						
		1					29.3	22.99	0.03	14.5	18.7	0.2
		2		••			29.3	23.15	0.02	16.0	16.2	0.0
		3		•			29.3	23.13	0.02	14.4	17.3	0.2
		4	-	-			29.2	23.31	0.03	15.2	17.3	0.1
10/14	1057				6	$5\frac{1}{2}$						
		1	-	-			28.2	25.77	0.00	16.2	17.4	0.2
		2	-				28.2	25.77	0.01	16.0	16.0	0.6
		3	-	-			28.2	25.73	0.01	16.5	18.5	0.3
		4		-			28.2	25.77	0.02	16.0	18.4	0.3
11/5	1134				3	7						
		1					25.2	20.79	0.02	22.2	22.2	0.1
		2					24.8	20.79	0.02	22.2	22.5	0.1
		3	-	-			24.4	20.88	0.02	22.2	27.7	0.2
		4	-	-			24.4	21.51	0.02	20.9	21.0	0.3
12/16	1310				6	10						
		1					17.0	25.70	0.01	19.0	20.3	0.6
		2					17.0	25.75	0.01	18.0	19.0	0.4
		3	••	-			17.1	25.84	0.02	16.3	20.0	0.2
		4		-			17.2	25.84	0.02	15.8	23.1	0.2

	STAT	TION 5	De	epth of 2	28 fe	et	27°36.6	' N.	82°43.	8' W.		
Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	PO	4	NO3-
			С.	М.						In.	Tot.	NO2
1958												
10/6	1129				4							
		1					29.8	30.53	~	15.4	15.8	0.3
		2	-				28.2	30.95	-	12.1	13.7	0.1
		3	-	-			28.3	31.98	-	10.1	10.8	0.4
		4		-			28.4	32.32		8.5	9.4	0.7
11/5	1017				7							
		1	-				21.5	32.57	-	3.1	4.0	0.4
		2	e100				21.6	32.48	-	1.2	4.0	0.6
		3		***			21.6	32.47	-	2.9	8.2	0.3
		4	643	-			21.7	32.50	-	3.1	4.2	0.7
12/2	1059				3	$4\frac{1}{2}$						
		1		-			20.9	30.64	-	13.0	14.9	0.2
		2					20.9	30.64	-	12.5	15.6	2.4
		3					20.9	30.99	-	10.4	12.5	1.2
		4		-			20.8	32.10	-	10.3	12.1	0.1
1959												
1/26	1441				9	7						
		1	-				14.7	30.84	-	5.0	5.6	0.3
		2	-	-			14.2	30.79	-	4.7	5.4	0.4
		3	628	-			14.2	30.90	-	4.2	5.0	0.4
		4					14.1	30.97		4.4	5.4	0.3
2/19	1052				1	5						
		1	-	-			21.7	31.78		4.9	5.6	0.3
		2		-			21.7	31.89	-	4.0	5.l	0.3
		3	-	-			21.7	32.36	-	3.0	4.3	0.2
		4	-	-			21.7	32.54	-	3.4	4.0	0.4
3/23	0934				7	$2\frac{1}{2}$						
		1	-	-			18.3	27.27	-	14.4	15.6	0.1
		2	-	-			18.2	27.52	-	13.3	17.2	0.2
		3		-			18.1	27.52	-	13.8	19.7	0.4
		4					18.0	27.61	-	14.1	18.9	0.1
4/8	0912				0	11						
		1	-				22.8	26.18		11.4	13.5	0.1
		2	-4				22.7	26.40		11.7	13.8	0.2
		3	-	-			22.7	26.64	-	10.0	13.0	0.2
		4	-	-			22.8	28.59	-	8.0	10.7	0.1
5/14	1048				5	10						
,		1	-	-			26.9	32.20	-	6.4	6.5	0.3
		2	-	-			26.8	32.20	-	5.7	5.8	0.1
		3	-	-			26.6	32, 21	-	5.7	6.0	1.8
		4	-	-			26.6	32.72	-	4.8	5.9	0.2
		-	-							• -	- /	-

	STAT	FION 5	(Cont	t'd)								
Date	Time	Depth	G.	breve	CA	Τr.	°C.	Sal.	Cu.	PO		NO3-
			Ċ.	M.						In.	Tot.	NO2
6/8	1035				7	8						
		1	-	-			28.7	32.12		6.9	7.6	0.4
		2		-			28.7	32.95	-	5.7	7.3	0.1
		3		-			28.6	32.65	-	5.5	6.7	0.1
		4	-	-			28.6	32.92	-	5.2	5.6	0.3
7/6	1127				2	6						
		1	-	-			29.9	30.39		7.4	8.9	0.2
		2		-			29.9	30.82	-	-	6.5	0.2
		3	-	-			29.8	31.64	-	4.8	7.7	0.1
		4	-	-			29.9	32.14		5.4	8. l	0.2
8/18	0850				6	10						
		1		-			28.2	25.86	-	10.6	11.4	0.3
		2	-	-			28.5	26.40	-	8.2	9.9	0.5
		3	-	-			28.7	28.12		7.1	8.2	0.7
		4		-			28.7	28.55	**	6.5	6.8	1.0
9/9	1056				0	9						
		1	-				29.5	23.59	-	15.5	16.4	0.1
		2	-	-			29.2	25.39	-	9.4	12.7	0.4
		3		-			29.2	27.56	-	8.7	9.4	0.1
		4	-				29.3	28.95	-	7.7	8.8	0.4
10/15	1030				0	$6\frac{1}{2}$						
		1		-			28.1	30.84		7.3	8.4	0.1
		2	-				28.1	31.08	-	7.1	8.1	0.4
		3	-				28.2	31.51	-	5.8	7.3	0.1
		4	-	-			28.2	32.29	-	4.8	5.8	0.6
11/9	1018				7	$9\frac{1}{2}$						
		1					22.5	28.48	-	8.5	11.9	0.0
		2					22.8	30.66		5.8	5.8	0.1
		3	-	-			22.5	32.18	-	3.7	3.8	0.1
		4		-			23.3	32.52	-	3.7	4.8	0.2
12/16	0903				9	5						
		1	-				15.6	28.35		5.6	10.9	0.6
		2	-				15.5	28.77	-	5.4	10.3	0.2
		3	-				15.5	29.02	-	8.1	10.3	0.3
		4	-	-			15.5	29.27			8.4	1.4
							-					

Date	Time	Depth	G_{\bullet}	breve	СA	Τr.	°C.	Sal.	Cu.	ΡO	4	NO3-
		-	C.	M.						ln.	Tot.	NO ₂
958												
0/6	1143				4	•						
		1	-	900			28.3	31.18		13.5	13.7	0.1
		2	wt				28.3	31.15		12.6	12.8	0.0
		3	-	P.4			28.4	31.98	-	9.8	10.3	0.2
		4	***				28.4	32.25	-	8.9	9.5	0.8
11/5	1031				7	-						
		1	1	••			21.5	32.59	-	3.2	4.3	0.5
		2	-				21.5	32.63	-	3.0	3.9	0.2
		3	-				21.5	32.75	-	2.7	-	0.7
		4	**	-			21.7	32.72	-	2.7	3.8	0.8
12/2	1110				3	6						
		1	-	-			21.5	32.23	-	6.3	6.7	0.0
		2	-	-			21.5	32.14	-	6.1	6.7	1.7
		3					21.3	32.21	-	6.3	7.1	0.2
		4	-	-			21,3	32.18	-	5.9	7.4	0.7
1959												
1/26	1520				9	8						
-,=0		1					14.4	31.15		3.4	3.7	0.3
		2	1	••			14.0	31.29	-	2.7	3.5	0.4
		3	-				14.0	31.33	-	3.1	3.4	0.2
		4	-				14.0	31.38	-	2.8	3.6	0.3
2/19	1107				1	10						
		1		-			21.8	31.74		4.5	5.2	0.2
		2	and the	east			21.8	31.89		4.1	4.8	0.2
		3		-			21.9	31.91		3.6	4.6	0.1
		4	-				21.9	31.96		3.8	5.0	0.3
3/23	0937				7	7						
		1					18.0	26.64	-	15.9	17.9	0.1
		2		••			17.8	26.73	-	15.0	16.6	1.0
		3	-				17.9	27.18	-	13.7	14.7	0.9
		4		9-0			17.9	27.38	-	11.8	14.2	0.2
4/8	0923				0	11						
		1	-				23.0	26.76	-	9.3	13.1	0.1
		2		-			22.9	26.91	-	9.9	12.5	0.2
		3					22.8	27.88	**	8.5	11.2	0.1
		4		•*			22.8	29.04	-	7.7	9.3	0.1
5/14	1100				5	10						
		1		-			26.6	33.03		4.3	6.1	0.3
		2	-	-			26.6	32.94	-	4.1	4.9	0.2
		3	-				26.5	33.01	-	4.1	4.8	0.2
		4					26.5	33.35		3.4	4.3	0.1

	STAT	rion 6 (_	t'd)								
Date	Time	Depth	G.	breve	CA	Τr.	°C.	Sal.	Cu.	PO4		NO3-
			С.	М.						In.	Tot.	NO2
6/8	1048				7	$9\frac{1}{2}$						
		1	-	-			28.6	32.61	-	5.5	6.1	0.1
		2	-	-			28.5	32.70		4.5	5.6	0.1
		3		-			28,5	33.13	-	3.7	4.9	0.1
		4	-				28.5	33.68	-	3.7	4.1	0.2
7/6	1140				2	8						
		1	-				29.8	31.56	-	5.3	6.8	0.1
		2	**	-			29.8	32.43		4.7	5.8	0.2
		3		-			29.8	32.70		3.7	5.5	0.2
		4	-	-			29.8	33.03	-	3.3	4.7	0.4
8/18	0905				6	10						
		1	-				28.8	27.09	-	6.1	6.7	0.7
		2					29.0	27.14	-	5.1	6.1	0.7
		3	-	-			29.4	28,42	-	4.6	4.8	0.5
		4	-	⇒			29.4	29.31		3.9	5.1	1.1
9/9	1109				0	$13\frac{1}{2}$						
		1	-	-			29.2	23.35	**	14.9	16.9	0.3
		2					29.1	25.66	**	7.7	10.2	0.3
		3	•				29.3	28.75		7.1	8.0	0.3
		4	-	-			29.3	30.55	~	4.8	5.4	0.5
10/15	1042				0	$7\frac{1}{2}$						
		1	-	**			28.2	31.29	-	6.1	7.6	0.3
		2	-				28.1	31.55	••	5.4	6.3	0.2
		3	-	-			28.1	32.68		4.0	5.3	0,2
		4	-	-			28.1	32.72		4.2	5.6	0.2
11/9	1029				7	10						
		1	-	-			22.7	28.30	-	11.2	12.4	0.2
		2	-	-			22.7	28.44		11.4	11.4	0.1
		3	-	-			23.3	32.09	**	4.3	4.9	0.1
		4	-	-			23.4	32.52	-	3.4	4.0	0.3
12/16	0915				9	8						
		1	-				15.5	29.27	-	-	9.0	0.6
		2	-	-			15.5	29.31	-	7.6	8.5	0.0
		3	-	-			15.5	29.31		7.3	8.4	0.2
		4	-				15.5	29.61		6.7	7.7	0.2

	STA	TION 7	De	epth of			27°35。1		82°43.			
Date	Time	Depth		breve	CA	Tr.	°C.	Sal.	Cu.	PO.		NO ₃ .
			С.	M.						In.	Tot.	NO ₂
1958												
10/6	1153				4	-						
		1	Р	0.0			28.4	32.57	0.03	7.9	8.0	0.3
		2	Ρ	0.0			28.4	32.54	0.03	7.9	8.1	0.3
		3	0	•			28.3	32.66	0.03	7.4	7.9	0.2
		4	Р	0.0			28.3	32.57	0.04	7.3	8.2	0.4
11/5	1042	_			7	-				_		
		1	0	-			21.3	32.47	0.03	4 . 1	5.5	2.0
		2	0	-			21.4	32.52	0.05	4.2	5,2	0.2
		3	0	•			21.4	32.41	0.06	3.9	5.1	0.6
		4	0	-			21.4	32.50	0.06	3.6	5.0	0.3
12/2	1121				3	7						
		1	Р	0.0			21.5	32.14	0.03	6.4	7.6	1.0
		2	Р	0.0			21.5	32.10	0.04	6.4	7.4	0.0
		3	0	••			21.3	32.10	0.03	6.1	7.0	0.3
		4	0	-			21.3	32.18	0.03	5.8	6.8	2.7
1959												
1/26	1531	_			9	9		_				
		1	0	••			14.0	31.40	0.02	3.1	3.2	0.3
		2	0	**			14.0	31.38	0.01	2.9	3.3	0.3
		3	0	-			14.0	31.33	0.01	2.9	3.3	0.4
	/	4	0		-		14.0	31.33	0.01	3.0	3.5	0.2
2/19	1116				0	13				_ /	<i>.</i> –	
		1	0				22.0	31.38	0.02	5.6	6.5	0.5
		2	0				21.9	31.33	0.02	5.2	6.4	0.1
		3	0	**			21.9	31.47	0.02	5.0	5.7	0.3
2/22	00.40	4	0	12	_	_	22.0	32.03	0.02	4 . 1	5.2	0.2
3/23	0948	,	~		7	7						
		1	0				18.1	25.75	0.03	9.8	11.9	0.2
		2	0	**			17.9	27.21	0.03	9.6	10.6	0.1
		3	0	618			17.9	27.21	0.02	8.8	10.7	0.1
4/0	0027	4	Ο	**	•	111	17.9	27.83	0.02	9.0	10.9	0.1
4/8	0937	,	Ð	0.0	0	$11\frac{1}{2}$				~ .		
		1	Р	0.0			23.0	27.48	0.02	8.4	10.6	0.1
		2	0				23.0	27.56	0.01	6.0	10.1	0.1
		3	0	**			23.9	27.65	0.02	5.9	10.2	0.1
E / 1 4	1112	4	0	-	-	101	22.8	28.08	0.02	8.0	9.6	0.1
5/14	1113	1	0		5	$10\frac{1}{2}$	26 0	22 2/	0 02	2 1	2 1	0.1
		1	0	-			26.8	33.26	0.03	3.1	3.1	0.1
		2	0	**			26.8	33.26	0.03	3.6	4.1	0.2
		3	0	-			26.6	33.44	0.03	3.5	4.4	0.3
		4	0				27.0	33.62	0.03	3.3	4.3	0.3

_	STAT	FION 7	(Cont	t'd)								
Date	Time	Depth		breve	CA	Τr.	°C.	Sal.	Cu.	PO		NO3-
			С.	M.						ln.	Tot.	NO2
6/8	1057				7	12						
		1	О				28.7	32.68	0.06	4.8	6.0	0.3
		2	Ο	-			28.6	32.81	0.05	4.9	5.6	0.3
		3	0	-			28.4	32.83	0.03	4.8	5.5	0.2
		4	0	••			28.2	33.13	0.03	4.0	4.8	0.2
7/6	1153				2	8						
		1	0	-			29.8	31.80	0.03	5.2	6.1	0.1
		2	Ο				29.8	32.14	0.03	5.1	6.5	0.2
		3	0	**			29.8	32.25	0.03	4.9	5.5	0.2
		4	0	843			29.8	32.41	0.03	4.3	7.0	0.1
8/18	0918				6	9						
		1	Р	0.1			28.4	27.48	0.02	4.7	5.0	0.4
		2	Р	0.1			28.5	27.63	0.02	4.0	5.4	0.5
		3	Р	0.0			28.5	27.92	0.02	3.8	5.3	1.1
		4	Р	0.0			28.8	28.96	0.03	3.8	4.8	0.6
9/9	1122				0	9						
		1	0	-			29.9	25.16	0.02	10.7	11.8	0.2
		2	0	-			29.3	26.94	0.01	7.2	8.6	0.3
		3	Р	0.0			29.4	28.66	0.02	6.1	7.2	0.3
		4	0	-			29.4	29.97	0.04	5.5	6.5	0.4
10/15	1055				0	7						
		1	Р	40			28.2	31.62	0.03	5.1	6.5	0.4
		2	Р	52			28.1	32.48	0.03	4.2	5.5	0.2
		3	Ρ	64			28.2	32.97	0.03	3.4	4.5	0.5
		4	Р	50			28.2	33.06	0.03	3.1	4.5	0.2
11/9	1041				6	$11\frac{1}{2}$						
		1	Р	6.4		_	22.6	27.88	0.04	11.3	12.2	0.0
		2	Р	26			22.9	27.99	0.05	11.6	11.6	0.1
		3	Р	6.0			23.5	31.82	0.03	4.8	4.9	0.3
		4	Р	1.0			23.7	32.61	0.03	3.2	3.8	0.7
12/16	0928				8	8					·	-
		1	0	-			15.6	29.88	0.02	5.7	7.7	0.1
		2	0	-			15.6	29.83	0.03	6.4	6.5	0.1
		3	0	-			15.6	29.97	0.04	5.7	6.3	0.1
		4	Р	0.0			15.6	30.17	0.04	4.1	5,8	1.2
							-					

Date	Time	Depth		oth of 2 breve			27°34.4 .°C.	Sal.	32°43. Cu.	PO	4	NO3-
Date	Inne	Deptii	$\frac{\mathbf{C}}{\mathbf{C}}$	M.	011	C	0.	0.020	0 at	In.	Tot.	NO ₂
1958												
10/6	1209				4	-						
	_ ,	1	Р	0.1			28.1	31,31	0.05	12.3	12.3	0.4
		2	Р	0.0			28.1	31,26	0.03	11.7	11.7	0.2
		3	Р	0.1			28.0	31,31	0.02	11.7	11.7	0.1
		4	0	-			28.0	31, 33	0.03	11.6	11.6	0.2
11/5	1056	_			7	-						
		1	0				21.3	32,50	0.05	5.1	6.2	1.2
		2	P	0.0			21.3	32,54	0.06	4.8	5.9	0.4
		3	0	- 			21.4	32.50	0.07	4.5	5.9	0.3
		4	0	-			21.5	32.65	0.06	4.2	5.5	0.4
12/2	1136	•	•		3	9	- •					
10,0	1100	1	0	_		•	21.4	31.51	0.03	9.0	10.1	3.6
		2	0				21.5	31.47	0.03	8.9	9.8	0.0
		3	Ō				21.3	31,51	0.03	8.5	9.5	0.3
		4	Õ				21.2	31.53	0.05	8.6	9.9	0.2
1959		-	-				-					
1/26	1546				3	9						
-,		1	0				14.5	30.97	0.02	3.9	4. 2	0.3
		2	Ō				14.4	31.00	0.02	3.8	4.4	0.3
		3	0				14.4	30.99	0.01	3.9	4.7	0.3
		4	0	***			14.4	30.97	0.02	3.9	4.4	0.7
2/19	1130	-			0	$12\frac{1}{2}$	-					
_, _,		1	0	-		2	22.0	31.38	0.02	5.8	6.3	0.1
		2	0	-			21.9	31.29	0.02	5.2	6.0	0.2
		3	0	-			21.9	31.56	0.01	4.3	4.7	0.1
		4	0	-			21.9	32.03	0.00	3.4	4.4	0.2
3/23	1004				7	6						
		1	0	-			18.1	27.16	0.02	9.0	10.0	0.5
		2	0	-			18.1	27.36	0.01	8.3	9.9	0.5
		3	0				18.1	28.01	0.01	8.1	9.9	0.9
		4	0	-			18.1	28.12	0.01	8.3	9.7	0.1
4/8	0957				0	13						
		1	Р	0.0			23.0	29.07	0.02	7.1	8.3	0.1
		2	P	0.0			23.0	29.07	0.02	7.1	8.1	0.1
		3	0	-			23.0	29.13	0.00	7.0	8.0	0.1
		4	Ō				23.0	29.13		7.0	8.0	0.1
5/14	1132	-	_		5	10	-					
-, - 1		1	0		-	-	27.1	33.01	0.03	4.3	5.1	0.1
		2	Õ	-			27.0	33,01	0.03		4 . 4	0.1
		3	P	0.0			27.0	33.10	0.03		6.4	0.3
		4	P	0.1			27.0	33.69	0.03		3.2	0.1

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		STAT	FION 8 (Con	t'd)								
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	۲O		NO3⊷
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				Ċ.	M.						In.	Tot.	NO2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6/8	1112				7	11						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				Ο	-			28.6	32.54	0.03	5.7	6.1	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	0	-			28.2	32.57	0.03	5.1	5.9	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	Ο				27.9	33.57	0.04	3.7	4.7	0.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	0	-			28.0	33.95	0.03	2.6	3.1	0.2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	7/6	1210				2	7						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	0	-			30.5	32.70	0.04	4.2	4.8	0.1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			2	0	-			29.8	32.52	0.02	4.0	5.3	0.2
			3	Ο	-			29.8	33.51	0.05	2.9	4.4	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	0	-			29.8	34.16	0.04	848	4.0	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8/18	0938				6	11						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	Р	0.1			28.7	29.52	0.02	3.0	3.3	0.7
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Р	0.2			28.7	29.54	0.02	2.6	3.4	0.9
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	Р	0.2			28.7	29.52	0.02	3.1	3.6	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Р	0.3			28.7	29.58	0.02	2.7	3.2	0.8
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9/9	1134				0	9						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				0	-			29.8	26.76	0.01	8.6	10.3	0.3
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				0				29.4	27.66	0.00	6.9	8.4	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				0	-			29.5	28.01	0.03		8.1	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	0	-			29.6	29.07	0.03	4.8	7.6	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/15	1112				0	$7\frac{1}{2}$						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				Р	110			28.3	34.42		1.0	2.1	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				Р				28.3	34.42	0.03	1.1	2.0	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				P				28.3	34.40	0.04	1.1	2.0	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Р	50			28.3	34.33	0.03	1.1	2.0	0.4
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	11/9	1052				6	12						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									27.65	0.03	11.1	12.7	0.0
4 P 0.5 23.6 30.90 0.02 6.2 6.8 0.2 12/16 0937 8 8 - - 15.8 29.97 0.03 5.8 6.7 0.3 2 0 - 15.7 29.90 0.03 - 5.2 0.2 3 0 - 15.6 30.07 0.03 4.4 6.5 0.1				Ρ	20			22.9	27.72	0.03	11.8	12.9	0.0
12/16 0937 8 8 1 0 - 15.8 29.97 0.03 5.8 6.7 0.3 2 0 - 15.7 29.90 0.03 - 5.2 0.2 3 0 - 15.6 30.07 0.03 4.4 6.5 0.1				Р	0.0			23.0	27.95	0.02	11.6	12.2	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Р	0.5			23.6	30.90	0.02	6.2	6.8	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12/16	0937				8	8						
3 O - 15.6 30.07 0.03 4.4 6.5 0.1				0	-			15.8	29.97	0.03	5.8	6.7	0.3
				0				15.7	29.90	0.03	-	5.2	0.2
4 O 🖬 15.6 30.25 0.03 5.0 5.5 0.9				0	-			15.6	30.07	0.03	4.4	6.5	0.1
			4	0				15.6	30.25	0.03	5.0	5.5	0.9

C. M. In. Tot. NO2 1958		STA	rion 9	Dep	th of	16 fe	et ä	27°33.7	7'N. 8	2°43.	4' W.	·	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Date	Time	Depth	G. t	oreve	ĊA	Tr.	°C.	Sal.	Cu.	PO	4	NO 3-
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				C.	М.						In.	Tot.	NO2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1958												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/6	1234				4							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	-				28.1	32.01	-	9.3	10.3	0,3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2					28.1	32.18	-	9.1	9.5	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	-				28.0	31.98	-	9.1	9.3	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4					28.0	32.14		11.9	13.2	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11/5	1110				7							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1					21.3	32.38		4.1	5.3	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				-				21.4	32.27	-	4.0	4.5	0.6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$									32.34	-	3.9	4.5	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					-					-			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12/2	1151	-			3	6						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$,-		1	-				21.4	31.87	-	7.6	8.5	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				-						-			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					-					_			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$													
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1959		1	-	-							-•-	•
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1559				3	10						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1720	1997	1		-	5	- 0	14.6	30, 19		5, 8	6.6	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				-	-								
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				-									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					-					-			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2/10	1144	т		-	Ο	71	1 10 5	30.01	-	10 -	18 0	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4/17	11 17	1			Ŭ	12	22 1	32.97	_	1.8	2.9	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				-									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					*								
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				**	-								
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2/22	1010	4			7	6	<i>22</i> ° 0	54017	-	2.0	4 0	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5765	1019	1			(0	18 4	27 81		79	g g	0 1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$					*								
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				**									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				-	**								
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	410	1010	4	**	-	0	1.2	18.1	41.45	-	0.1	9.0	0.2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4/8	1012	1			U	15	22 4	27 54		7 5	0.4	0 1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				-	-					-			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				-	-								
$5/14$ 1148 5 $6\frac{1}{2}$ 1 - - 27.2 33.93 - 2.4 3.2 0.1 2 - - 27.2 33.93 - 2.4 3.2 0.1 2 - - 27.2 33.96 - 2.3 3.5 0.7 3 - - 27.1 34.00 - 2.3 3.6 0.2				-									
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	•••	**	_	<i>(</i> 1	23.1	28.31		6 . 8	8.0	U.I
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5/14	1148				5	$6\frac{1}{2}$. ·		• •
3 27.1 34.00 2.3 3.6 0.2				•									
				-						-			
4 - 26.9 33.96 - 2.3 3.4 0.4				-									
			4	-				26.9	33.96	-	2.3	3.4	0.4

	STAT	FION 9	Cont ¹	1)								
Date	Time	Depth	G. bi	reve	CA	Tr.	°C.	Sal.	Cu.	PO.	4	NO ₃
			С.	<u>M.</u>						In.	Tot.	NO2
6/8	1128				7	10						
		1	-	-			28.9	31.73		5.6	7.1	0.1
		2	-	-			28.4	31.91	••	6.2	6.7	0.1
		3	-	••			28.0	32.57	-	4.0	5.1	0.8
		4	-	-			28.2	34.02		3.5	3.6	0.3
7/6	1230				2	8						
		1	-	-			29.8	31.69	•••	4.8	6.6	0.1
		2	-	•			29.8	32.05	-	4.9	6.1	0.1
		3	-	-			29.8	32.57	••	4.1	5.8	0.2
		4	•	-			29.8	33.21	-	3.5	5.1	0.2
8/18	0955				4	10						
		1	-	•			28.6	29.29	**	2.8	3.2	0.5
		2	-	-			28.7	29.70	-	2.1	3.5	0.4
		3		-			28.7	29.70	-	2.4	3.1	0.8
		4	•	••			28.7	29.78	-	2.2	3.3	0.3
9/9	1153				0	8						
		1	-	-			31.6	20.34	-	8.8	10.2	0.1
		2	-	-			29.7	25.62	-	9.1	9.4	0.4
		3	-				29.1	26.13	-	8.6	10.5	0.4
		4	-	-			29.6	27.74	-	6.4	7.5	0.3
10/15	1125				0	7						
		1	-				28.4	34.05	-	1.7	2.5	0.2
		2	-				28.4	33.98		1.7	2.8	0.2
		3	-	-			28.3	34.05	-	1.7	2.8	0.2
		4	-				28.3	34.09	-	1.7	2.7	0.1
11/9	1105				6	10						
		1	-	-			22.8	27.01	-	12.7	12.7	0.1
		2	•	-			22.9	27.11	••	12.4	12.5	0.0
		3	-	-			23.0	27.11		13.4	14.0	0.1
		4	-	-			23.0	27.30	-	12.1	12.2	0.3
12/16	0950				7	$8\frac{1}{2}$						
		1	-	-		-	16.8	27.88	-	8.5	9.8	0.5
		2	-				16.4	29.54	-	6.9	7.6	0.4
		3	-	-			16.4	29.76	-	5.9	7.4	0.2
		4	-				16.4	29.88	-	5.5	7.2	0.2
							-			• -	. • -	

Date	Time	Depth	G. 1	reve	СA	Tr.	°C.	Sal.	Cu.	PO ₄		NO3-
Duve	1 11110	Deptil	<u>C.</u>	M.	011	0	0.	5410	Ou.	$\frac{104}{\ln 2}$	Tot.	NO2
958						· · · · ·						
10/6	1246				4							
		1					28.2	32.03		9.1	9.3	0.1
		2		-			28.2	32.03	-	8.7	8.9	0.3
		3	-				28.1	32.18	-	8.8	10.6	0.2
		4	-	-			28.1	32.23	-	8.7	9.4	0.0
11/5	1127				7	-						•
		1		-			21.5	32.63	-	3.8	4.9	0.3
		2		-			21.6	32,74	-	3,8	4.5	0.5
		3	7	-			21.6	32.72	-	3.4	4.5	0.4
		4	-	-			21.6	32.79	-	3.5	4.2	0.4
12/2	1205				3	5	-			-	•	• -
-		1	-	-			21.5	32.03	-	7.5	8.7	0.6
		2	-	-			21.4	32.00	-	7.5	9.0	0.1
		3	•				21.5	32.03	-	7.4	9.3	0.4
		4					21.4	32.03	-	7.7	9.6	0.7
959												
1/26	1610				3	9						
		1		-		-	15.0	30.25	-	5.7	6.3	0.3
		2					14.7	30.44		5.0	5.5	0.5
		3	~				14.5	30,66	-	3.6	4.2	0.3
		4	-				14.5	32.10	-	2.6	3,1	0.5
2/19	1153				0	10					- •	
		1		-			21.9	32.74	-	2.1	3,1	0.0
		2	-	-			21.9	32.77	-	2.0	3.1	0.2
		3					21.9	32.77	-	2.0	2.5	0.6
		4		-			21.9	32.75	-	1.9	2.6	0.0
3/23	1030				7	$5\frac{1}{2}$	• •	• • •		-• ,		•
·		1				2	18.3	28.96	-	6.6	8.1	0.2
		2		-			18.2	28,86	-	6.9	8.2	0.5
		3	-				18.3	28.89	-	6.8	8.5	0.1
		4	-	-			18.3	28.96	~	6.3	8.6	0.6
4/8	1025	-			0	11						
-/ -		1	-	-	•		23.1	29.69	_	6.2	6.7	0.0
		2		-			22.6	29.78	_	6.0	6.3	0.1
		3	_	_			22.4	30.48	-	4.2	5.3	0.0
		4		_			22.5	31.35	-	3.4	4.5	0.1
5/14	1158	-		-	6	$6\frac{1}{2}$			-		10 5	~ 0 -
-, - 1		1		_	5	02	27.0	34.25	_	1.9	4.4	1.8
		2	_	-			27.0	34.22	-	1.8	3.0	0.2
		3	-				27.0	34.23	-	2.0	3.6	2,3
		5	-				<i>L</i> , <i>O</i>	34.34	-	2.0	4.5	0.7

	STAT	TION 10	(Cont	'd)								
Date	Time	Depth	G.b:	reve	CĀ	Tr.	°C.	Sal.	Cu.	PO	4	NO ₃
			С.	M.		<u> </u>				In.	Tot.	NO2
6/8	1140				7	9						
		1					28.3	33,31	-	4.0	4.6	0.2
		2		H			28.1	33.66		3.0	3.8	0.2
		3	-				28.0	33.77	-	3.0	3.5	0.2
		4	-				28.1	34.05	-	2.3	3.3	0.4
7/6	1243				2	7						
		1		-			30.2	31.02	**	5.1	6.5	0.2
		2	-				30.3	31.56	**	••	5.2	0.2
		3	-	-			30.3	33.26	-	3.5	4.7	0.2
		4	•	-			30.3	33.84	-	2.7	4.0	0.1
8/18	1007				4	$12\frac{1}{2}$						
		1					29.0	30.55	-	1.6	1.7	1.0
		2		-			29.0	30.73	-	1.5	2.0	0.5
		3		-			28.9	30.73		1.1	1.8	0.5
		4	-	-			28.9	30.73		1.3	1.7	0.4
9/9	1207				0	9						
		1	•				29.2	25.66		9.4	10.9	0.3
		2		-			29.1	25.77	-	8.8	9.7	0.3
		3	-	-			29.4	26.09		8.1	8.9	0.4
		4	-				29.5	27.27		6.9	8, 5	0.2
10/15	1139				0	9						
		1	•				28.6	34.45		0.6	1.5	0.2
		2	-	-			28.6	34.40		0.7	1.4	0.2
		3	-	-			28.5	34.40	-	0.6	1.4	0.1
		4	-	-			28.5	34.49	-	0.7	1.5	0.0
11/9	1117				6	10						
		1		-			23.0	27.61	-	11.7	12.3	0.0
		2		-			23.0	27.61	-	10.5	12.4	0.2
		3	-	-			23.0	27.65	-	11.4	11.5	0.2
		4	-				23.0	27.65	-	7.6	13.4	0.2
12/16	1004				7	$8\frac{1}{2}$						
		1	-			2	16.6	29.70	-	6.6	6.9	0.1
		2	-				16.5	29.88	-	6.4	6.6	0.5
		3		-			16.5	30.17		5.6	6.0	0.4
		4	-	-			16.5	30.17	-	5.4	6.3	0.4

	STAT	гіон 11		epth of			27°33		2°42.9			
Date	Time	Depth		breve	CA	Τr.	°C.	Sal.	Cu.	_P04		NO3-
			С.	M.			·			In.	Tot.	NO2
1958												
10/6	1318				4	**						
		1	0	84			28.1	32.00	0.02	9.8	10.3	0.3
		2	Ο	**			28.1	31.80	0.02	9.3	9.8	0.3
		3	-				28.1	31.76	0.03	9.6	10.1	0.2
		4	0	-			28.1	31.94	0.00	13.0	15.5	1.4
11/5	1157				7	-						
		1	0	-			21.3	31.40	0.02	7.7	8.7	0.3
		2	Р	0.0			21.3	31.44	0.03	-	7.1	0.4
		3	Ρ	0.0			21.3	31.60	0.01	7.1	8.4	0.4
		4	0				21,4	31.74	0.03	~	4.3	0.4
12/2	1235				3	6						
		1	0	-			21.2	31.17	0.03	11.0	12.6	0.2
		2	Ο	-			21.3	31,15	0.04	9.0	12.0	0.2
		3	Ο	••			21.2	31.26	0.04	10.2	11.8	0.9
		4	0	-			21.4	31.26	0.03	10.3	11.8	0.1
1959												
1/26	1634				3	$9\frac{1}{2}$						
		1	Ο			_	14.8	30.23	0.03	5.6	6.2	0.5
		2	0				14.6	30,25	0.03	5.9	6.3	0.3
		3	0				14.6	30.23	0.02	5.2	5.8	0.3
		4	0				14.7	30.61	0.03	4.4	4.5	0.3
2/19	1220				0	9						
		1	\mathbf{P}	0.0			22.1	33.24	0.04	1.2	2.4	0.1
		2	Р	0.0			22.1	33.26	0.02	1.2	2.1	0.2
		3	Р	0.0			22.1	33.22	0.04	1.4	2.1	0.2
		4	Р	0.0			22.0	33.19	0.04	1.3	1.9	0.2
3/23	1057				7	$5\frac{1}{2}$						
		1	0			2	18.5	21.40	0.03	10.3	12.4	0.1
		2	0				18.3	21.37	0.03	10.1	12.2	0.5
		3	0	-			18.3	24.90	0.03	9.3	11.2	0.6
		4	0	**			18.3	26.02	0.01	8.3	9.9	0.2
4/8	1054				0	$10\frac{1}{2}$	-	-	•	•		·
-, -		1	0		-	2	23.4	27.09	0,02	7.7	9.7	0.1
		2	Õ				23.1	27.05	0.02	•••	7.3	0,1
		3	õ	-			22.7	27.09	0.02	7.4	9.3	0.1
		4	õ	_			22.7	29.40	0.02	-	5.9	0.0
5/14	1223	*	-	-	6	5		-/0 10		-	~o /	
5111	1005	1	0		0	5	27.6	33.75	0.02	2.7	4. 2	0.3
		2	0				27.6	33.87	0.02	2.7	3.7	0.5
		3	0				27.6	33.80	0.02	2.6	4.2	0.5
		4	0	P4			27.0	33.80 33.80	0.02	2.8	4.2 5.1	0.1
		4	0				41.4	JJ. 0U	0.02	4.0	D1	0.1

	the second s	FION 11										
Date	Time	Depth	<u>G.</u>	breve	CA	Tr.	°C.	Sal.	Cu.	PC	⁾ 4	NO3-
			С.	<u>M.</u>						In.	Tot.	NO2
6/8	1204				7	10						
		1	0	-			29.4	31.73	0.03	5.7	6.9	0.3
		2	0	-			28.1	31.73	0.02	5.8	6.9	0.5
		3	0	-			28.0	32.90	0.06	3.9	4.8	0.3
		4	0	-			28.1	33.93	0.05	2.3	3.3	0.4
7/6	1317				2	7						
		1	0	-			31.2	28.44	0.06	8.9	9.7	0.2
		2	0	-			31.2	30.86	0.06	4.8	6.9	0.4
		3	0	-			30.5	31.08	0.06	6.2	7.4	0.2
		4	0	-			31.0	32.99	0.03	4.0	5.9	0.2
8/18	1040				4	8						
		1	Р	0.2			28.5	26.91	0.02	5.1	5.7	0.5
		2	Р	0.2			28.9	27.85	0.02	3.8	4.7	0.3
		3	Р	0.1			28.9	28.44	0.01	2.7	3.2	1.0
- • -		4	Р	0.6			28.9	29.78	0.02	1.9	2.5	0.6
9/9	1238	-	_		2	7						
		1	0				31.7	22.16	0.00	8.0	9.8	0.3
		2	0	-			29.0	26.11	0.00	7.4	9.1	0.3
		3	0	-			29.6	27.41	0.00	6.6	7.8	0.1
		4	0	-			29.6	29.34	0.00	5.5	7.0	0.2
10/15	1205	_			0	7						
		1	Ρ	102			28.5	33.84	0.03	1.9	2.7	0.4
		2	Р	86			28.3	33.87	0.03	1.8	3.1	0.2
		3	Р	22			28.2	34.23	0.03	1.3	2.1	0.1
		4	Р	26			28.3	34.31	0.03	1.2	2.2	0.1
11/9	1140	_			4	9						
		1	0	-			22.8	27.05		12.5	13.7	0.1
		2	0	-			22.8	27.01		13.0	13.0	0.0
		3	0	**			22.8	27.01		12.7	13.4	0.1
/ . /		4	Р	0.0			22.8	27.11	0.03	12.9	13.0	0.3
12/16	1037	_	_		7	10						
		1	0	-			16.9	28.12	0.03	8.5	9 . 5	1.8
		2	0	-			16.7	28.95	0.02	7.5	7.9	0.0
		3	0				16.7	29.79	0.05	6.0	6.7	0.3
		4	0	-			16.8	29.79	0.03	6.3	6.5	0.2

Det		FION 12	_	Depth of			27°32.			<u>. 7' W.</u>		
Date	Time	Depth		breve	CA	Tr.	°C.	Sal.	Cu.	PO		NO ₃
1050			С.	М.						In.	Tot.	NO2
1958	1259				4							
10/6	1259	1	Ð	0.0	4	-	20.0	31.65	0 02	10,2	10.0	0.2
		1 2	Р	0.0			28.0				10.8	0.2
		3	O P	0.0			28.0	31.78 31.51	0.00 0.00	9.0 9.5	10.1 10.3	0.4
		3 4					28.0 28.0			9.5 10.1		0.2
11/5	1120	4	0	-	7		20.0	31,55	0.00	10.1	11.1	0.6
11/5	1138	1	0		1	-	21.6	31.42	0.05	6.7	8.4	0.4
		2	0	**			21.5	31.51	0.07	6.9	8.1	0.4
		3	0				21.5	31. 31	0.07	6.7	6.8	0.0
		4	0	-			21.5	32.05	0.02	5.6	6.6	0.3
12/2	1221	т	0	-	3	$5\frac{1}{2}$	£1.U	54.05	0.02	5.0	0.0	0.5
16/6	1661	1	0		5	J ₂	21.5	31.26	0.03	10.1	11.8	0.1
		2	0				21. 3	31.29	0.03	9.9	11.0	1.9
		3	0	-			21.4	31.29	0.03	9.5	11.3	1.5
		4	0				21.9	31.40	0.03	9.9	12.0	0.5
1959		т	0	-			61. T	J 1 . IV	0.05	707	12.0	0. 5
1/26	1621				3	9						
1/20	1021	1	0	***	5	/	15.0	30.23	0.03	5.8	6.3	0.2
		2	0	_			15.0	30.19	0.03	5.4	5.8	0.4
		3	0	-			14.7	30.41	0.03	4.9	5.6	0,5
		4	0				14.7	31.26	0.03	3,2	3.6	0.3
2/19	1205	т	U	-	0	8	T.I.	51. 20	0.05	J. L	5.0	0.5
6/1/	1205	1	Р	0.1	Ū	0	22.0	33.24	0.02	1.3	2.1	0.3
		2	P	0.2			22.0	33.21	0.03	1.3	2, 2	0.1
		3	P	0.1			22.0	33.22	0.04	1.4	2.2	0,1
		4	P	0.0			22.0	33.30	0.03	1.3	2.1	0.1
3/23	1043	1	1	0.0	7	5		55, 50	0,05	x • <i>J</i>	₩e *	0.1
5745	10 15	1	0		'	5	18.4	22.18	0.02	10.0	12.1	0.8
		2	0				18.4	22. 10	0.02	9.6	11.5	0.7
		3	0				18.4	26.82	0.02	7.6	9.9	0.9
		4	0				18.4	27.97	0.04	6.4	8.9	0.2
4/8	1037	Т	U	-	0	9	10.1	41071	0.01	0.1	0,7	0. 2
1/0	1001	1	Р	0.0	U	/	23.4	28.15	0 03	6.7	8,3	0.1
		2	Р	0.0			23.0	28.24		7.0	7.5	0.1
		3	Ō				22.5	28.75		5.6	6.8	0.1
		4	0	-			22.5	31, 38		3.8	4.6	0.1
5/14	1210	т	U		6	$5\frac{1}{2}$,)	77, 70	0.02	5.0		0.1
5/17	1010	1	0		0	J ₂	27.2	34.67	0.03	1.1	2.0	0.2
		2	P	••• 0.0			27.2	34.60		1.1	2.0	0.2
		3	P O				27.2	34.00 34.76		1,1 1,1	2.0	0.2
				-			27.2				2. 3 2. 1	
		4	Ο	-			41.4	34.72	0.03	1.4	4. 1	0.2

		TION 12										
Date	Time	Depth		breve	CA	Τr .	°C.	Sal.	Cu_{\bullet}	PO4		NO 3-
			С.	M.						In.	Tot.	NO2
6/8	1150				7	14						
		1	0	-			28.1	34.81	0.03	1.3	1.6	0.3
		2	0				28.0	33.35	0.03	3.5	3.8	0.4
		3	0				28.0	33.80	0.03	2.6	3.2	0.4
		4	0	-			28.1	34.36	0.03	1.5	2.3	0.4
7/6	1256				2	9						
		1	0	-			30.8	29.79	0.04	6.3	8.2	0.1
		2	0				30.2	32.29	0.03	3.4	3.9	0.5
		3	0	-			30.2	33.31	0.04	3.1	3.3	0.2
		4	0				30.2	34.23	0.04		3.6	0.2
8/18	1022				4	12						
		1	Р	0.0			28.4	27.45	0.02	4.2	4.7	0.4
		2	Р	0.0			28.5	27.85	0.02	3.9	4.1	1.0
		3	Р	0.0			28.8	28.44	0.02	2.8	3.3	0.5
		4	Р	0.2			28.8	29.96	0.02	1.6	1.7	0.8
9/9	1221				2	8						
		1	0	••			31.5	22.18	0.01	8.2	9.7	0.4
		2	0				29.0	25.14	0.02	7.6	9.7	0.4
		3	0				29.6	27.56	0.00	5.0	7.1	0.2
		4	0				29.6	28,55	0.00	4.3	6.2	0.3
10/15	1150				0	8						
		1	Р	172			28.5	34.42	0.03	0.6	1.3	0.2
		2	Р	200			28.5	34.40	0.03	0.7	1.8	0.2
		3	Р	180			28.5	34.34	0.03	0.6	1.2	0.4
		4	Р	440			28.5	34.40	0.02	0.6	1.6	0.3
11/9	1137				4	$7\frac{1}{2}$			-	• -	• -	
		1	0	-		-	22,8	27.11	0.03	12.1	13.4	0.1
		2	0	~			22.8	27.16	0.03	12.2	14.2	0.3
		3	0	-			22.8	27.20	0.03		13.5	0.1
		4	0				22.7	27.11	0.02	11.5	13.1	0.1
12/16	1018	=	-	-	7	11	• •		49 U M			
		1	0	-	•		16.7	30.01	0.03	5.7	6.7	0.1
		2	õ	-			16.7	29.97	0.03	5.4	5.9	0.3
		3	õ	_			16.7	30.01	0.03	4.1	6.2	0.2
		4	0	-			16.7	29.94	0.03	5.8	6.4	
		т	0				10. (67.74	0.00	J. 0	0.4	0.3

÷

	the second s	TION A		epth of			27°36.		82°45.			
Date	Time	Depth		breve	CA	Τr.	°Ċ.	Sal.	Cu.	PO		NO ₃ -
			С.	M.						In.	Tot.	NO2
1958												
10/9	1211				5	*						
		1	Р	0.0			27.2	33.44	0.07	4.8	5.9	0.0
		2	Р	0.0			27.2	34.00	0.07	2.4	3.0	0.1
		3	Р	0.0			27.2	34.18	0.05	1.9	2.5	0.3
		4	Р	0.0			27.3	34.23	0.07	1.8	2.6	0.1
11/6	1145				5	••						
		1	Р	0.0			22.2	32,57	0.02	3.3	3.9	0.2
		2	Р	0.0			21.9	32.84	0.02	2.5	3.2	0.2
		3	Ο	-			22.0	33.17	0.02	2.2	2.9	0.2
		4	Ο	-			22.0	33.22	0.01	2,5	2.9	0.2
12/9	1008				0	$5\frac{1}{2}$						
		1	Ο	1			22.6	31.69	0.04	6.5	7.6	0.9
		2	0	-			22.7	31.96	0.03	5.7	6.5	0.1
		3	Ο	-			22.8	32.00	0.04	5.4	5.9	0.4
		4	0	-			22.4	32.03	0.04	5.2	5.8	0.1
1959						_						
1/20	1255				4	$4\frac{1}{2}$						
		1	Р	0.0			13.6	31.49	0.04	2.8	3.0	0.3
		2	Р	0.0			13.0	31.82	0.04	1.8	2.1	0.2
		3	0	1			15.4	31.92	0.03	1.7	1.9	0.1
		4	0				15.5	31.91	0.03	2.2	2.9	0.2
2/17	1305				7	10						
		1	0	***			21.7	31.76	0.03	4.1	4.7	0.0
		2	Ο				21.4	32.18	0.03	2.9	3.7	0.6
		3	\mathbf{P}	0.0			21.4	32.81	0.02	1.8	2.3	0.7
		4	0	-			21.4	33.06	0.02	1.5	2.2	0.3
3/24	1002				4	$6\frac{1}{2}$						
		1	0				18.8	28.22	0.03	10.4	11.6	0.1
		2	Ο				18.8	28.86	0.02	8.5	10.2	0.4
		3	Ο	-			19.6	29.04	0.03	8.2	9.9	0.3
		4	0	1			18.5	29.09	0.03	8.3	9.2	0.3
4/8	1145				0	11						
		1	Ο				23.0	-	0.02	7.3	9.1	0.1
		2	0	₽			22.9	-	0.02	6.6	7.6	0.1
		3	Ο	-			22.4	-	0.02	4.0	5.2	0.1
		4	0				22.1		0.02	2.9	3.8	0.1
5/12	1304				2	13						
		1	Ο	1			26.9	32,83	0.02	4.7	5.0	2.6
		2	0				26.6	32.97	0.03	4.3	4.5	2.0
		3	Р	0.1			26.2	32.87	0.04	2.4	2, 8	2.7
		4	Р	0.0			26.3	34.11	0.02	2,2	2.4	1.8
		_					• • -			-	-	

	STAT	TION A	(Cont	'd)								
Date	Time	Depth	G. t	preve	CA	Tr.	°C.	Sal.	Cu.	PO4	1	NO3-
			С.	M.						In.	Tot.	NO2
6/8	0949				7	11						
		1	0	••			28.5	33.40	0.06	3.9	4.9	0.4
		2.	0	-			28.4	33.40	0.06	3.8	4.2	0.4
		3	0	-			28.4	33.69	0.09	3.5	3.7	0.2
		4	0				28.4	34.11	0.09	2.6	3.2	0.3
7/1	1111				0	15						
		1	0	-			31.1	29.88	0.01	11.1	14.5	0.1
		2	Р	0.0			30.1	33.69	0.02	2.2	2.9	0.2
		3	С	-			30.1	34.27	0,02	1.6	3.4	0.2
		4	0	-			30.0	34.36	0.01	1.9	3.1	0.3
8/18	0732				6	10						
		1	0	•••			28.9	26.74	0.02	2.6	9.2	0.4
		2	Р	0.0			29.2	29.25	0.02	4.0	4.4	0,5
		3	Р	0.0			29.5	29.96	0.01	3.3	4. 1	0.8
		4	0	-			29.9	30,57	0.02	2.5	2.7	0.4
9/9	1009				0	$12\frac{1}{2}$						
		1	0				29.0	24.63	0.00	13.3	14.4	0.1
		2	Р	0.0			29.0	26.96	0.02	8.6	9.8	0.5
		3	Р	0.2			29.0	28.31	0.04	7.2	7.8	0.3
		4	Р	0.0			29.3	29.83	0.00	5.4	6.8	0.4
10/15	0954				0	$10\frac{1}{2}$						
		1	Р	32			28.2	30.64	0.03	7.5	8.5	0.2
		2	Р	36			28.7	33.24	0.03	3.1	3.9	0.2
		3	Р	52			28.6	33.42	0.03	2.9	3.8	0.2
		4	Р	46			28.1	33.77	0.04	2.3	3.4	0.2
11/9	0942				6	8						
		1	Р	40			24.1	32.56	0.01	3.3	4.0	0.3
		2	Р	0.8			23.9	32.79	0.02	2.8	3.5	0.6
		3	P	0.4			23.8	32.79	0.02	2.9	4.4	0.2
		4	Р	0.2			24.2	32.88	0.02	2.4	3.7	0.3
12/16	1116				6	7						
		1	0	-			16.6	29.63	0.03	6.9	7.7	0.3
		2	0	-			16.6	30.72	0.04	5.5	5.6	1.1
		3	0	-			16.5	30.70	0.04	4.8	4.8	0.9
		4	0				16.8	30.81	0.03	4.0	4, 7	0.1

	STA	TION B	Ι	Depth of	E 90 :	feet	27°36.	2'N.	82°45	5.5'W.		
Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	PO		NO 3.
			C.	M.						In.	Tot.	NO2
1958												
10/9	1151				5	~						
		1	Р	0.5			28.5	33.26	0.05	5.2	6.1	0.3
		2	Р	0.2			28.4	33.89	0.04	2.7	3.4	0.0
		3	Ρ	0.1			28.3	33.96	0.05	2.5	3.1	0.1
		4	\mathbf{P}	0.1			28.8	34.04	0.05	1.8	2.6	0.2
11/6	1125				5	*0						
		1	Р	0.0			22.2	32.63	0.02	3.3	4.0	0.1
		2	Ο	=			21.2	32.83	0.04	2.5	3.1	0.4
		3	Ο				22.2	33.08	0.02	2.3	2.9	0.3
		4	Ο				22.2	33.19	0.02	2.2	2.9	0.4
12/9	0945				0	6						
		1	Ο	فيو			22.5	31.69	0.03	7.1	8.2	0.3
		2	Ο				22.4	31.96	0.05	5.7	7.3	0.2
		3	Ο	44			22.6	32.00	0.04	5.6	6.3	0.1
		4	Ο				21.0	32.03	0.03	4.7	5.7	0.3
1959												
1/20	1322				4	$5\frac{1}{2}$						
		1	Ο	**			13.3	31.55		2.7	3.0	0.2
		2	Ο	-			13.2	31.82	0.03	2.4	2.5	0.2
		3	Ο	24			13.1	31.71	0.03	2.0	2.4	0.2
		4	Ο				13.5	32.00	0.03	2.2	2.7	0.1
2/17	1326				9	15						
		1	Р	0.0			22.2	32.36	0.03	~	3.1	0.7
		2	\mathbf{P}	0.0			22.1	32.56	0.02	-	2.3	0.7
		3	Ο	-			22.0	32,88	0.02	-	1.7	0.5
		4	0	-			22.0	32.84	0.02	1.6	2.1	0.7
3/24	0946				4	$6\frac{1}{2}$						
		1	0				18.6	27.75	0.02	11.8	13.4	0.4
		2	0	-			18.4	28.12	0.03	9.8	11.7	0.3
		3	Ο				18.5	28.60	0.03	9.2	11.1	0.5
		4	Ο				18.5	28.86	0.02	8.9	10.7	0.4
4/8	1125				0	$12\frac{1}{2}$						
		1	Ο	***		_	23.0	28.96	0.02	7.6	8.1	0.1
		2	Ο	***			22.8	30.81	0.01	5.0	5.5	0.0
		3	0				22.3	32.01	0.02	3.5	4.1	0.1
		4	Ο				22.1	32.27	0.02	6.5	8.6	0.8
5/12	1246				2	13						
		1	Р	0.0			26.6	32.92	0.03	4.2	5.0	1.5
		2	Р	0.1			26.3	33.53	0.03	3.0	3.7	1.7
		3	Р	0.0			26.2	34.07	0.03	1.7	2.5	1.4
		4	Ο				26.0	34.18	0.03	2.0	2.7	2.6

	STA'	TION B	(Con	t'd)								
Date	Time	Depth	G. 1	oreve	CA	Tr.	°C.	Sal.	Cu.	PO	4	NO ₃₋
			С.	М.						In.	Tot.	NO2
6/8	1008				7	13						
		1	0	***			28.5	32.95	0.06	4.9	5.8	0.2 🕾
		2	0	*			28.5	33.06	0.06	4.5	5.1	0.9
		3	0				28.4	33.57	0.06	3.7	4.4	0.3
		4	0	-			28.3	34.18	0.07	2.8	3.1	0.3
7/1	1105				0	9						
		1	0	-			30.8	29.61	0.02	10.0	11.0	0.1
		2	0				30.1	33.21	0.01	2.4	6.0	0.3
		3	0	-			30.1	34.16	0.01	1.8	3.5	0.3
		4	0				30.1	34.25	0.02	2.4	4.2	0.3
8/18	0755				3	11						
		1	0				28.4	27.63	0.02	6.1	6.1	0.2
		2	Ρ	0.0			28.9	28.98	0.02	4.4	4.7	0.5
		3	Ρ	0.0			29.4	30.01	0.02	3.4	3.9	0.5
		4	Ρ	0.0			29.8	30.73	0.01	2.6	3.4	1.1
9/9	1036				0	$12\frac{1}{2}$						
		1	0	-			29.0	24.45	0.02	12.2	14.7	0.4
		2	Р	0.2			30.1	26.35	0.00	9.1	10.3	0.0
		3	Ρ	0.0			30.2	26.80	0.00	9.6	10.3	0.3
		4	Р	0.0			30.2	27.66	0.00	8.2	9.8	0.3
10/15	1012				0	10						
		1	Ρ	31			28.6	30.93	0.03	6.5	8.4	0.6
		2	Ρ	140			28.6	32.27	0.03	4.5	5.6	0.2
		3	Р	60			28.6	32.95	0.03	3.5	4.3	0.4
		4	\mathbf{P}	100			28.0	33.60	0.03	2.6	3.1	0,3
11/9	1008				6	8						
		1	Р	40			24.1	32.36	0.02	3.8	4.5	0.1
		2	Р	10			24.2	32.70	0.00	3.0	3.4	0.3
		3	Р	2.7			24.0	32.88	0.03	2.8	3.2	0.4
		4	Р	1.9			24.0	32.88	0.03	2.7	3.2	0.2
12/16	1100				6	7						
		1	0				16.6	29.51	0.03	7.0	8,2	0.6
		2	0				16.4	29.56	0.04	5.7	7.7	0.1
		3	0				16.2	30.61	0.03	6.8	7.0	0.8
		4	0	***			16.4	30.72	0.04	6.6	6.7	0.0
											-	-

Det		FION 13		Depth of			27°38.			.4' W.		
Date	Time	Depth		breve	CA	Τr.	°C.	Sal.	Cu.	P04		NO3-
1050			С.	М.						In.	Tot.	NO2
1958	1200				~							
10/2	1300	1	0		5	-	20 4	22 21	0.05	<i>(</i> 1		0 1
		1	0				29.4	33, 21	0.05	6.1	6.6	0.1
		2	P	0.0			29.1	33,21	0.04	4.9	6.0	0.3
		3	P	0.1			29.1	33.22	0.07	4.6	5.9	0.7
11/4	100/	4	0	-	4		29.2	33.46	0.06	4.0	4, 8	0.3
11/4	1006	1	0		4	-	22 4	22 E1	0 01	0.4	0 7	0.2
		1	0	-			22.4	33, 51	0.01	0.4	0.7	0.2
		2	0	-			22.4	33.39		0.4	0.7	0.7
		3	0	-			22.3	33.37	0.02	0.5	0.7	0.2
12/0	1020	4	0	-	0	× 1	22.0	33.42	0.03	0.3	0.8	0.3
12/9	1038	,	~		0	$6\frac{1}{2}$	22.4	20 72	0.05	2 0		0.0
		1	0	~*			22.4	30.72	0.05	3.9	4.7	0.2
		2	0	-			22.4	32.21	0.04	3.8	4.6	0.1
		3	0	-			22.3	32.41		2.0	2.3	0.1
		4	0	-			22.4	32.61	0.04	1.9	2.5	0.2
1959												
1/20	0934		-		4	4	10.0	<u> </u>				
		1	0	-			12.9	31.71		2.2	2.3	0.0
		2	0	-			12.9	31.67	0.03	2.0	2.4	0.0
		3	0	-			13.0	31.82		1.6	1.8	0.4
- (4	0				13.1	31.91	0.06	1.5	1.6	0.2
2/17	1020		-		9	10				_		
		1	0	-			21.3	32.18	0.03	3.7	4.0	0.2
		2	0	-			21.2	32.12	0.02	3.5	3.8	0.7
		3	0	-			20.5	32.29	0.03	2.6	3.0	0.4
		4	0	-		1	20.4	32.79	0.03	1.8	2.7	0.2
3/10	0930	_	_		4	$11\frac{1}{2}$	_					
		1	0	-			18.7	33.15	0.03	1.0	1.4	0.2
		2	0	-			18.7	33.10	0.03	1.0	1.3	0.2
		3	С	-			18.7	33.04		1.0	1.2	0.3
		4	0	-			18.7	33.04	0.05	1.0	1.2	0.1
4/7	1715				4	$14\frac{1}{2}$						
		1	Р	0.0			23.9	31.06		3.9	3.9	0.1
		2	Р	0.1			23.8	30.93	0.03	3.3	3.3	0.1
		3	Р	0.0			22.5	30.90	0.03	3.7	3.9	0.1
		4	Р	0.0			22.1	31.58	0.03	3.1	3.3	0.1
5/12	1006				2	11						
		1	Ο	-			26.0	33.53	0.06	3.3	4.0	2.0
		2	Ο	-			25.8	33.58	0.03	3.0	3.3	2.0
		3	Ο				25.7	33.53	0.06	3.0	4 . 1	2.6
		4	Ο	-			25.5	33.64	0.03	2.9	3.7	1.8

	STAT	TION 13	(Con	t'd)								
Date	Time	Depth	G. ł	oreve	CA	Tr.	°C.	Sal.	Cu.	PO4		NO3-
	<u> </u>		Ċ.	<u>M.</u>						In.	Tot.	NO2
6/2	0957				2	$6\frac{1}{2}$						
		1	0				27.6	34.34	0.06	1.7	2.8	0.1
		2	0	-			27.6	34.14	0.05	1.9	2.8	0.2
		3	Р	0.0			27.6	34.13	0.03	1.8	2.9	0.4
		4	0	-			27.6	34.13	0.05	2.0	3.3	0.2
7/1	0820				3	15						
		1	0	-			30.0	33.46	0.03	2.0	3.2	0.2
		2	Р	0.0			30.0	33.46	0.02	1.7	3.1	0.4
		3	0	-			30.0	33.46	0.03	2.1	3.0	0.1
		4	0	-			30.0	33.40	0.02	1.2	2.4	0.1
8/17	1101				4	14						
		1	Р	0.0			29.2	31.55	0.04	1.0	1.3	0.4
		2	Ρ	0.1			29.1	31.98	0.03	1.1	1.2	0.9
		3	0	-			29.0	31.98	0.04	1.0	1.5	1.1
		4	0				28.8	32.03	0.08	1.1	1.3	0.8
9/10	1447				9	10						
		1	Р	0.4			29.4	27.54	0.03	9.1	10.7	0.0
		2	Р	1.0			29.2	28.26	0.04	8.1	8.7	0.2
		3	0	-			29.2	30.28	0.03	4.5	5.1	0.1
		4	0	-			29.4	33.03	0.07	2.9	4.0	0.1
10/22	1327				9	13						
		1	Р	360			26.7	30.39	0.05	5.5	6.4	0.2
		2	Р	40			26.6	30.68	0.03	5.0	6.1	0.2
		3	Р	0.4			26.8	31.82	0.04	3.7	4.5	0.5
		4	Р	0.0			27.0	33.26	0.04	1.0	1.3	0.3
11/12	0959				7	11						
		1	0				21.4	31.26	0.06	3.8	4.7	0.2
		2	0	-			21.4	31.46	0.03	3.4	4 . 1	0.1
		3	0	-			21.4	31.74	0.03	2.2	3.2	0.1
		4	0				21.4	32.25	0.02	0.9	1.6	0.6
12/8	0939				0	3						
		1	Р	0.4			14.4	31.83	0.02	0.8	1.2	0.2
		2	Р	0.0			14.4	31.82	0.04	1.2	1.2	0.1
		3	Р	0.0			14.5	31.82	0.04	0.7	1.1	0.3
		4	944	••			14.6	31.91	0.03	0.3	1.4	0.3

.

	STA	fion 14	De	pth of	22 f	eet	27°37.	7 ¹ N.	82°50	' W.		
Date	Time	Depth	G. t	oreve	CA	Tr.	°C.	Sal.	Cu.	PO4		NO3 ≖
		_	С.	М.						In.	Tot.	NO ₂
1958												
10/2	1321				5							
		1	0				30.2	33.22	0.06	6.1	7.4	0.2
		2	0	-			29.2	33.10	0.07	5.4	6.3	0.2
		3	Ō	-			29.1	33.28	0.09	4.9	5.7	0.1
		4	Р	0.0			29.2	33.24	0.07	8.2	11.7	0.3
11/4	1025	1	-	•••	4	-	- / 0 -		•	•	• •	•
11/1	1025	1	0	**	-	-	22.3	33.42	0.02	0.5	0.9	0.2
		2	õ				22.3	33.42	0.02	0.4	0.8	0.2
		3	0				22.3	33.39	0.03	0.5	0.9	0.4
		4	0	•			22.4	33.49	0.03	0.3	0.8	0.3
12/0	1050	4	0		0	۷ ۱	66.4	JJ. 17	0.05	0.5	0.0	0.5
12/9	1052	,	0		0	$6\frac{1}{2}$	22 E	22 21	0.04	4.1	5.0	0.1
		1	0	••			22.5	32.21	0.04			
		2	0	-			22.3	32.23	0.03	3.8	4. 8	0.2
		3	0				22.4	32.36	0.03	2.6	3.4	0.1
		4	0	••			22.4	32.59	0.04	1.9	2.8	1.4
1959												
1/20	0950				4	5						
		1	0	-			12.8	31.47	0.07	2.7	2.9	0.3
		2	0				12.8	31.49	0.04	2.6	2.8	0.3
		3	0	14			12.8	31.53	0.04		3.0	0.2
		4	Ο	-			12.9	31.65	0.03	2.3	2.5	0.2
2/17	1037				9	9						
		1	0	-			21.2	32.36	0.03	2.9	3.5	0.1
		2	0				21.0	32.32	0.02	2.8	3.2	0.1
		3	0				20.4	32.70	0.03	2.3	2.9	0.0
		4	0	-			20.4	32.83	0.02	1.8	2.3	0.2
3/10	0945				4	$10\frac{1}{2}$						
		1	0	-		2	18.7	32.61	0.05	2.0	2.3	0.2
		2	Ō	-			18.6	32.70	0.03		2.1	0.4
		3	õ	_			18.6	32.95	0.04		2.0	0.2
		4	õ	-			18.6	32.92	0.05	1.3	1.6	0.2
4/7	1703	1	.,	-	4	14	-0,0	0-0/-		-•-	• -	•
- T /1	1105	1	Р	0.2	1	- 1	23.6	30.62	0 03	4.7	4.7	0.3
		2	г Р	0.2			23.4	30.62			4.7	0.1
		3					22.2	30.84				0.1
			P D	0.1			22.1	31.60			3.5	0.1
r /1 o	1025	4	Р	0.0	С	1 5	66°I	21.00	0.03	ے ور	ر ور	0.1
5/12	1025	1	0		2	15	25 0	24 22	0.05	1 7	2 2	1 2
		1	0	••			25.8	34.33			2.3	1.2
		2	0	•			25.8	34.25				1.9
		3	Р	0.0			25.8	34.36			2.2	2.3
		4	Ο	м			25.9	34.25	0.05	1.7	2.0	1.3

	STAT	TION 14	(Co	nt'd)								
Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	PO4		NO3-
			С.	м.						In.	Tot.	NO ₂
6/2	0943				2	6						
		1	Ρ	0.0			27.7	34.51	0.03	1.3	2.2	0.2
		2	Р	0.1			27.6	34.56	0.04	1.4	2.4	0.2
		3	0				27.6	34.63	0.06	1.5	2.3	0.3
		4	0				27.6	34.45	0.05	1.7	2.9	0.7
7/1	0838				3	13						
		1	Р	0.0			30.0	33.28	0.02	2.5	3.8	0.0
		2	0	•			30.0	33.37	0.02	1.8	3.2	0.3
		3	0	-			30.0	33.55	0.02	2.0	2.9	0.1
		4	0				30.0	34.36	0.02	1.4	2.4	0.3
8/17	1117				4	20						
		1	Р	0.2			29.2	32.03	0.02	0.8	0.8	0.7
		2	Р	0.3			28.8	31.98	0.06	0.6	0.9	0.8
		3	Р	0.0			28.8	32.07	0.02	0.7	0.9	0.5
		4	Р	0.1			28.8	32.21	0.02	0.9	1.3	0.5
9/10	1433				9	$9\frac{1}{2}$						
		1	Р	0.3			29.4	28,28	0.01	8.2	9.1	0.0
		2	Р	0.0			29.1	27.75	0.00	8.5	9.2	0.2
		3	Р	0.0			29.1	28.64	0.04	6.8	8.2	0.1
		4	Р	0.0			29.1	30.08	0.04	5.6	6.7	0.3
10/22	1342				9	-						
		1	Р	440			26.5	29.92	0.05	6.2	6.7	0.1
		2	Р	100			26.5	30.07	0.04	5.7	6.7	0.6
		3	Р	3.4			26.7	31.17	0.04	4.6	5.3	0.4
		4	Ρ	0.6			26.7	31.27	0.04	4.3	4.8	0.2
11/12	1007				7	$9\frac{1}{2}$						
		1	Ρ	0.0			21.4	30.84	0.02	4.8	5.2	0.4
		2	0				21.4	31.49	0.02	3.5	4.0	0.6
		3	0	-			21.4	32.30	0.02	1.0	1.5	0.3
		4	0	-			21.4	32.27	0.02	1.0	1.5	0.1
12/8	0953				0	3						
		1	Р	0.1			15.0	31.82	0.04	0.7	1.2	0.2
		2	Р	0.0			15.0	31.82	0.03	0.7	1.2	0.7
		3	0	-			15.0	31.82	0.04	0.6	1.3	0.1
		4	Ρ	0.0			15.7	31.91	0.03	0.3	1.1	0.6

	STAT	TION 15	D	epth of	24 1	leet	27°36.	7'N.	82°50	' W.		
Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	PO ₄		NO3-
			C.	<u>М</u> .						In .	Tot.	NO2
1958												
10/2	1350				5							
		1	0				30.3	33.35	0.09	4.8	5.4	0.1
		2	Р	0.0			29.2	33 . 46	0.07	3.9	4.8	0.4
		3	Р	0.1			29.2	33.66	0.05	3.4	4.2	0.2
		4	Р	0.0			29.2	33.71	0.06	4.8	6.0	0.1
11/4	1041				4							
		1	Р	0.0			22.1	33.24	0.03	0.5	0.9	0.5
		2	0				22.1	33.28	0.02	0.5	0.9	0.4
		3	0	-			22.1	33.28	0.02	0.5	1.0	0.3
		4	0				22.1	33.28	0.02	0.4	0.9	0.8
12/9	1108				0	7						
		1	0				22.4	32.00	0.04	4.6	5.1	0.3
		2	0				22.4	32.14	0.04	4.3	5.3	0.4
		3	0	м			22.3	32.14	0.05	4.4	5.2	0.2
		4	0	-			22.3	32.18	0.03	4.6	5.3	0.1
1959												
1/20	1006				4	$4\frac{1}{2}$						
		1	0	**		Ľ	13.0	31.67	0.07	2.6	2.6	0.2
		2	0				13.0	31.76	0.03	2.3	2,5	0.3
		3	0	-			13.1	31.73		2.0	2.4	0.1
		4	0				13.2	31, 91	0.03	1.7	2.0	0.1
2/17	1055				9	11		• /		• •	·	
		1	0		-		21.4	32.36	0.02	3.0	3,5	0.7
		2	Р	0.0			21.1	32.34	0.01	2.7	3.5	0.3
		3	0				21.0	32, 45	0.02	1.8	2, 5	0.3
		4	0	-			21.0	32.88	0.01	1,5	1,5	0.3
3/10	1000				4	10	·	• • • •	• -	• -		
		1	0				18.8	32.43	0.06	2.1	2.7	0.3
		2	0	-			18.7	32.45	0.05	2.0	2,4	0.2
		3	0	-			18.6	32.61	0.05	1.8	2.2	0.1
		4	0	-			18.6	32.81		1.7	2.2	0.2
4/7	1645	_	-		4	14						
-, .		1	Р	0.0			23.2	31.04	0.04	4.5	4,5	0.1
		2	P	0.0			23,1			3,9	4.3	0.0
		3	P	0.0			22.4	31.44		3,3	3.9	0.1
		4	P	0.0			22.0	31.87		3,1	3.4	0.1
5/12	1040	•	*	0.0	2	14	22,0	54001	0,00	J. 1	J. 1	0.1
-, - 3	10	1	Р	0.0	-	- 1	25.9	34.45	0.03	1.7	2.0	2.0
		2	0	-			25.9	34.42		1.4	1.7	0.3
		3	P	0.0			25.8	34, 49		1.6	2,0	2.8
		4	P	0.0			25.9	34.42		1.5	2.0	1.6
		.	г	0.0			40.7	J4. 42	0.05	T. O	4 . I	1.0

	STAT	FION 15	(Con	t'd)								
Date	Time	Depth	G. 1	breve	CA	Tr.	°C.	Sal.	Cu.	PO ₄		NO3-
			С.	М.						In.	Tot.	NO2
6/2	0928				2	8 <u>1</u>						
		1	Р	0.0			27.5	34.29	0.03	0.6	1.4	0.1
		2	0	••			27.6	34.72	0.03	0.7	1.5	0.1
		3	Р	0.0			27.5	34.72	0.03	0.7	1.4	0.1
		4	Ρ	0.0			27.5	34.72	0.03	0.7	1.4	1.0
7/1	0853				3	14						
		1	0	-			30.0	22.61	0.02	3.6	5.3	0.2
		2	0				30.1	32.57	0.02	4.0	4.6	0.2
		3	0	-			30.2	32. 44	0.02	2.9	4.1	0.5
		4	0	-			30.0	33.53	0.04	2.2	3.2	0.3
8/17	1134				4	16						
		1	Р	0.0			29.6	31.85	0.02	0.8	0.8	0.1
		2	Р	0.1			29.0	31.94	0.02	0.7	0.7	0.6
		3	0	-			28.8	31.98	0.03	0.7	1.1	0.8
		4	0				28.8	32.03	0.00	0.8	1.1	0.7
9/10	1418				9	$12\frac{1}{2}$						
//		1	Р	0.3		-	29.4	27.11	0.01	9.4	10.4	0.0
		2	Р	0.6			29.0	29.07	0.02	5.5	6.5	0.1
		3	Ρ	0.1			29.1	30.84	0.01	3.9	4.6	0.1
		4	Р	0.1			29.1	32.36	0.02	2.8	3.4	0.4
10/22	1357				9	7						
10,00		1	Р	80	•		26.5	30.88	0.04	4.2	4.8	0.3
		2	P	100			26.6	30.88	0.04	4.2	4.3	0.3
		3	Ρ	0.1			26.9	32.66	0.04	2.1	2.4	0.4
		4	P	0.0			26.9	32.70	0.04	2.2	2.5	0.4
11/12	1020	-	-		7	10						
11/10	1020	1	Р	0.0			21.4	30.48	0.02	5.8	6.8	0.2
		2	P	0.0			21.4	30.43	0.01	-	7.3	0.5
		3	Ō	-			21.4	32, 32	0.00	-	1.5	0.1
		4	õ	-			21.4	32, 21	0.01	-	2.4	0.1
12/8	1009	т	Ŭ	-	0	3		,	••			
16/0	1007	1	Р	0.0	v	2	14.9	31.64	0.03	0.7	1.2	0.2
		2	P	0.0			15.0	31.64	0.03	0.6	1,1	0.1
		3	P O				15.6	31.64	0.04		1.2	0.3
		3 4	0	-			15.7	31.60	0.03	0.7	1.2	0.2
		4	0	-			1.001	51,00	0,05	0 0 1		

		TION 16		Depth of			27°36'		2°50' 1			
Date	Time	Depth	_	breve	CA	Tr.	°C.	Sal.	Cu.	PO	£	NO3-
			С.	<u>M.</u>						In.	Tot.	NO ₂
1958												
10/2	1407				5	~						
		1	0	-			29.7	33.95	0.05	2.9	3.6	0.8
		2	Р	0.0			29.2	33.91	0.02	2.7	3.2	0.6
		3	Р	0.8			29.2	33.98	0.02	2.8	3.3	0.2
		4	\mathbf{P}	0.3			29.4	33.98	0.03	2.6	3.4	0.1
11/4	1057				5	-						
		1	0	-			22.6	33.51	0.05	0.5	1.0	0.3
		2	0				22.6	33.51	0.05	0.6	0.9	0.2
		3	0	-			22.6	33.48	0.05	0.5	0.8	0.2
		4	0	-			22.7	33.42	0.04	0.6	0.9	0.2
12/9	1122				0	8						
//		1	0	-			22.4	32, 21	0.05	3.6	4.3	0.2
		2	õ	_			22.3	32.38	0.04	3.0	3.7	0.2
		3	õ	-			22.3	32.59	0.04	1.9	2.4	0.2
		4	õ	-			22, 4	32.84	0.03	1.6	2.0	0.1
1959		т	U	-				52.01	0.05		2.0	
1/20	1029				4	7						
1/20	1029	1	0		7	1	13.3	32.45	0.07	0.8	1.2	0.0
		2	0 0	**			13.2	32 . 2 9	0.03	0.8	1.0	0.2
		3		649 (13.2	32, 29	0.03	0.8	1.0	0.4
			0	*							1.0	0.4
2/17	1110	4	0	-	0	10	13.2	32.29	0.03	0.9	1.0	0.5
2/17	1110	1	D	0.1	8	13	21.0	22 24	0 02	0 7	1 2	0.1
		1	Р	0.1			21.0	33.24	0.02	0.7	1.2	0.1
		2	Р	0.1			20.9	33.26	0.02	0.8	3.1	0.3
		3	Р	0.2			20.8	33.24	0.02	0.8	1.2	0.1
		4	\mathbf{P}	0.1		• •	20.8	33.24	0.00	0.9	1.2	0.7
3/10	1014				4	10				• -		
		1	Ρ	0.0			18.8	32.75	0.03	1.9	2.3	0.2
		2	0	-			18.6	32.79		1.8	2.1	0.2
		3	0	**			18.7	32.86	0.03	1.6	1.9	0.2
		4	Ο	-			18.6	33.10	0.03	1.3	2.0	0.2
4/7	1632				4	14						
		1	\mathbf{P}	0.0			23.5	30.01	0.03	6.7	7.0	0.1
		2	\mathbf{P}	0.0			22.6	30.19	0.03	5.8	6.4	0.1
		3	\mathbf{P}	0.0			21.9	30.64	0.03	4.8	5.3	0.2
		4	0				21.6	32.07	0.03	2.7	2.9	0.2
5/12	1059				2	15						
	·	1	0				25.7	34.58	0.03	1.4	1.5	2.7
		2	P	0.0			25.7	34.49		1.2	1.5	1.9
		3	0	-			25.7	34.58		1.2	1.4	2.9
		4	P	0.0			25.8	34.49			1.5	/

	STAT	TION 16	(Con	nt'd)								
Date	Time	Depth	G. I	breve	CA	Tr.	°C.	Sal.	Cu.	PO4		NO3-
			С.	М.						In.	Tot.	NO2
6/2	0914				2	9						
		1	Р	0.0			27.6	34.88	0.03	0.7	1.3	0.1
		2	0	-			27.6	34.88	0.05	0.6	1.4	0.6
		3	0	-			27.5	34.72	0.02	0.5	1.2	0.1
		4	0	-			27.5	34.72	0.03	0.4	1.4	0.3
7/1	0906				3	$12\frac{1}{2}$						
		1	Р	0.0			30.0	32.47	0.02	4.4	5.2	0.1
		2	Р	0.0			30.1	32.48	0.02	4.2	5.3	0.3
		3	0	-			30.2	32.57	0.03	3.3	4.7	0.3
		4	0	-			29.8	33.98	0.03	1.7	2.3	0.2
8/17	1149				4	18						
		1	Р	0.0			29.2	31.98	0.02	0.6	0.7	0.5
		2	Ρ	0.5			28.8	31.98	0.04	0.9	0.9	0.5
		3	0				28.8	32.10	0.01	0.9	0.9	0.5
		4	0	-			28.8	32.18	0.01	0.8	1.1	0.8
9/10	1403				4	$12\frac{1}{2}$						
		1	Ρ	1.6		-	29.6	30.14	0.01	4.7	5.5	0.0
		2	Ρ	5.3			29.7	30.39	0.01	4.l	4.9	0.2
		3	Р	0.7			29.4	31.27	0.01	3.2	3.9	0.3
		4	Р	0.2			29.0	32.03	0.01	2.5	2.9	0.3
10/22	1411				9	-						
		1	Р	460			27.1	32.95	0.04	0.7	1.2	0.2
		2	Р	32			27.2	33.13	0.04	0.5	1.1	0.1
		3	0				27.2	33.44	0.05	0.8	1.2	0.2
		4	0	-			27.5	33.40	0.03	0.7	1.3	0.3
11/12	1035				7	9						
		1	0				21.4	31.15	0.03	-	4.9	0.4
		2	0	-			21.4	31.40	0.03	-	4.4	0.2
		3	0				21.5	32.09	0.04	1.9	2.5	0.4
		4	0				21.5	32.47	0.03	0.6	1.6	0.3
12/8	1022				0	3						
·		1	Р	0.0			14.8	31.56	0.02	0.6	1.2	0.1
		2	0				14.9	31.55	0.04		1,1	0.2
		3	0				14.9	31.55	0.03	0.6	1,1	0.1
		4	0	-			15.5	31.73	0.03	0.7	1.2	0.2

Date	Time	TION 17 Depth		epth of preve			27°34' °C.	Sal.	2°50' Cu.	w. PO		NO ₃
Date	THUG	Deben	C.	M.	011	e	0.	U alle	Ou.	In.	Tot.	NO3
1958		·····								1110	100.	NO2
10/2	1428				5							
		1	Р	0.0	-	_	29.6	34.33	0.06	2.3	3.8	0.2
		2	P	0.0			29.1	34.16	0.05	2.1	2.7	0.2
		3	Ρ	0.1			29.1	34. 31	0.04	1.4	2.2	0.2
		4	Р	0.1			29.1	34.38	0.03	1,5	2.1	0.3
11/4	1117			-	5		_ / •	•		•	_•	
		1	0				21.7	32.74	0.04	3.9	5.1	0.2
		2	0				21.7	32.75	0.04	3,5	4.3	0.3
		3	0				21.6	32.94	0.04	2.8	3.8	0.2
		4	0				21.8	33.12	0.04	1.9	2.9	0.1
12/9	1138				0	9						
		1	0				22.4	32.70	0.03	2.5	3.2	0.1
		2	0				22.2	32.84	0.04	2.0	2, 5	0.5
		3	Р	0.0			22.1	32.95	0.03	1.2	2.4	0.1
		4	0	-			22.1	33.04	0.03	1.0	1.4	0.1
1959												
1/20	1054				4	7						
		1	0				13.5	32, 25	0.04	2.3	2.3	0,2
		2	0	-			13.4	31.82	0.03	2.0	2.3	0.1
		3	0	-			13.5	31.92	0.03	1.5	1.7	0.2
		4	0	-			13.6	32.43	0.03	0.7	0.9	0.1
2/17	1129				8	21						
		1	Р	0.1			20.8	33.39	0.02	0.4	0.9	0.1
		2	Р	0.0			20.6	33.51	0.02	0.4	2.0	0.0
		3	0	-			20.6	33.40	0.02	0.5	0.9	0.6
		4	0	-			20,5	33.35	0.02	0.6	0.8	0.7
3/10	1031				4	10					_	
		1	0	-			18.6	33.37	0.02	1.0	1.7	0.2
		2	0				18.6	33.37	0.02	1.0	1.3	0.2
		3	0	-			18.6	33.40	0.05	0.9	1.3	0.2
	1/15	4	0	-			18.6	33.53	0.02	0.9	1.5	0.2
4/7	1615		0		4	19	22.0	22.02		<u> </u>		• •
		1	0				23.9	32.03		3.7	3.7	0.1
		2	0				23.7	32.03		3.4	3.7	0.1
		3	0	-			23.3	32.14		3.2	3.6	0.1
E/10	1117	4	0		ъ	101	22.8	32.09	0.03	3.3	3.5	0.1
5/12	1117	1	0		2	$18\frac{1}{2}$	25 (24 67	0 02	11	1 2	24
		1	0	-			25.6	34.67	0.03	1.1	1.3	2.6
		2 3	О р				25.6	34.67 34.67	0.03 0.03	1.0	1.9 1.5	2.1
			P D	0.0			25.5		0.03	1.0	1.5 1.4	1.9 24
		4	Р	0.0			25.5	34.60	0.03	1.1	1.4	2.4

	STA	TION 17	(Co	nt'd)								
Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	_ PO ₄		NO3•
			C.	м.						In.	Tot.	NO2
6/2	0855				2	9						
		1	Р	0.0			27.5	34.79	0.05	0.6	1.0	1.3
		2	0	-			27.5	34.79	0.03	0.5	1.1	0.2
		3	0	••			27.4	34.69	0.03	0.6	1.1	0.2
		4	0	-			27.4	34.74	0.03	0.5	1.2	0.2
7/1	0926				3	$12\frac{1}{2}$						
		1	Р	0.0			30.1	32.27	0.04	4.3	5.3	0.1
		2	0	••			30.2	32.39	0.02	4.1	4.7	0.1
		3	0	••			29.8	34.16	0.04	1.4	2.2	0.2
		4	Р	0.0			29.8	35.05	0.06	0.6	1.5	0.6
8/17	1212				4	17						
		1	Р	0.3			30.3	31.80	0.02	0.5	0.9	0.4
		2	Р	0.4			28.8	31.89	0.02	0.8	1.1	0.3
		3	Ρ	0.0			28.8	32.00	0.01	0.7	0.9	0.2
		4	Ρ	0.1			28.8	32.18	0.02	0.6	1.4	0.8
9/10	1344				4	11						
		1	Р	0.2			30.4	26.82	0.00	6.5	7.3	0.1
		2	Р	0.1			29.0	29.04	0.00	4.0	5.1	0.4
		3	Ρ	0.1			29.0	32.52	0,00	1.8	2.1	0.4
		4	Ο	-			29.0	33.40	0.02	1.1	1.2	0.3
10/22	1427				9	$11\frac{1}{2}$						
		1	Ρ	420			27.2	33.08	0.03	0.6	1.2	0.3
		2	Р	30			27.2	33.15	0.03	0.7	1.1	0.2
		3	Ο	-			27.2	33.33	0.02	0.7	1, 2	0.2
		4	0	-			27.3	33,40	0.04	0.7	1.2	0.5
11/12	1056				7	10						
		1	Ο	-			21,5	30.84	0.02		6.5	0.3
		2	0	-			21.7	31.49	0.01	4.0	4.0	0.2
		3	Ο	•			21.8	32.88	0.01	0.8	1.6	0.3
		4	0	•			21.9	32.97	0.01	-	1.4	0.5
12/8	1040				••	••						
		1	Р	0.0			15.1	31.82	0.03	0.7	1.2	0.5
		2	0	-			15.1	31.82	0.03	0.7	1.1	0.1
		3	0	-			15.2	31.91	0.03	0.7	1.3	0.1
		4	Р	0.0			15.6	31.96	0.04	0.6	1.1	0.3

	STAT	ION 18	the second s	Depth of			27°33.	2' N.	82°50			
Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	PO	4	NO3=
			C.	Μ.						In.	Tot.	NO2
1958												
10/2	1444				5	-						
		1	Р	0.0			29.6	34.60	0.08	l.4	2.0	0.3
		2	Ρ	0.1			29.0	34.43	0.03	1.2	2.0	0.2
		3	\mathbf{P}	0.0			29.0	34.47	0.03	1.3	2.0	0.3
		4	Ρ	0.0			29.0	34.65	0.03	1.3	1.9	0.3
11/4	1132				5							
		1	Р	0.0			22.1	32.94	0.04	2.8	3.3	0.1
		2	0	-			22.2	32,99	0.03	2.6	3.2	0.0
		3	Ο	-			22.3	33.17	0.04	2.1	2.9	0.3
		4	Ο	-			22.4	33.53	0.03	1.5	2.3	0.3
12/9	1150				0	10						
		1	Ο	-			22.4	32.52	0.05	2.5	3.3	0.1
		2	Ο	-			22.1	32.74	0.02	2.1	2.7	1.4
		3	0	-			22.1	32.22	0.03	0.8	1.6	0.3
		4	Ρ	0.0			22.2	33.30	0.04	0.7	1.8	0.3
1959												
1/20	1115				4	7						
		1	Ο	-			13.6	32.05	0.07	1.8	2.0	0.2
		2	Ο				13.5	31.96	0.05	1.6	1.8	0.1
		3	0	-			13.4	32.52	0.03	1.1	1.2	0.5
		4	Ο	-			13.8	32.92	0.04	0.5	0.8	0.3
2/17	1144				8	$21\frac{1}{2}$						
		1	Р	0.1			20.7	33.49	0.02	0.4	0.9	0.1
		2	0	-			20.6	33.33	0.02	0.4	4.0	0.2
		3	Р	0.0			20.4	33.40	0.03	0.4	0.9	0.7
		4	Ο				20.2	33.40	0.03	0.5	1.0	0.1
3/10	1048				4	$11\frac{1}{2}$						
		1	Ο	-			18.8	32.50	0.05	2.2	2.6	0.2
		2	Ο				18.6	33.13	0.03	1.2	1.5	0.2
		3	Ο				18.5	33.53	0.05	0.8	1.2	0.3
		4	Ο	-			18.5	33.68	0.03	0.8	1.3	0.2
4/7	1600				4	19						
		1	Ο	-			23.5	31.94	0.04	3.7	4.1	0.1
		2	Ο	~			22.4	31.94	0.03	3.3	4.1	0.1
		3	Ο	-			22.2	32.30	0.03	3.1	3.7	0.1
		4	Ο	-			21.3	33.35	0.03	1.8	2.2	0.1
5/12	1131				2	31						
		1	0	-			25.5	34.67	0.03	1.1	1.3	0.2
		2	Ρ	0.0			25.5	34.58	0.03	1.1	1.2	2.4
		3	Р	0.0			25.4	34.58	0.03	1.0	1.3	2.1
		4	0	-			25.5	34.67	0.03	1.0	1.3	2,6

	STAT	ΓΙΟΝ 18	(Co	nt'd)								
Date	Time	Depth	G.	breve	CA	Tr.	°Ċ.	Sal.	Cu.	PO4		NO3⊷
			С.	М.						In.	Tot.	NOZ
6/2	0839				2	12						
		1	0	-			27.4	34.92	0.03	0.6	1.1	0.1
		2	0	-			27.4	34.92	0.03	0.4	1.0	0.1
		3	Ο	-			27.4	34.92	0.03	0.6	1.1	0.1
		4	Ο	••			27.4	34.74	0.03	0.6	1.1	0.2
7/1	0940				3	12						
		1	Р	0.0			30.3	32.43	0.05	4.2	5.2	0.1
		2	Ρ	0.0			30.2	32.39	0.05	4.3	5.7	0.2
		3	0				29.7	33.51	0.06	2.3	3.5	0.1
		4	0	-			29.8	35.14	0.05	0.7	1.7	0.2
8/17	1226				4	22						
		1	F	0.0			30.8	31.80	0.02	0.7	0.9	0.3
		2	F	0.0			28.9	31.82	0.02	0.6	0.9	0.8
		3	0	₩			28.7	32.21	0.01	0.7	1.0	0.6
		4	Ο	-			28.7	32.43	0.02	0.5	0.9	0.4
9/10	1326				4	14						
		1	Ο				29.5	27.47	0.01	5.4	7.1	0.4
		2	0	-			29.0	30.53	0.01	3.4	4.0	0.4
		3	Р	3.0			29.1	32.52	0.00	1.5	1,8	0.2
		4	Έ	0.1			29.1	33.49	0.00	1.0	2.1	0.2
10/22	1439				9	••						
		1	Р	120			27.2	33.08	0.04	0.8	1.1	0.3
		2	Ο	-			27.2	33.31	0.04	0.6	1.0	0.2
		3	0	-			27.2	33.40	0.04	0.6	1.0	0.3
		4	Ο	-			27.2	33.48	0.02	0.8	1.5	0.3
11/12	1107				7	10						
		1	0				21.6	31.15	0.02	4.6	5.9	0.1
		2.	Ο				21.6	31.65	0.02		3.9	0.3
		3	0				21.8	32.90	0.01	-	1.2	0.5
		4	0				21.9	32.97	0.01		1.4	0.5
12/8	1051				0	3						
		1	Р	0.1			14.9	31.36	0.03	0.7	2.0	0.5
		2	Р	0.0			15.0	31.49	0.03	0.7	1.8	0.2
		3	0				15.3	31, 91	0.04	0.2	1.2	0.1
		4	Р	0.0			15.8	32, 38	0.03	1.0	3.0	0.2
				-			-			•	•••	• •

		FION 19		epth of			27°32.		82°50			
Date	Time	\mathtt{Depth}		breve	CA	Τr.	°C.	Sal.	Cu.	P04		NO 3⊷
_			С.	M.						In.	Tot.	NO2
1958												
10/2	1506				5	H						
		1	Р	0.0			29.8	34.67	0.03	1.0	1.6	0.1
		2	Р	0.0			30.0	34.60	0.06	1.2	1.8	0.4
		3	Р	0.0			28.9	34.42	0.03	1.1	1.8	0.3
		4	Р	0.2			28.9	34.45	0.02	1.2	2.0	0.2
11/4	1148				5	-						
		1	Р	0.0			22.1	33,35	0.03	1.6	2.1	0.2
		2	Ο	54			22 . 1	33.39	0.03	l .4	2.1	0.2
		3	Ο	-			22.2	33.46	0.04	1.3	1.6	0.1
		4	Ο	-			22.4	33.71	0.05	0.8	1.2	0.4
12/9	1204				0	11						
		ł	Ο				22.4	32.84	0.05	2.3	3.0	1.3
		2	Ο				22.2	32.84	0.04	2.1	2.7	0.1
		3	Ο	-			22.2	33.19	0.03	1.3	1.8	0.2
		4	0				22.2	33.37	0.03	0.8	1.0	0.4
1959												
1/20	1136				4	8						
		1	0	-			13.7	32.48	0.07	0.9	1.1	0.2
		2	Ο				13.5	32.48	0.03	0.9	1.0	0.0
		3	0				13.4	32.70	0.03	0.4	0.5	0.2
		4	Ο	-			13.8	32.84	0.03	0.4	0.6	0.4
2/17	1203				8	22						
		1	Р	0.2			20.5	33.42	0.02	0.4	0.8	0.7
		2	Р	0.0			20.5	33.40	0.00	0.4	0.9	0.1
		3	\mathbf{P}	0.1			20.4	33.40	0.02	0.4	0.9	0.7
		4	0				20.3	33.40	0.01	0.4	0.9	0.2
3/10	1116				4	10						
		1	0				18.9	32.54	0.05	2.3	2.9	0.2
		2	0	-			18.5	33,62	0.03	0.8	1.3	0.4
		3	Р	0.0			18.5	33.78	0.08	0.7	1.0	0.3
		4	0				18.6	33.69		0.7	1.1	0.2
4/7	1545				4	22	Ţ	• ,	-		-	
		1	0			-	23.3	32.29	0.03	3.4	3.4	0.1
		2	Õ				22.0	32.36	0.03	2.7	3,3	0.3
		3	0				21.3	32.83	0.03	2.0	2.2	0.1
		4	Õ	P 10			21.2	33.87		1.4	1.8	0.1
5/12	1146	=		-	2	28	• -		- •	. –	• -	
-, - -	10	1	0		-		25.6	34.67	0.03	1.0	1.3	2.8
		2	õ	-			25.5	34.67		1.0	1.3	2.4
		3	Р	0.0			25.5	34.69		1,1	1.4	2.4
		4	Ō				25.6	34.63		1.0	1.3	2.4
		4	0	-			4 0,0	2402	0.03	1 • U	1.0	6. 4

$\overline{C. M.}$ $\overline{In. Tot. NO}$ $\overline{In. Tot. NO}$ 6/2 0823 2 14 1 0 - 27.4 34.79 0.06 0.5 0.9 0.0 2 F 0.0 27.4 34.79 0.04 0.4 0.9 0.3 3 C - 27.4 34.74 0.03 0.4 0.9 0.3 7/1 0956 3 16 - - 30.2 32.75 0.02 3.3 4.8 0.1 2 0 - 30.2 32.75 0.02 3.7 4.5 0.3 3 P 0.0 29.7 34.23 0.03 1.7 2.7 0.2 4 O - 29.8 31.89 0.01 0.8 0.4 2 P 0.1 28.6 32.81 0.00 0.8 0.9 0.3 9/10 1309 4 10 2 2.7			LION 19										
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Date	Time	Depth			CA	Τr.	°C.	Sal.	Cu.			NO3-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				Ĉ.	м.						In.	Tot.	NO2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6/2	0823				2	14						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	0	-			27.4	34.79	0.06	0.5	0.9	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	P	0.0				34.96	0.05	0.3	0.9	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	О				27.4	34.74		0.4	0.9	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	0	-			27.4	34.79	0.04	0.4	0.9	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7/1	0956				3	16						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				0	-				32.70	0.02	3.3	4.8	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Ο	-			30.2	32.75	0.02	3.7	4.5	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	Р	0.0			29.7	34.23	0.03	1.7	2.7	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	0	-			29.8	34.33	0.04	0.5	0.8	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8/17	1243				4	20						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				Ρ	0.1				31.89	0.01	0.8	1.1	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Р	0.1			28.8	31.17	0.01	0.7	0.8	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	0	-			28.7	32.66	0.00	0.8	0.9	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Ο				28.6	32.81	0.00	0.8	0.8	1.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	9/10	1309				4	10						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	P	0.1				29.78	0.00	3.7	4.3	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Р	1.1			29.0	31.71	0.01	2.0	2.7	0.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	Р	0.4			29.1	33.37	0.02	0.9	1.0	0.8
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Р	0.0			29.1	33.58	0.01	0.7	0.9	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/22	1450				9	16						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				Ρ	0.4			27.2	33.37	0.03	0.5	1.0	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Р	0.4			27.2	33.48	0,02	0.7	0.9	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				Р	0.0			27.2	33.58	0.02	0.5	1.0	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Р	0.0			27.2	33.58	0.02	0.8	1.0	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11/12	1121				7	10						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	0	•			21.7	31.82	0.03	3.3	4, 2	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	0	-			21.8	32.88	0.03	1.2	1.8	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	0				21.9	32, 38	0.03	2.2	3.0	0.1
1 P 0.0 15.0 31.56 0.03 1.3 1.7 0.2 2 O - 15.2 31.60 0.03 1.2 1.7 0.3 3 O - 16.2 32.03 0.04 0.8 1.5			4	0				22.0	33.06	0.03		1.5	0.5
2 O - 15.2 31.60 0.03 1.2 1.7 0.3 3 O - 16.2 32.03 0.04 0.8 1.5	12/8	1105				0	$3\frac{1}{2}$						
3 O - 16.2 32.03 0.04 0.8 1.5			1	Р	0.0			15.0	31.56	0.03	1.3	1.7	0.2
			2	0	-			15.2	31.60	0.03	1.2	1.7	0.3
4 O - 16.3 32.61 0.04 1.3 2.4 0.2								16.2	32.03	0.04	0.8	1.5	
			4	0	-			16.3	32.61	0.04	1.3	2.4	0.2

		TION 20		ep t h of	the second s		27°31.			.4' W.		
Date	Time	Depth	the second se	breve	CA	Tr.	°C.	Sal.	Cu.	PO	the second s	NO3-
			С.	M.						In.	Tot.	NO2
1958												
10/2	1520				5	-						
		1	Р	0.1			29.6	34.60	0.04	1.0	1.8	0.2
		2	Р	0.0			29.2	34.49	0.03	0.9	1,5	0.4
		3	P	0.0			29.2	34.49	0.03	1.0	1.6	0.2
		4	F	0.0			29.2	34.52	0.03	1.1	1.9	0.1
11/4	1207				5	-						
		1	Р	0.0			21.7	32.97	0.05	2.8	3.4	0.2
		2	0	-			22.0	33.53	0.03	1.3	1.9	0.7
		3	0				22.1	33.64	0.03	1.0	1.5	0.0
		4	0				22.2	33.75	0.05	1.0	1.4	0.4
12/9	1220				0	$8\frac{1}{2}$						
		1	Р	0.0		-	22.4	32.72	0.03	2.8	3.8	0.2
		2	0				22.3	32.75	0.03	2.6	3.3	0.2
		3	0				22.3	33,10	0.03	1.4	2.0	0.2
		4	0	-			22.3	33,19	0.03	1.0	1.9	0.2
1959		-	Ũ	-						-••	-• /	•••
1/20	1155				4	9						
1,20	1100	1	Р	0.0	-	-	13.7	32.38	0.03	1.0	1.1	0.3
		2	0				13.5	32.48	0.03	0.9	1.0	0.2
		3	0				13.6	32.43	0.03	0.9	1.0	0.3
		4	0	-			13.7	32.61	0.03	0.5	0.7	0.0
2/17	1220	4	0	**	8	$16\frac{1}{2}$	19.1	52.01	0.03	0.5	0.1	0.0
2/17	1220	1	ъ	0 1	0	$10\frac{1}{2}$	20.5	22 16	0.03	0 1	1 0	0 1
		1	P	0.1				33.46		0.4	1.0	0.1
		2	P	0.0			20.5	33.42	0.02	0.5	0.9	0.3
		3	P	0.0			20.4	33.40	0.03	0.5	0.9	0.3
2/10	1120	4	Р	0.0		1.2	20.4	33.40	0.03	0.4	0.9	0.6
3/10	1130	,	~		4	13	10 -	22 (2	0.04	2 (2 0	0 0
		1	0	••			19.7	32.63	0.06	2.6	3.0	0.3
		2	0	-			18.6	33.26	0.05	1.4	1.7	0.2
		3	0	**			18.5	33.68	0.05	0.8	1.2	0.4
		4	Ο				18.6	33.66	0.05	1.3	3.0	0.4
4/7	1530	_			4	22						_
		1	Р	0.0			23.5	32.57		2.8	3.0	0.1
		2	Р	0.0			22.5	32.50	0.05	2.3	2.9	0.0
		3	Р	0.0			21.6	32.95	0.03	1.9	2.5	0.2
		4	Р	0.0			21.8	33.24	0.03	1.5	2.0	1.2
5/12	1201				2	24						
		1	Ο	-			25.6	34.63	0.03	1.1	1.2	1.9
		2	Ο	•••			25.6	34.63	0.01	1.0	1.2	2.4
		3	0				25.5	34.58	0.02	1.1	1.6	2.7
		4	0				25.6	34.67		0.9	1.3	1.2

Date	 Time	TION 20 Depth		breve	CA	Tr.	°C.	Sal.	Cu.	PO		NO3-
Date	1 mie	Deptii	<u>C.</u>		011	1 1 0	0.	U dias	Ou.	In.	Tot.	NO ₂
6/2	0807		<u> </u>		2	9						
0, -		1	0				27.5	34.79	0.04	0.5	0.9	1.2
		2	0				27.4	34.83	0.04	0.5	1.2	0.7
		3	0	-			27.5	34.72	0.04	0.6	1.1	0.3
		4	0	-			27.5	34.75	0.04	0.5	1.0	0.5
7/1	1012				3	17						
-		1	0	-			31.0	32.39	0.02	4 . 1	5.5	0.1
		2	0	-			30.0	32,36	0.05	4.1	5.5	0.1
		3	0				29.7	33.84	0.03	1.7	2.6	0.1
		4	0				29.7	35.25	0.02	0.6	1.1	0.4
8/17	1256				4	22						
		1	P	0.3			30.7	31.69	0.02	0.5	0.8	1.0
		2	Р	0.0			29.0	31.76	0.00	0.7	1.0	0.4
		3	Р	0.0			28.7	32.18	0.00	0.6	1.1	1.2
		4	Ο	-			28.7	32.30	0.00	0.8	0.8	0.7
9/10	1255				4	$11\frac{1}{2}$						
		1	0	-			29.6	29.94	0.04	3.8	4.3	0.1
		2	Р	1.7			29.2	31.67	0.03	2.0	2.4	0.1
		3	Р	0.6			29.2	33.31	0.00	0.9	1.0	0.1
		4	Ρ	0.5			29.2	33.51	0.02	0.6	0.9	0.2
10/22	1500				9							
		1	Р	0.0			27.2	33.03	0.03	0.4	1.1	0.2
		2	Ο	-			27.2	33.40	0.02	0.7	1.0	0.5
		3	0	-			27.2	33.49	0.03	0.8	0.8	0.3
		4	Ο	-		,	27.2	33.49	0.01	0.7	1.0	0.1
11/12	1132				7	$12\frac{1}{2}$						_
		1	0	-			21.8	32.21	0.04	-	3.3	0.2
		2	0	-			22.0	32.21	0.03	-	2.9	0.4
		3	0	•			22.0	33.03	0.05	0.9	1.4	0.2
		4	0	-		,	22.0	33.06	0.03	0.9	1.4	0.9
12/8	1116				0	$3\frac{1}{2}$						
		1	Ρ	0.0			15.2	31.64	0.04	0.8	1.4	0.3
		2	0				15.1	31.64	0.04	1.2	1.3	0.6
		3	0	-			15.4	31.67	0.04	0.5	1.5	0.5
		4	0	-			16.0	32.38	0.06	0.2	1.6	0.2

	STAT	TION 21	I	Depth of	48 f	leet	27°35.	8' N.	82°57	<u>'.1'</u> W.		
Date	Time	Depth		breve	CA	Τr.	°C.	Sal.	Cu.	PO		NO3.
			С.	М.						In.	Tot.	NO2
1958												
10/1	0708				7	••						
		1	Р	0.0			29.0	34.65	0.04	1.1	1.9	0.5
		2	Ο	-			29.0	34.51	0.05	0.5	1.1	0.8
		3	0	••			29.0	34,55	0.03	0.6	1.3	0.2
		4	\mathbf{P}	0.0			29.0	34.61	0.07	0.5	0.9	0.1
11/14	0836				0	**						
		1	Ρ	0.1			23.0	34.22	0.02	0.5	0.7	0.1
		2	Ρ	0.1			23.0	34.25	0.01	0.5	0.6	0.3
		3	Р	0.0			23.0	34.40	0.02	0.3	0.6	0.3
		4	\mathbf{P}	0.0			23.0	34,52	0.02	0.4	0.5	0.4
12/8	0924				7	28						
		1	Р	0.6			21.6	33.78	0.03	0.3	0.5	1.4
		2	Р	0.2			21.6	33.75	0.03	0.2	0.6	0.5
		3	Ρ	0.0			21.8	33.93	0.03	0.1	0.5	1.6
		4	Ρ	0.0			21.9	34.02	0.03	0.2	0.5	0.2
1959												
1/15	0837				4	18						
		1	С	**			13.7	31.76	0.03	0.3	0.5	0.4
		2	0				14.9	32.41	0.03	0.3	0.3	0.4
		3	0				15.9	34.29	0.02	0.3	0.3	0.4
		4	0				15.9	34.29	0.03	0.2	0.3	0.4
2/16	0939				7	25					-	-
		1	0				19.4	33.77	0.04	0.4	0.4	0.2
		2	Ρ	0.0			19.3	33.77	0.02	0.3	0.4	0.2
		3	0				19.4	33.91	0.02	0.3	0.7	0.3
		4	0				19.0	33.95	0.02	0.4	0.8	0.6
3/11	0819				0	20					•	
		1	Ē	0.0			18.7	33.82	0.03	0.7	0.8	0.2
		2	Р	0.0			18.6	33.84	0.02	0.5	0.7	0.3
		3	0				18.7	34.81	0.02	0.4	0.6	0.4
		4	0				18.7	34.81	0.02	0.2	0.5	0.2
4/1	0721				7	23			-0	••-	••••	֥ =
		1	Р	0.0	•		20.7	32.97	0.02	1.5	2.6	0.0
		2	P	0.0			20.5	33.66	0.01	0.6	0.9	0.9
		3	P	0.0			20.1	33.82	0.01	0.7	1.1	0.1
		4	0				20.0	33.91	0.01	0.7	1.0	0.2
5/5	0912	Ŧ	0	**	0	32	20.0	JJ. /1	0.01	V 6 /	1.00	v. L
-,-	·/-u	1	Р	0.0	~		24.0	34.16	0.02	1.6	2.0	0.2
		2	0	–			23.9	34.25	0.02	1.6	1.9	0.1
		3	0				23.4	34.33	0.02	1.1	1.6	0.5
				-								
		4	0	**			22.6	34.85	0.02	0.8	1.1	0.2

	STA	TION 21	(Co	nt'd)								
Date	Time	${\tt Depth}$	_	breve	CA	Τr.	°C.	Sal.	Cu.	P04		NO3-
			С.	M.						In.	Tot.	NG2
6/11	0322				7	27						
		1	Р	0.0			27.9	35.26	0.05	0.8	1.1	1.2
		2	Ο				27.9	35.28	0.06	0.7	1.3	1.0
		3	Ο				27.9	35.26	0.05	0.6	0.9	0.5
		4	О	-			27.8	35.32	0.07	0.6	1.0	0.9
7/22	0741				2	24						
		1	С	-			30.6	34.42	0.06	0.4	1.0	0.5
		2	О	63			30.6	34.42	0.06	0.5	0.7	0.1
		3	Ο	-			30.6	34.52	0.07	0.4	1.0	0.2
		4	Р	0.0			30.6	34.42	0.08	0.4	0.9	0.2
8/26	0815				0	33						
		1	0	-			28.9	35.16	0.02	0.4	0.6	0.3
		2	Ο	-			28.9	35.10	0.02	0.1	0.5	0.8
		3	0	-			29.0	35.19	0.02	0.4	0.5	0.4
		4	Ο	-			28.9	35.32	0.02	0.3	0.4	0.4
9/30	0949				2	15						
		1	F	320			27.9	33.62	0.02	0.6	1.1	0.1
		2	\mathbf{P}	1120			28.2	33.96	0.03	0.6	1.3	0.2
		3	P	40			28.2	34.99	0.03	0.3	0.6	0.3
		4	Р	12			28.1	35.35	0.02	0.3	0.6	0.2
10/31	0920				4	20						
		1	Ο	-			26.3	34.51	0.09	0.2	0.6	0.1
		2	Ο	-			26.2	34.56	0.10	0.1	0.5	0.2
		3	\mathbf{P}	0.0			26.2	34.51	0.10	0.1	0.6	0.4
		4	Ο	-			26.3	34.61	0.10	0.1	0.5	0.2
11/23	0953				9	20						
		1	P	400			22.4	33.01	0.07	1.4	1.8	0.3
		2	Р	160			22.7	33.01	0.05	1.1	1.8	0.8
		3	F	40			23.0	34.38	0.05	0.3	0.8	0.0
		4	F	30			23.6	34.51	0.05	0.1	0.7	0.1
12/9	0937				0	10						
		1	Р	20			16.1	33.06	0.03	0.2	0.7	0.1
		2	Р	0.9			16.3	33.06	0.04	0.1	0.8	0.1
		3	Р	0.0			16.8	33.24	0.04	0.5	0.8	0.2
		4	Р	0.0			17.1	33.55	0.04	0.1	0.7	0.4

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		STAT	TION 22	Ľ	epth of	51 3	feet	27°32.	8' N.	82°57	.1' W.		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.			NG3-
				Ċ.	м.						In.	Tot.	NC2
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1958												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10/1	0740				6	-						
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			1	Р	0.2			29.1	34.87	0.02		0.9	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Ο				29.1		0.05			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	0	-								
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			4	0	-			29.1	34.78	0.04	0.3	0.8	0.3
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	11/14	0859				3	-						
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			1	Р	0.4								
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Ρ	0.0								
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	\mathbf{P}	0.0				34.31	0.03	0.4	0.8	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Ρ	0.1			25.1	34.40	0.02	0.4	0.7	0.5
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	12/8	0946				7	27						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				Р	0.2								
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Ρ	0.3						0.2		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			3	P	0.0			21.9	34.07	0.03	0.2	0.5	3.6
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Ο	-			22.0	34.11	0.02	0.3	0.5	0.6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1959												
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1/15	0900				4	21						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	Ο	-			13.6	32.07	0.04	-	0.3	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Ο	м			14.9	32.41	0.03	0.3	0.5	0.5
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			3	Ο	•			16.0	33.89	0.02	0.3	0.3	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Ο	-			15.9	34.33	0.02	0.3	0.3	0.4
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2/16	1026				6	26 늘						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	Р	0.0			19.8	34.02	0.03	0.4	0.6	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Р	0.0			19.5	34.04	0.02	0.5	0.5	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	Р	0.0			19.8	34.22	0.02	0.3	0.7	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Ο	-			18.2	34.13	0.02	0.3	1.2	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3/11	0844				0	$20\frac{1}{2}$						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	\mathbf{P}	0.0			18.8	34.02	0.03	0.6	0.8	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Ο	-			18.7	34.02	0.02	0.6	0.7	0.1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			3	Ο				18.7	34.67	0.04	0.2	0.5	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Ο	н			18.8	35.01	0.02	0.2	0.5	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4/1	0748				8	19						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	\mathbf{P}	0.0			20.8	33.91	0.03	0.5	0.7	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2	Ρ	0.0			20.4	33.91	0.03	0.6	0.8	0.1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			3	Ο	-			20.0	33.98	0.01	0.5	0.8	0.2
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			4	Р	0.0			20.0	34.25	0.00	0.4	0.7	0.3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5/5	0937				0	30						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			1	Ο	-			24.6	33.86	0.03	1.9	2.7	0.2
3 O - 23.4 34.51 0.02 1.0 1.4 0.3			2	Ο	-			24.3	34.20	0.02	1.5	2.1	0.4
4 O 23.3 35.03 0.02 0.6 1.1 0.2				Ο				23.4	34.51	0.02	1.0	1.4	0.3
			4	Ο	-			23.3	35.03	0.02	0.6	1.1	0.2

	STAT	FION 22	(Con	.t'd)								
Date	Time	Depth	G. t	oreve	CA	Tr.	°C.	Sal.	Cu.	POz		NO3-
			С.	М.						In.	Tot.	NO ₂
6/11	0847				7	24						
		1	0				27.7	35.70	0.03	0.5	0.8	0.9
		2	0				27.7	35.59	0.03	0.5	0.7	0.7
		3	0				27.7	35.59	0.02	0.7	0.9	1.5
		4	С	-			27.6	35.59	0.05	0.6	0.7	1.1
7/22	0809				2	25						
		1	0				30.5	34.45	0.03	0.4	0.9	0.1
		2	0	-			30.5	34.33	0.02	0.3	0.6	0.2
		3	0	-			30.5	34.49	0.03	0.3	0.7	0.1
		4	0				30.4	34.42	0.02	0.3	0.6	0.6
8/26	0840				0	$29\frac{1}{2}$						
		1	0	-			28.9	35.34	0.02	0.4	0.4	0.4
		2	0	-			28.9	35.34	0.02	0.4	0.5	0.5
		3	0	-			29.0	35.32	0.02	0, 4	0.4	0.6
		4	0	**			29.0	35.39	0.01	0.6	0.6	0.8
9/30	1012				2	20						
		1	P	4.7			28.0	33.95	0.02	0.5	1.0	0.1
		2	F	1330			28.2	34.25	0.03	0.5	1.1	0.1
		3	Þ	50			28.1	34.90	0.02	0.3	0.5	0.3
		4	Р	30			28.0	35.35	0.04	0.3	0.6	0.2
10/31	0937				4	21						
		1	0	-			26.4	34.61	0.09	0.3	0.5	0.3
		2	P	0.0			26.4	34.61	0.09	0.1	0.5	0.2
		3	Ο	-			26.4	34.61	0.09	0.4	0.4	0.1
		4	0				26.4	34.56	0.08	0.3	0.6	0.2
11/23	1017				9	18						
		1	\mathbf{P}	340			22.6	33.44	0.05	0.7	1.3	0.3
		2	Р	380			22.6	33.44	0.05	0.7	1.3	0.4
		3	Р	40			23.4	34.60	0.05	0.3	0.6	0.2
		4	Р	30			23.8	34.69	0.05	0.2	0.7	0.2
12/9	1004				0	$10\frac{1}{2}$						
		1	Р	6.0			16.6	33.33	0.04	0.5	0.6	0.3
		2	Р	9.0			16.7	33.33	0.07	0.5	0.8	0.0
		3	Р	8.0			17.0	33.40	0.02	0.5	0.8	1.0
		4	Р	0.0			17.5	33.71	0.04	0.2	0.7	0.6

		TION 23		Depth o				.8' N.	83°08	3.2' W.		
Date	Time	Depth		breve	CA	Τr.	°C.	Sal.	Cu.	PO_4		NO3-
			С.	M.						In.	Tot.	NO2
1958					,							
10/1	0856		10	~ .	6	-						
		1	P	0.1			29.0	35.25	0.03	0.2	0.5	0.1
		2	P	0.0			29.0	35.01	0.05	0.1	0.5	1.0
		3	P	0.0			29.0	35.05	0.03	0.2	0.5	1.4
	10.40	4	Ο	-	2		29.0	34.79	0.03	0.1	0.4	0.2
11/14	1048		-	• •	3	ant -	24 5	24.05				
		1	Р	0.1			24.5	34.97	0.02	0.2	0.5	0.1
		2	P	0.2			24.4	34.97	0.02	0.3	0.3	0.1
		3	Р	0.0			24.5	35.14		0.2	0.4	0.2
		4	Ο	-			25.2	35.03	0.02	0.2	0.4	0.3
12/8	1100		_		7	30						
		1	Р	1.9			22.4	34.69	0.03	0.1	0.3	2.0
		2	0	-			22.4	34.69	0.03	0.2	0.4	0.7
		3	P	0.2			22.5	34.70	0.03	0.2	0.3	1.4
		4	Р	0.0			22.7	34.99	0.02	0.2	0.5	1.4
1959												
1/15	1016				4	44		_				
		1	0	**			15.2	34.07		0.3	0.3	0.5
		2	0	**			16.2	34.54		0.3	0.3	0.3
		3	0	**			16.5	34.90	0.03	0.3	0.3	0.2
		4	С			1	16.5	35.01	0.07	0.3	0.3	0.4
2/16	1145				6	$32\frac{1}{2}$						_
		1	0	-			21.0	34.99	0.02	0.2	0.7	0.5
		2	0	-			20.5	34.99	0.02	0.2	0.3	0.2
		3	0				19.2	35.26	0.02	0.2	0.2	0.0
		4	Ο	-	_		17.0	34.99	0.02	0.3	8.0	0.8
3/11	0954		_		0	21						
		1	0	-			20.4	34.88	0.02	0.4	0.5	0.2
		2	0	-			20.3	34.78	0.03	0.3	0.4	0.1
		3	0	-			20.0	34.85	0.02	0.4	0.5	0.1
		4	0	**			20.2	35.44	0.02	0.4	0.6	0.1
4/1	0900				4	38						
		1	Р	0.0			20.2	34.99		0.4	0.7	0.2
		2	Ο	**			20.0	35.05	0.04	0.4	1.4	0.0
		3	Ο	⇒			19.8	35.14	0.03	0.4	1.1	0.2
		4	С	-			19.4	35.26	0.03	0.4	0.6	0.0
5/5	1049				0	48						
		1	Ο	-			23.9	34.79	0.03	1.3	2.8	0.2
		2	Ο	-			23.9	34.65	0.02	0.6	0.9	0.2
		3	Ο	-			21.9	35.21	0.02	0.4	0.7	0.2
		4	Р	0.0			22.0	35.73	0.02	0.3	0.7	0.3

		TION 23										
Date	Time	Dep t h	G.	breve	CA	Τr.	°C.	Sal.	Cu.	PO	~	NO 3-
			С.	M.						In.	Tot.	NO ₂
6/11	0957				7	30						
		1	Ο	-			27.5	35.91	0.02	0.5	0.7	0.8
		2	Ο				27.5	35.88	0.01	0.2	0.5	0.3
		3	Ο	-			27.3	36.11	0.02	0.6	0.7	1.0
		4	Ο	-			26.7	35.97	0.03	0.5	0.7	1.2
7/22	1033				2	$34\frac{1}{2}$						
		1	Ο	-			30.2	35.90	0.02	0.2	0.5	0.2
		2	О	-			30.2	35.90	0.02	0.5	0.5	0.1
		3	0				30.2	35.93	0.02	0.5	0.6	0.1
		4	Ο	••			30.2	36.04	0.02	0.3	0.5	0.3
8/26	0952				0	41						
		1	Р	0.1			29.4	35.75	0.02	0.4	0.4	0.5
		2	P	0.0			29.3	35.82	0.02	0.4	0.4	0.2
		3	Р	0.0			29.5	35.90	0.02	0.2	0.3	0.4
		4	Ρ	0.0			29.8	35.90	0.02	0.1	0.4	0.7
9/30	1126				2	$35\frac{1}{2}$						
		1	Ρ	10			28.1	33,15	0.02	0.6	1.0	0.0
		2	P	26			27.7	33.21	0.03	0.6	0.9	0.2
		3	Ρ	12			27.9	35.28	0.03	0.2	0.5	0.4
		4	\bar{F}	6.0			27.8	35.62	0.03	0.2	0.5	0.1
10/31	1036				4	$35\frac{1}{2}$						
		1	0	-			27.1	35.01	0.05	0.2	0.4	0.1
		2	Ο	-			27.1	35.01	0.04	0.1	0.5	0.1
		3	Ο	**			27.2	35.07	0.04	0.1	0.4	0.2
		4	Ο	-			27.2	35.10	0.04	0.2	0.4	0.3
11/23	1122				9	27						
		1	Ρ	1.6			23.9	34.92	0.05	0.4	0.4	0.6
		2	Ρ	2.4			24.0	34.92	0.03	0.2	0.6	0.1
		3	\mathbf{P}	0.4			23.9	34.87	0,06	0.l	0.6	0.2
		4	Р	2.0			23.9	34.92	0.03	0.4	0.4	0.2
12/9	1105				0	16						
		1	Ρ	2.8			18.6	34.56	0.03	0.5	0.7	1.1
		2	Ρ	1.9			18.6	34.54	0.04	0.3	0.7	0.2
		3	P	1.5			18.6	34.56	0.03	0.7	0.7	0.1
		4	Ρ	1.5			18.7	34.61	0.02	0.2	0.7	0.1

		TION 24		epth of				8' N.	83°08		·	NIC-
Date	Time	Depth	$\frac{G}{C}$	breve M.	CA	Τr.	°C.	Sal.	Cu.	$\frac{PO_4}{In.}$	Tot.	NO3- NG2
1958			<u> </u>	IVI o					· · · · ·	111.	101.	1102
1958	0830				6							
10/1	0000	1	P	0.0	U	-	29.1	35,12	0.03	0.2	0.5	0.1
		2	0	-			29.0	35.26	0,05	0.1	0.4	0,5
		3	P	0.0			29.0	35.12	0.03	0.1	0.5	0.4
		4	0				29.1	35.17	0.03	0.2	0.8	0.4
11/14	0948	1	Ŭ	-	3	_	- / 0 -	000-1				
	0,10	1	Р	0.4	Ū		24.3	35.25	0.01	0.2	0.4	0.5
		2	P	0.1			24.3	35.17	0.02	0.3	0.4	0.5
		3	P	0.2			24.3	35.14	0.02	0.2	0.4	0.1
		4	P	0.1			24.5	35.21	0.01	0.2	0.4	0.2
12/8	1033	1	1	08 -	7	36					-	
, 0		1	Р	1.2	•		22.4	34.78	0.03	0.2	0.5	0.5
		2	P	0.4			22.4	34.78	0.03	0.2	0.4	÷
		3	P	0.2			22.6	34.88	0.03	0.2	0.4	0.3
		4	P	0.4			22.6	34.99	0.03	0.2	0.4	1.5
1959												
1/15	0946				4	$42\frac{1}{2}$						
	-,	1	0			2	16.5	34.97	0.00	0.2	0.4	0.5
		2	0				16.5	34.87	0.03	0.2	0.4	0.3
		3	0				16.7	34.99	0.03	0.3	0.3	0.3
		4	0	-			16.8	34.90	0.04	0.3	0.3	0.3
2/16	1112				6	30						
·		1	0				19.8	35,10	0.03	0.3	0.8	0.2
		2	0	•••			19.0	35.21	0.03	0.2	0.8	0.3
		3	0	-			19.5	35.21	0.02	0.2	0.6	0.2
		4	0	•••			17.5	35.16	0.02	0.3	0.7	0.2
3/11	0929				0	26						
		1	Р	0.0			20.5	34.96	0.02	0.4	0.6	0.1
		2	0				20.4	34.81	0.02	0.2	0.5	0.1
		3	0	-			20.2	35.91	0.02	0.4	0.4	0.1
		4	Р	0.0			20.8	35.75	0.02	0.4	0.5	0.3
4/1	0836				7	33						
		1	Р	0.0			20.3	35.08	0.03	0.3	0.6	0.1
		2	0	-			20.6	35.23	0.02	0.3	0.5	0.3
		3	0				20.6	35.35	0.03	0.3	0.6	0.8
		4	0				20.2	35.35	0.03	0.3	0.5	0.0
5/5	1025				0	31						
		1	0	_			23.7	34.51	0.02	0.7	1.0	0.9
		2	0	-			24.4	34.43	0.03	0.6	1.0	0.2
		3	0	-			22.5	35.53	0.03	0.4	0.6	0.2
							22.6	35.81		0.3	0.6	0.2

Date	Time	TION 24 Depth		breve	CA	Tr.	°C.	Sal.	Cu.	PO	1	NC3-
		~~P •11	$\frac{\mathrm{G}}{\mathrm{C}}$	M.	U 11	<u>~</u> + 0	0.	Jai.	Uu.	In.	Tot.	NO3-
6711	0933			~	7	27						<u>-</u>
		1	0	-			27.5	35.93	0.03	0.7	1.0	0.9
		2	0	-			27.5	35.97	0.00	0.4	0.7	0.6
		3	0				28.1	36.02	0.00	0.3	0.5	0.8
		4	0				27.6	36.06	0.00	0.6	0.6	0.9
7/22	1006				2	34						
		1	0				30.1	36.08	0.02	0.5	0.6	0.1
		2	0	-			30.1	35.93	0.03	0.2	0.5	0.2
		3	0	-			30.1	36.04	0.02	0.4	0.6	0.1
		4	0	-			30.1	35.93	0.02	0.3	0.3	0.2
8/26	0926				0	44						
		1	Ρ	0.0			29.8	35.82	0.01	0.4	0.4	0.3
		2	0				29.5	35.73	0.02	0.4	0.4	0.7
		3	Р	0.0			29.7	35.82	0.01	0.1	0.5	1.1
		4	0	-			29.8	35.82	0.02	0.4	0.4	0.4
9/30	1100				2	$41\frac{1}{2}$						
		1	Р	49		-	28.0	33.06	0.03	0.7	1.1	0.0
		2	Р	21			27.8	33,10	0.03	0.6	1.0	0.1
		3	Р	25			27.9	35.26	0.03	0.3	0.6	0.1
		4	Р	5.0			27.9	35.57	0.03	0.2	0.4	0.2
10/31	1016				4	37						
		1	0				27.0	35.03	0.03	0.1	0.4	0.2
		2	0	-			27.0	34.61	0.03	0.2	0.5	0.3
		3	0				27.0	35.10	0.04	0.3	0.4	0.3
		4	0				27.0	35.21	0.04	0.2	0.5	0.2
11/23	1059				9	23		-		-	• -	
		1	Р	10			24.3	35.03	0.04	0.1	0.5	0.4
		2	Р	2.4			24.3	35.03	0.05	0.2	0.3	0.3
		3	Р	2.0			24.3	34.99	0.04	0.4	0.4	0.3
		4	Р	2.0			24.3	34.99	0.03	0.2	0.4	0.1
12/9	1044			-	0	16		• , ,			-	
		1	Р	1.7			18.8	34. 7 6	0.02	0.3	0.7	0.2
		2	Р	1.2			18.8	34.69	0.03	0.5	0.6	0.2
		3	Р	2.0			18.8	34.74	0.04	0.4	0.6	0.1
		4	Р	0.7			18.8	34.69	0.03	0.3	0.7	0.2

	STAT	rion 25	D	epth of	101	feet		.8' N.	83°1	9.5' W.		
Date	Time	Depth	G. '	breve	CA	Tr.	°C.	Sal.	Cu.	PO_4		NO3-
			C.	М.						In.	Tot.	NO2
1958												
10/1	0946				6	-						
		1	0	-			29.0	35.25	0.03	0.1	0.4	0.0
		2	Р	0.0			29.2	35.14	0.01	0.1	0.3	0.4
		3	Р	0.0			29.0	35.21	0.09	0.2	0.3	0.2
		4	Ο	-			28.3	35.39	0.09	0.0	0.3	0.0
11/14	1140				0	-						
		1	Р	4.9			25.2	35.41	0.02	0.2	0.4	0.2
		2	Р	2.1			25.2	35.41	0.01	0.3	0.3	0.2
		3	P	2.6			26.1	35.37	0.02	0.3	0.3	0.2
		4	P	1.8			25.1	35.46	0.01	0.1	0.3	0.1
12/8	1148				7	32						
		1	Р	0.5			22.9	35.32	0.03	0.2	0,3	0.2
		2	Р	0.2			22.9	35.32	0.03	0.2	0.3	1.3
		3	Р	0.4			22.9	35.34	0.03	0.3	0.4	1.3
		4	\mathbf{P}	0.0			22.8	35.32	0.02	1.9	2.4	1.1
1959												
1/15	1104				4	40						
		1	Р	0.0			17.3	35.39	0.04	0.2	0.3	0.2
		2	0				17.2	35.37	0.03	0.3	0.4	0.5
		3	Ο				17.2	35.26	0.03	0.4	0.4	0.1
		4	0	-			19.4	35.43	0.03	0.3	0.5	0.1
2/16	1235				4	35						
		1	0	and a			20.0	35.4l	0.02	0.2	0.3	0.2
		2	Ο	-			19.8	35.70	0.03	0.2	0.2	0.1
		3	0	**			19.5	35.97	0.02	0.2	0.6	0.6
		4	Ο				18.6	35.77	0.03	0.2	0.8	0.1
3/11	1042				0	37						
		1	Р	0.0			20.3	35.68	0.03	0.4	0.5	0.1
		2	0	-			20.4	35.68	0.02	0.2	0.9	0.1
		3	Ο	-			20.6	35.68	0.02	0,2	0.4	0.1
		4	Ο	**			20.8	35.82	0.02	0.4	0.5	0.2
4/1	0954				4	$36\frac{1}{2}$						
		1	Р	0.0			20.4	35.32	0.03	0.3	0.6	0.0
		2	Р	0.0			19.9	35.57	0.03	0.2	0.5	0.5
		3	Ο	**			20.0	35.71	0.03	0.4	0.6	0.1
		4	С	**			19.6	35.75	0.03	0.4	0.6	0.2
5/5	1145				0	39						
		1	0	-			23.4	34.81	0.05	0.6	1.0	0.5
		2	Ο	**			23.2	34.81	0.03	0.5	0.9	1.2
		3	Ο				21.9	35.73	0.04	0.3	0.6	1.2
		4	0				21.6	36.13	0.02	0.3	0.6	1.9

	STAT	r <u>ion</u> 25	(Co	ont'd)								
Date	Time	Depth		breve	CA	Τr.	°C.	Sal	Cu.	PO	\mathcal{D}_4	NO3-
			С.	М.						In.	Tot.	NO ₂
6/11	1044				7	34						
		1	0	-			27.0	36.18	0.01	0.5	0.6	0.9
		2	0	-			27.0	36.18	0.02	0.3	0.5	1.3
		3	0				26.9	36.18	0.01	0.3	0.7	0.9
		4	0	-			25.9	36.18	0.00	0.4	0.6	0.8
7/22	1122				2	46						
		1	0				29.5	35.99	0.02	0.3	0.4	0.1
		2	0	-			29.4	35.88	0.02	0.2	0.5	0.2
		3	0				29.4	35.90	0.02	0.1	0.4	0.1
		4	0				29.0	36.11	0.03	0.3	0.6	0.2
8/26	1042				0	58 <u>1</u>						
		1	Р	0.0			28.8	35.57	0.01	0.0	0.2	0.5
		2	Р	0.0			29.0	35.57	0.01	0.4	0.4	0.3
		3	Ρ	0.0			29.2	35.57	0.01	0.5	0.5	0.7
		4	0				28.7	35.64	0.02	0.3	0.5	0.5
9/30	1215				2	$48\frac{1}{2}$						
		1	Р	0.0			28.2	34.04	0.03	1.1	1.5	0.1
		2	0				28.4	34.60	0.03	0.6	0.8	0.1
		3	0	-			28.3	35.44	0.00	0.2	0.5	0.3
		4	0				28.2	35.57	0.01	0.1	0.5	0.2
10/31	1115				4	56						
		1	Ο	-			27.5	35.53	0.03	0.1	0.3	0.4
		2	0				27.4	35.57	0.01	0.2	0.3	0.3
		3	0				27.4	35.53	0.01	0.5	0.5	0.2
		4	0				27.4	35.53	0.06	0.2	0.3	0.3
11/23	1217				9	27						
		1	Ρ	0.6			24.6	34.99	0.04	0.2	0.6	0.2
		2	Р	0.6			24.6	34.99	0.05	0.1	0.5	0.3
		3	Ρ	0.1			24.7	35.03	0.04	0.4	0.7	0.3
		4	0	-			24.8	35.08	0.04	0.2	0.5	0.2
12/9	1149				0	24						
		1	Р	0.0			19.6	35,35	0.02	0.2	0.6	0.2
		2	Р	0.1			19.6	35.35	0.03	0.5	0.5	0.1
		3	Р	0.1			19.6	35.35	0.03	0.5	0.5	0.9
		4	Р	0.1			19.6	35.14	0.03	0.5	0.6	0.1

	STA	TION 26	I	Depth of	E 106	feet		2.8' N.	83° 1	19.5' W		
Date	Time	Depth	G.	breve	CA	Tr.	°.C.	Sal.	Cu.	PO ₄		NO3-
			Ċ.	м.						In.	Tot.	NO2
1958												
10/1	1015				6	-				_		
		1	Р	0.0			29.0	35.21	0.03	0.1	0.4	0.1
		2	Р	0.2			29.0	35.21	0.05	0.0	0.4	0.4
		3	О	-			29.0	35,21	0.09	0.1	0.4	0.2
		4	0	-			27.2	35.28	0.04	0.3	0.7	0.0
11/14	1204	_			0		- / -					
		1	Р	0.4			26.0	35.46	0.02	0.2	0.5	0.1
		2	Р	0.2			25.9	35.46	0.03	0.2	0.3	0.2
		3	Р	0.1			25.8	35.44	0.02	0.3		0.3
		4	Ρ	0.2	_		25.6	35.43	0.02	0.3	0.3	0.2
12/8	1217				7	42						
		1	Р	3.8			22.6	35.07	0.03	0.1	0.3	3.2
		2	P	0.6			22.8	34.99	0.03	0.3	0.5	2.4
		3	Ρ	0.5			23.0	35.32	0.03	0.2	0.4	2.4
		4	Р	0.4			23.0	35.44	0.03	0.2	0.4	2.3
1959	1105											
1/15	1135		0		4	44	1 - 0	25 24	0 00	0.0	0 5	0 0
		1	0				17.8	35.34		0.2	0.5	0.3
		2	0				18.2	35.46	0.03	0.3	0.5	0.2
		3	0	-			19.8	35.52	0.03	0.2	0.4	0.2
2/14	1300	4	0		3	34	20.8	35.44	0.04	0,2	0.3	0.6
2/16	1500	1	Ð	0.0	2	54	21.3	35, 88	0.03	0.2	0.8	0.3
		2	P O				20.2	35.70	0.02	0.2	0.0	0.3
		3	0				17.8	35.66	0.02	0.2	0.3	0.5
		4	P	- 0.0			17.0	35.77	0.02	0.2	0.6	0.5
3/11	1149	ч	1	0.0	0	26	1 (. (11 .00	0.02	0.2	0.0	0.5
5/11	1147	1	0		0	20	18.9	35,23	0.02	0.4	0.6	0.1
		2	0	-			18.8	35.30	0.01	0.4	0.4	0.1
		3	0	-			18.9	35.90	0.02	0.1	0.3	0.1
		4	õ	_			19.2	36.04	0.03	0.4	0.6	0.1
4/1	1023	1	Ŭ	-	4	41	- /• -	50,01	0.05			
1/ -	1023	1	Р	0.0	-		20.2	35.43	0.03	0.2	0.5	0.1
		2	0				19.9	35,48	0.03	0.4	0.5	0.7
		3	Õ	-			19.8	35.66	0.03	0.3	0,5	0.6
		4	$\tilde{\mathbf{P}}$	0.0			19.5	35.79	0.03	0.3	0,5	0.0
5/5	1218	-	_	- • •	0	42		• • /			• -	
	-	1	Ο	-			24.0	34.69	0.04	0.4	1.1	2,2
		2	Ō				23.8	34.56	0,02	0.5	1,0	1.5
		3	0	0 00			21.5	35.73		0.3	0.6	2.6
		4	0				21.7	35.90	0.03	0.3	0.6	1.7
		-	-				-					

		TION 26										
Date	Time	Depth		breve	CA	Tr.	°C.	Sal.	Cu.	PO,		NO3-
			с.	Μ.						In.	Tot.	NC2
6/11	1113				7	34						
		1	0	=			27.0	36.15	0.03	0.5	0.6	1.3
		2	Ο	-			27.0	36.15	0.02	0.4	0.5	1.0
		3	0	-			27.2	36.18	0.00	0.3	0.6	1.4
		4	0	-			26.1	36.15	0.01	0.6	0.6	1.0
7/22	1150				2	50						
		1	0	-			29.5	35.79	0.03	0.1	0.5	0.1
		2	P	0.0			29.0	35.75	0.02	0.4	0.5	0.2
		3	Ο	-			29.0	36.15	0.02	0.1	0.6	0.2
		4	С	-			28.8	36.18	0.02	0.4	0.6	0.2
8/26	1110				0	51						
		1	Р	0.1			29.1	35.50	0.02	0.1	0.4	0.6
		2	0	-			29.0	35.50	0.02	***	0.2	0.2
		3	С	-			29.0	35.57	0.02	0.4	0.4	0.4
		4	0	-			28.8	35.90	0.00	0.3	0.5	0.4
9/30	1241				2	$45\frac{1}{2}$						
		1	Р	0.0			28.5	33.96	0.01	1.2	1.4	0.1
		2	Р	0.0			28.3	35.12	0.01	0.6	0.6	0.1
		3	0	**			28.4	35.57	0.03	0.2	0.3	0.2
		4	0	••			26.3	35.57	0.03	0.2	0.2	0.1
10/31	1140				4	48						
		1	Р	0.0			27.5	35.57	0.02	0.0	0.3	0.3
		2	0				27.5	35.62	0.02	0.1	0.3	0.3
		3	0				27.5	35.57	0.03	0.1	0.3	0.3
		4	0	-			27.4	35.53	0.04	0.2	0.3	0.1
11/23	1229				9	28						
		1	Ρ	35			24.8	35.08	0.04	0.1	0.4	0.5
		2	\mathbf{P}	26			24.9	35.08	0.05	0.2	0.5	0.2
		3	Ρ	5.9			24.8	35.12	0.05	0.2	0.4	0.2
		4	0				25.1	35.30	0.05	0.2	0.5	0.6
12/9	1206				0	24						
		1	Р	0.1			19.8	35.44	0.03	0.6	0.6	0.1
		2	Р	0.0			19.8	35.44	0.02	0.2	0.5	0.6
		3	Р	0.1			19.8	35.44	0.03	0.4	0.5	0.3
		4	Р	0.0			19.8	35.44	0.02	0.4	0.5	0.2

. <u></u>		FION 27		epth of				5.8'N.		0.5' W.		
Date	Time	Depth		oreve	CA	Tr.	°C.	Sal.	Cu.	PO4		NO ₃ .
			С.	Μ.						In.	Tot.	NO2
1958	_											
10/1	1137				6	-						
		1	0	**			29.7	35.26	0.00	0.1	0.4	0.1
		2	0	**			29.0	35.25	0.02	0.1	0.3	0.2
		3	0	**			28.9	35.32	0.02	0.1	0.3	0.2
		4	0	-			24.5	35.61	0.02	0.2	0.7	1.2
11/14	1333				0							
		1	0	**			25.7	35.62	0.05	••	0.4	0.4
		2	Р	0.1			26.2	35.70	0.04	0.2	0.4	0.2
		3	F	0.0			27.3	35.66	0.03	0.2	0.4	0.4
		4	0	-			26.4	35.66	0.04	0.4	0.4	0.2
12/8	1345				6	43						
		1	Ρ	3.7			22.9	35.26	0.03	0.2	0.4	2.2
		2	Р	1.0			22.8	35.21	0.03	0.2	0.4	2.2
		3	Р	0.6			23.3	35.70	0.03	0.3	0.4	2, 8
		4	Р	0.0			23.4	35.81	0.03	0.3	0.4	2.6
1959												
1/15	1301				4	43						
		1	0				19.0	35.71	0.03	**	0,3	0.5
		2	0	-			19.0	35.86	0.03	0.3	0.5	0.1
		3	0				19.0	35.86	0.02	0.3	0.3	0.2
		4	0	-			19.3	35.79	0.03	0.3	0.5	0.4
2/16	1423				3	42						
		1	0				21.2	36.31	0.02	0.2	0.2	0.2
		2	Р	0.0			20.5	36.40	0.03	0.2	0.5	0.3
		3	0	-			19.5	36.15	0.02	0.2	0.2	0.1
		4	0				19.3	36.04	0.02	0.2	0.6	0.5
3/11	1309				0	$36\frac{1}{2}$						
		1	0			L	19.3	36.04	0.02	0.2	0.4	0.1
		2	0	_			19.0	36.00	0.02	0.1	0.4	0.1
		3	0	-			19.0	36.13		0.3	0.4	0.9
		4	0				19.0	36.13	0.03	0.2	0.3	0.1
4/1	1144				4	50				-	-	
		1	0	••			21.1	36.13	0.03	0.3	0.5	1.0
		2	0				20.7	36.09	0.03	0.3	0.4	0.1
		3	Ō				20.8	36.09	0.03	0.3	0.4	0.2
		4	0				20.6	36.09	0.03	0.3	0.6	0.2
5/5	1335	-	_		0	$4l\frac{1}{2}$		• • /			~ • •	
• -		1	0	***	-	6	23.8	34.99	0.05	0.5	1.0	1.2
		2	P	0.0			22.0	35.70	0.07	0.4	0.6	1.6
		3	0				21.4	36.04	0.07	0.3	0.5	1.2
		4	0	90 04			21.2	36.18	0.06	0.3	0.6	2.5
		т	0	3			<u> </u>	20.10	0.00	0.5	0.0	4. 5

	STAT	FION 27	(Con	t'd)								
Date	Time	Depth	G. Ł	preve	ĈĀ	Tr.	°C.	Sal.	Cu.	FO.		NO3-
			C.	М.						In.	Tot.	NO2
6/11	1246				6	62						
		1	0	-			27.0	35.88	0.02	0.5	0.5	0.5
		2	0				27.2	35.93	0.02	0.5	0.5	0.4
		3	0	-			27.0	36.40	0.02	0.3	0.3	0.7
		4	0				25.3	36.15	0.02	0.5	0.8	0.9
7/22	1312				2	55						
		1	0	**			29.0	35.71	0.03	0.2	0.3	0.1
		2	0	**			29.0	35.91	0.03	0.1	0.4	0,2
		3	0	**			28.9	36.00	0.02	0.1	0.5	0.1
		4	0	**			28.2	36.08	0.03	0.3	0.5	0.1
8/26	1239				0	72						
		1	0				29.3	35.26	0.00	0.2	0.3	0.5
		2	С				29.0	35.26	0.00	0.2	0.2	0.4
		3	0				29.0	35.30	0.00	0.2	0.4	0.6
		4	0	**			27.7	36.06	0.00	0.4	0.5	0.9
9/30	1405				2	70						
		1	0	***			28.7	35.50	0.01	0.2	0.4	0.2
		2	0	**			28.2	35.44	0.00	0.1	0.3	0.2
		3	0				28.4	35.44	0.00	0.2	0.5	0.4
		4	0	-			23.4	35.68	0.03	0.2	0.5	0.1
10/31	1247				4	54						
		1	0	**			27.2	35.57	0.03	0.1	0.3	0.2
		2	0				27.7	35.57	0.03	0.3	0.3	0.1
		3	0	et			27.7	35,53	0.03	0.2	0.3	0.0
		4	0	ed.			27.7	35,53	0.03	0.1	0.3	0.3
11/23	1336				9	32						
		1	P	13			25.2	35.48	0.03	0.1	1.0	0.2
		2	Р	8.0			25.2	35.48	0.03	0.1	0.3	0.0
		3	Р	9.0			25.3	35.48	0.03	0.3	0.4	0.3
		4	Р	7.0			25.8	35.48	0.03	0.1	0.3	0.6
12/9	1322			-	0	32	-					
- * *		1	0	-			21.1	35.71	0.03	0.4	0.5	0.1
		2	õ	-			21.0	35.71	0.00	0.5	0.6	0.2
		3	õ	-			21.0	35.61	0.03	0.5	0.5	0.2
		4	õ				21.1	35.68	0.03	0.5	0.5	0.6
		-	-	-			_ • -				-	

	STA	TION 28)epth of	126	feet	27°32	2.8'N.	<u>83°3</u>	30.5' W.		
Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	FO4		NO3-
			Ċ.	Μ.						In.	Tot.	NO2
1958		·		-								
10/1	1105				6	-						
		1	0				29.0		0.01	0.0	0.3	0.1
		2	0				29.0	35.25	0.02	0.1	0.3	0.4
		3	F	0.0			28.8	35.25	0.02	0.0	0.3	0.3
		4	0	-			23.9	35.81	0.00	0.3	0.8	0.2
11/14	1259				0	-						
		1	0				25.6	35.73	0.04	0.2	0.4	0.1
		2	0	-			26.2	35.75	0.04	0.2	0.4	0.2
		3	Ο	pet -			26.8	35.66	0.04	0.4	0.4	0.2
		4	\mathbf{P}	0.0			26.3	35.70	0.04	0.4	0.5	0.3
12/8	1307				6	40						
		1	Р	3.2			22.8	35.23	0.03	0.2	0.4	2.1
		2	P	0.5			22.9	35.44	0.04	0.2	0.5	2.2
		3	\mathbf{P}	0.4			23.3	35.75	0.03	0.3	0.5	2.2
		4	Р	0.1			23.4	35,84	0.03	0.3	0.5	2.8
1959												
1/15	1232				4	41						
		1	Р	0.2			19.3	35.77	0.03	0.3	0.5	0.3
		2	Р	0.0			18.5	35.71	0.02	0.4	0.5	0.2
		3	Р	0.1			19.5	35.90	0.03	0.3	0.3	0.0
		4	Р	0.1			19.8	35.86	0.02	-	0.3	0.1
2/16	1353				3	42						
-		1	0	-			21.0	36.33	0.02	0.2	0.8	0.1
		2	О	-			20.0	36.40	0.03	0.2	0.6	0.2
		3	0	-			18.8	36.22	0.02	0.2	0.6	0.3
		4	0	-			18.6	36.22	0.05	0.2	0.3	0.3
3/11	1245				0	36						
-,		1	0	~			19.3	35.77	0.05	0.2	0.4	0.0
		2	0	_			19.2	36.15	0.03		0.5	0.1
		3	0	_			19.0	36.08	0.03		0.4	0.2
		4	Ō	-			19.2	36.22	0.03	0.3	0.4	0.3
4/1	1115	-	-		4	46	, -	-				
- / -		1	0		-		20.8	36.13	0.04	0.3	0.6	0.0
		2	Õ	_			20.8	36.20			0.5	0.0
		3	0	_			20.8	36.09			0.5	0.4
		4	0	-			20.0	36.13			0,5	0.1
5/5	1308	T	0	-	0	45				- • -		÷
515	1300	1	Ρ	0.0	v	15	24.1	35,28	0.06	0.6	0.9	0.8
		2	Г О	-			21.7	35, 86			0.5	0.8
		3	0				21.5	35,86			0.5	2.2
			P	0.0			21.5	36.22			0.6	0.9
		4	Ľ	0.0			610 t	JU. 44	0.01	0.0	0.0	Ue /

	STAT	TION 28	(Co	nt'd)								
Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	PO		NO3_
			С.	M.						In.	Tot.	NO2
6/11	1207				6	61						
		1	0				26.9	35.66	0.02	0.5	0.5	1.3
		2	0	-			26.6	35.86	0.03	0.5	0.5	1.2
		3	0				28.1	36.29	0.02	0.5	0.5	0.5
		4	0	-			26.2	36.02	0.03	0.6	0.7	0.8
7/22	1246				2	50						
		1	0	-			29.0	35.64	0.05	0.2	0.3	0.3
		2	0	-			29.2	35.62	0.05	0.2	0.3	0.2
		3	0	-			28.8	36.11	0.03	0.4	0.4	0.1
		4	О				28.6	36.11	0.03	0.4	0.6	0.3
8/26	1202				0	$58\frac{1}{2}$						
		1	0	-			28.9	35.21	0.00	0.5	0.5	0.7
		2	0				29.8	35.23	0.00	0.3	0.5	0.5
		3	0	-			29.7	35.32	0.00	0.4	0.4	0.2
		4	0	-			27.6	36.08	0.00	0.1	0.3	0.8
9/30	1337				2	63						
		1	0	-			28.6	35.50	0.01	0.2	0.3	0.1
		2	0				28.4	35.50	0.01	0.2	0.4	0.1
		3	0				28.4	35.46	0.01	0.2	0.5	0.4
		4	0				23.2	35.66	0.02	0.2	0.6	0.3
10/31	1222				4	61						
		1	0	-			27.2	35.53	0.02	0.2	0.3	0.1
		2	0	-			27.6	35,53	0.02	0.3	0.3	0.2
		3	0	-			27.7	35.53	0.02	0.2	0.3	0.2
		4	0	-			27.8	35.57	0.03	0.1	0.3	0.4
11/23	1314				9	31						
		1	Р	1.0			25.4	35.66	0.02	0.4	0.4	0.2
		2	Р	0.6			25.4	35.66	0.03	0.1	0.4	0.2
		3	Р	0.6			25.4	35.62	0.02	0.1	0.4	0.2
		4	P	0.0			25.5	35.66	0.02	0.2	0.3	0.2
12/9	1257				0	35						
		1	0				21.0	35.71	0.01	0.4	0.4	0.1
		2	0	••			21.0	35.71	0.03	0.4	0.5	0.3
		3	0	•••			21.0	35.75	0.01	0.5	0.6	0.2
		4	0	•••			21.0	35.62	0.02	0.1	0.4	0.2
												-

	STA	TION 29					27°59.	81 N.	82°28			
Date	Time	Depth		breve	CA	Τr.	°C.	Sal.	Cu.	PO.		NO3-
			С.	M.						In.	Tot.	NO2
1958												
10/13	1045				4	••						
		1	Ο				26.2	1.10	0.05	4.6	4.9	13.7
		4	-				27.7	9.24	0.03	14.4	14. C	7.9
11/10	1005				5	-						
		1	Ο	-			24.2	1.75	0.04	3.5	4.6	8.5
		4	-				23.8	12.27	0.05	15.3	18.6	2.3
12/16	1115				4	-						
		1	Ο				16.9	1.32	0.02	3.2	6.4	2.4
		4	-				20.0	13.71	0.02	16.6	16.8	2.0
1959												
1/30	1207				2							
		1	С	-			18.3	0.18	0.04	2.7	3.9	1 .1
		4		-			19.0	0.18	0.09	2.6	3.4	1.0
2/20	1145				7	-						
		1	Ο				22.0	1.29	0.02	3.4	4.0	6.3
		4	en)				22.3	12.65	0.02	15.0	16.4	4.7
3/30	1050				7	-						
		1	Ο	-			20.0	0.18	0.04	5.7	6.9	1.4
		4		••			20.0	0.18	0.04	5.7	7.0	0.8
4/23	1055				4							
		1	0				23.0	0.18	0.04	5.1	7.0	6.8
		4	-	فيو			22.7	0.33		4.2	5.1	4.3
5/15	1300				4							
		1	Ο				27.5	0.46	0.04	5.8	5.9	11.1
		4	-	-			25.7	0.15	0.03	3.8	4.5	11.2
6/19	1103				4					-	-	-
		1	0				25.5	0.37	0.04	4.6	6.0	4.9
		4	-	848			25.7	0.22		4.5	6.0	4.8
7/10	0900				6		•					
		1	0	***			27.1	0.28	0.04	7.1	8.3	10.5
		4	_	***			27.6	0.37		5.9	6.5	7.7
8/13	1112				6	_				- • /	- 6 -	
-,		1	0	~	Ũ	-	26.0	0, 40	0.06	6.0	6.0	7.8
		4					25.7	0.09		6.0	6.0	7.3
9/25	1023		-	-	3					~ • • •	0.0	
,,=0		1	Ο	_	-		25.8	0.18	0.04	5.8	6.8	2.6
		4	-	_			25.8	0.09		5.8	13.4	2.2
10/16	0905	-		-	2			0.07	~, v i	2.0		
-0/-0	5,55	1	0		2		27.5	0 18	0.07	7.9	8.6	5.0
		4					26.9		0.07	7.3	8.6	6.0
		T	-	8-8			20.7	0.10	0.07	1.5	0.0	0.0

		TION 29					· · · · · · · · · · · · · · · · · · ·					
Date	Time	Depth		breve	CA	Τr.	°C.	Sal.	Cu.	PO4		NO3-
			С.	M.						In.	Tot.	NC2
11/25	0940				0	-						
		1	0	-			21.6		0.04	3.4	3.5	10.0
		4	-	-			22.3	8.84	0.04	9.7	9.9	8.9
12/29	1010				2	-						
		1	0	-			18.9		0.03	-	4.2	12.3
		4	-	-			18.7	11.22	0.03	-	17.9	6.8
	CTT A 1	CION 30	П	epth of	E fo	~ +	20001	21 11	02027	11 317		
1958	SIRI		<u>_</u>	eptn or	5 16	et	28°01.	<u> </u>	82°27.	<u> </u>		
10/13	1130				4							
10/15	1150	1			4		26.5	0 00	0.05	3.7	4.2	0.7
		4		*			26.0	0.32	0.03	6.8	4.2	
11/10	1028	4	-	-	5		20.0	0.52	0.04	0.0	9.5	5.4
11/10	1020	1			5		22.9	0.15	0.05	2.7	2.8	4.5
		4	-	-			22.2	0.13	0.05	2.5	2.0	4. 5 3. 2
12/16	1140	т	-	-	4		س وما ما	0,10	0.05	2 , J	L , J	J. L
12,10	1140	1			т		15.6	0.04	0.02	2.0	2.5	2.4
		4					16.1	0.09	0.02	2.0 7.1	10.3	2.4 2.7
1959		T	-	-			10.1	0.07	0.02	(0 1	10.5	4. I
1/30	1235				2							
-, 50		1	-	_	-	-	18.0	0 04	0.08	2.8	3.6	1.0
		4	-	_			18.3		0.08	2.7	3.4	1.3
2/20	1212	-	•-		7	_		0.01	0.00	2 • 1	5.1	±. J
		1	-	_	•	-	21.1	0 09	0.03	4.2	4.4	7.2
		4	_	••			21.2	0.09	0.02	4.5	5.2	3.6
3/30	1115	-			7	_		,		10 5	J. L	5.0
- • - ·		1	-	~			20.0	0.09	0.04	5.8	7.3	1.1
		4	-				19.7		0.04	5.9	7.4	0.9
4/23	1130				4		- 70 1			.,	10 1	0.
		1			-		22.5	0.04	0.08	5.5	7.2	2, 8
		4	-				22.4		0.03	6.4	6.9	3.3
5/15	1340				4		-	• • •			/	
		1		~			26.5	0.04	0.05	4.4	6.6	10.8
		4	-				26.5	0.04		7.2	7.2	8.9
6/19	1136				4		_	•	-		• • -	
		1		-			25.4	0.04	0.05	4.8	6.7	4.2
		4	_	~			25.6		0.03	5.2	7.0	3.7
7/10	0932				6	-					-	
		1					27.0	0.04	0.06	7.4	7.5	4.5
		4	-				27.2	0.04		6.3	6.8	6.6

Date	Time	Depth	G.	breve	CA	Tr.	°C.	Sal.	Cu.	PO		NO3-
			С.	M .						In.	Tot.	NO2
8/13	1150				6	-	_					
		1		-			25.7	0.04	0.08	4.9	6.0	3.6
		4		-			25.9	0.04	0.08	5.2	8.6	3.2
9/25	1102				3	•						
		1	-	-			25.8	0.04	0.04	5.9	7.0	4.8
		4	-	-			25.8	0.15	0.04	5.9	10.4	1.0
0/16	0940				2	-						
		1	-	-			26.5	0.04	0.09	7.3	8.1	3.3
		4		-			26.4	0.09	0.05	7 .2	8.2	4.9
1/25	1010				0	-						
		1	-	**			20.9	0.09	0.04	3.3	3.9	9.2
		4		-			21.0	0.09	0.04	5.6	8.3	9.1
2/29	1036				2	-						
		1					18.3	0.18	0.03	••	4.2	8.8
		4	-	-			18.0	0.09	0.03	-	4.7	12.2
	STAT	TION 31	Ι	Depth of	5 fe	et	27°51.5	5'N. 8	32°21'	W.		
958												
0/13	1330				4	-						
		1	Ο	-			27.2	11.78	0.05	-	12.1	0.4
		4		-			27.0	14.09	0.03	-	18.7	0.4
1/10	1155				6	-						
		1	0	-			24.2	5.75	0.05	19.7	26.9	2.3
		4	-				23.7	7.52	0.06	20.3	24.4	2.0
2/16	1322				4							
		1	0				16.4	2.97	0.16	24.8	25.6	3.9
		4	-				16.4	2.90	0.22	24.5	28.2	7.0
959												
1/30	1405				4	-						
		1	Ο	**			22.0	2.02	0.08	22.0	27.5	2.4
		4	-				21.1	2.61		21.6	27.5	2.5
2/20	1449				6							
		1	0	-			22.4	3.75	0.02	21.0	28.4	5.9
		4		-			22.4	16.47			21.6	2.1
3/30	1245				7	-	-					-
		1	Ο	-			20.5	0.04	0.06	25.6	28.1	2.7
		4	-				20.0		0,05		28.0	1,1
4/23	1245	_			4			- • - /		• •		-• -
. – –		1	0		-	-	23.6	0 15	0.04	28 0	29.1	4.0
		1	U.				<u> </u>			20.0	67.1	T , U

		TION 31										
Date	Time	Depth		breve	CA	Τr.	°C.	Sal.	Cu.	PO	the second s	NO ₃ -
			С.	<u>M.</u>					· ·	In.	Tot.	NO2
5/15	1540				6	-						
		1	О				28.7		0.08		51.1	2.0
		4		-			27.5	2.32	0.04	36.9	49.2	0.2
6/19	1310				4	-						_
		1	0				25.7		0.08		42.3	1.2
		4	**	-			26.0	0.15	0.07	34.2	44.7	1.2
7/10	1136				6	••						
		1	О	-			27.1	-		40.5	48.8	7.8
		4		-			26.9	-	0.04	55.8	56.0	6.6
8/13	1344				6	-						
		1	0	••			27.0	0.09		42.9	52.1	5.0
		4	-				26.9	0.15	0.08	44.1	55.8	5.5
9/25	1240				5							
		1	0				27.2	0.09		36.7	55.8	4. l
		4	en	-			26.7	0.09	0.04	37.9	52.6	4.5
10/16	1250				4	-						
		1	О				28.2		0.04		51.2	9.3
		4	-	-			27.5	1.62	0.05	46.5	58.1	8.8
11/25	1255				0	-						
		1	0				22.0	4.11		47.9	52 .1	7.1
		4	-	~			21.8	5.07	0.04	38.4	46.0	7.3
12/29	1222				2	-						
		1	0	-			19.9	3.78		-	51.2	1.1
		4	~	-			19.0	4.45	0.04	-	51.2	0.6
	CTT A 1	CION 32	Л	ep t h of	7 fa	ot	27°52']	NT 82°	20' W			
1958	<u></u>		<u> </u>	cptil 01				<u> </u>		-		
10/13	1300				4	_						
10/15	1000	1	_	_	-	-	26.8	5 79	0.08		18.3	1.4
		4	_	-			27.0	7.43	0.03	_	21.6	1.8
11/10	1136	-	-	-	6		L 1.0	1.15	0.05	-	81,0	
11/10	1150	1			0	-	23.8	0 52	0.05	22 9	28.2	3.7
		4		-			23.0		0.05		29.5	2.5
12/16	1300	т	-	-11	6		L J , V	J. 1L	0.05	410 T	u / • J	u. 7
12/10	1000	1	_		0	-	16.7	1 01	0.03	20.2	26.9	4.0
		4	-	-			18.3	14.79			20.9 25.6	To U
1959		ч	-	-			10.0	17017	0.01	<i>LL</i> , 0	2 ,0	
	1225				٨							
1/30	1335	1			4	-	20 7	0.04	0 05	24 4	20 0	2 0
		1	-	-			20.7		0.05		28.8	3.9
		4	-	-			19.5	0.18	0,05	21.9	28.0	3.6

Date	Time	Depth	G.	breve	CA	Τr.	°C.	Sal.	Cu.	PO		NO3-
			Ċ.	M.						In.	Tot.	NO2
2/20	1424				6	-						
		1					21.4	0.28		21.8	25.0	7.1
		4					21.2	0.60	0.02	24.1	28.4	5.9
3/30	1222				7							
		1	-				20.0		0.03		27.9	1.3
		4					20.0	0.09	0.04	24.4	27.8	1.5
4/23	1220				4	-						
		1	-	-			22.5		0.05		29.1	2, 8
		4	-	-			22.3	0.04	0.05	24.4	26.0	2.8
5/15	1500				6	-	_					
		1	**	•••			26.7		0.05		52.0	11.3
		4		-			26.3	0.33	0.06	36.2	53.0	11.2
6/19	1233				4	-						
		1	••				25.6		0.08		42.8	1.0
		4	*	-			26.0	0.04	0.08	37.2	43.3	0.7
7/10	1110				6							
		1	-	-			26.0		0.07		58.1	6.6
		4	-	-			26.1	0.09	0.06	44.1	60.5	9.9
8/13	1322				6	-						
		1	••	•••			26.7		0.08		55.8	5.1
		4		**			26.8	0.09	0.07	44.8	55.8	5.5
9/25	1215				5	-						
		1	6-0	-			26.6		0.04		51.2	3.2
		4					26.5	0.09	0.04	41.9	51.2	4.1
0/16	1200				5							
		1	-	-			27.3	0.09		44.7	51.2	10.0
		4	-	-			26.5	0.09	0.05	38.1	49.8	10.0
1/25	1230				0	-						
		1	-	~			22.2	2.14	0.03	45.1	48.6	10.4
		4	••	1			22.4	8.24	0.05	37.2	40.5	6.1
2/29	1215				3	-						
		1		**			20.4	0.79	0.03	••	46.5	10.6
		4	-				19.1	6.20	0.01	-	44.7	5.6
	C TD A D		D				229421	NT 023	9071 11			
958	SIA	FION 33	<u>D</u>	epth of	/ Ie	et	27°42'	IN. 82	°27'W	<u>-</u>		
0/13	1410				4							
0/13	1410	1	\cap		4	-	27 2	11.31	0.05	18.6	19.8	0.8
		1 4	0	••			27.2 27.5	11.31			20.1	
1/10	1252	4	••	-	6		27.5	11.40	0.05	20.0	20, 1	0.9
1/10	1494	1	\sim		0	-	25 0	0 60	0 05	12 4	16 0	07
		1	Ο				25.0		0.05		16.9	0.7
		4		-			25.0	8.86	0.05	14.3	14.7	0.2

Date	Time	Depth	_	reve	CA	Tr.	°C.	Sal.	Cu.	۲C	4	NO3-
Dave	1 11110	r • · · ·	C.	<u>M.</u>					•	In.	Tot.	NO2
12/16	1400				6			······				
		1	0	••			15.6	3.93	0.03	16.0	12.1	0.8
		4	**	**			15.0	8.04	0.02	15.3	16.3	0.6
1959												
1/30	1459				5	-						
		1	0				21.0	0.57	0.08	9.8	10.9	0.5
		4	**	**			20.5	0.57	0.08	8.6	9.7	0.4
2/20	1540				5	••						
		1	0				21.7	14.09		13.8	16.4	1.1
		4	**	-			21.7	13.71	0.03	15.0	16.8	1.1
3/30	1407				7	**						
		1	0	**			22.0	10.73			17.4	1.3
		4	-				21.2	6.17	0.03	17.4	21.0	0.7
4/23	1330		~		4	**	24 5	10 01	0 07		1/ 5	1 0
		1	0	-			24.7	10.81		15.5	16.5	1.0
F /1 F	1/ 40	4	**	-	/		24.3	11.17	0.07	16.5	17.0	1.6
5/15	1640	,	0		6	-	20 0	12,59	0 00	16 5	18.4	0.3
		1	0				28.9 28.1	14,52			20.5	0.1
6/10	1345	4	**		4		40, 1	14, 52	0.04	17.2	20. 5	0.1
0/19	1545	1	0		T	ged .	26.7	0.09	0 13	7.3	10.3	0.5
		4					26.3	0.55		8.2	11.8	0.6
7/10	1230	т	**	-	5	_	20. 5	0, 55	0.01	0.2	11.0	0.0
7710	1650	1	0		5	-	28.5	0.15	0.06	7.9	10.3	0.5
		4	•	_			28.0	0.09		6.3	7.9	0.7
8/13	1423	•	-	-	6		2010	0807		000	/	
-,		1	0	-			28.0	0.09	0.11	6.9	8.2	0.8
		4		-			27.7	0.09	0.12	8.4	8.4	1.1
9/25	1340				5	~						
		I	0	**			28.5	0.35	0.09	12.2	13.2	0.8
		4	**	-			29.3	0.61	0.06	12.2	13.7	0.8
10/16	1350				6	**						
		1	0	-			29.2	11.37	0.04	13.6	16.3	1.2
		4	-	••			29.4	11.38	0.04	13.5	15.1	1.2
11/25	1400				0							
		1	Ο	**			22.4	6.91		12.1	12.3	0.5
		4	-	**			22.3	7.07	0.03	16.0	16.0	0.9
12/29	1350				2	and .						
		1 4	0	-			20.1 20.1	8.12 9.11	0.09	-	-	0.4 0.8

Date	Time	Depth	G. 1	oreve	CA	Tr.	°C.	Sal.	Cu.	PO,	4	NO3-
		-	Ċ.	м.						In.	Tot.	NO ₂
1958					···· ,							
10/13	1445				4	-						
		1	-	-			27.2	0.09	0.05	12.2	12.8	0.8
		4					27.6	0.09	0.07	13.7	16.8	0.8
11/10	1333				6							
		1		-			23.5	0.09	0.09	8.1	8.6	0.5
		4					23.7	0.09	0.09	6.6	9.2	1.6
12/16	1435				6							
		1		-			15.0	0.04	0.02	-	8.7	0.8
		4	-	-			15.0	0.04	0.02	10.4	-	0.7
1959												
1/30	1544				4	-						
		1	-				21.0	0.04	0.08	9.8	12.6	0.6
		4	-	-			21.0	0.04	0.08	8.6	11.9	0,5
2/20	1610				5	-						
·		1					21.1	0.09	0.05	11.2	13.0	0.9
		4					21.1	0.04		7.1	13.4	1.4
3/30	1445				7	-	•	•••	•••	••-		-• -
-,		1		-	•		21.7	0,18	0.06	8.8	10.5	0.9
		4	-	-			21.7		0.06	7.8	10.4	2.2
4/23	1400	-			4	_						-0 -
-,		1	-	-	_		24.7	0.15	0.11	8.6	10.6	1.5
		4		-			24.4	0.09	0.10	9.2	10.3	1.4
5/15	1730	-			6			••••	•••			-• -
5,25		1		-	•	-	28.1	0.15	0.06	13.0	16.5	0.4
		4	-	_			28.1		0.04		13.4	1.8
6/19	1420	-	-	-	4	_			••••			0
0, - /	- 120	1	-	-	-	-	27.0	0.04	0.10	5.3	7.0	0.3
		4	-	_			27.0		0.09	5.5	6.7	0.3
7/10	1303	1	-	-	9	_	D1	0,01	0.07	J. J	0.1	0.5
1720	2000	1	-			-	26.7	0.04	0.11	6.4	7.9	0.7
		4	-				26.8	0.04		6.5	8.0	0.4
8/13	1510	Ŧ	-	-	6		20.0	0.04	-	0.5	0.0	0.4
0/10	1010	1			0		27.8	0 19	0.09	7.9	8.5	1.0
		4	H	-			27.8	0.18		7.9 7.8	8.5 8.6	1.1
9/25	1435	Т		-	5		20 º U	0.09	0.13	1.0	0,0	1.1
7165	1400	1			5	-	27 5	0.04	0 00	12 0	12 0	14
		4	-	-			27.5		0.08 0.08		13.8	1.6
10/16	1525	4	-		A		27.4	0.04	0.08	14.5	13.4	1.2
10/10	1949	1			4	**	20 0	0.00	0 00	11 4	11 4	2 7
		1	•	**			28.0		0.09		11.4	2.7
		4	-				28.5	0.28	0.09	11.6	14.8	2.6

e'

	STAT	'ION 34	(Co	ont'd)								
Date	Time	Depth		breve	CA	Tr.	°C.	Sal.	Cu.	P04		NO3-
			C.	М.						In.	Tot.	NO2
11/25	1505				0	-						
		1	-	-			21.0	0.42	0.08	9.9	9.9	1.7
		4	-	-			21.1	0.09	0.08	11.0	11.0	1.5
12/29	1420				2	-						
		1	•	-			19.9		0.12	ent	11.2	1.4
		4	•	-			19.9	0.09	0.10	•	11.4	1.3
							20021 41		22225	01.337		
1050	STAT	CION 35		Dep t h of	7 ie	et	27°31.4'	<u>N.</u> 2	32°25.	<u>8' W.</u>		
1958	1540				2							
10/13	1540	,			2	•••	27 0	5.05	0.05	9.6	13.0	0.7
		1 4	648				27.8 27.6	4, 56		9.0 11.7	13.1	0.8
11/10	1355	4	•••	-	6		21.0	-1 , 50	0.04	1101	17.1	0.0
11/10	1000	1			0	-	25.0	1.18	0.11	5.9	11.0	0.9
		4		-			25.0	1.75	0.08	9.0	10.3	1.4
12/16	1522	т	-	-	6		L J. U	* • 15	0.00	/• 0	10.0	-0 I
12,10	1966	1	_	_	U	-	15.0	0.18	0.02	8.7	11.5	6.8
		4	_	_			15.0	0.15	0.02	8.1	9.4	1.2
1959		*	-	-				••••	•••=		/• -	
1/30	1655				4							
-,		1					22,5	0,18	0.09	8.1	11.8	0.6
		4	-	-			22.3	0.18	0.12	7.9	10.0	0.7
2/20	1645				5							-
		1	-				23.0	2,56	0.03	9.0	10.1	0.7
		4	-	-			22.6	3.21	0.03	8.6	10.1	1.0
3/30	1530				7	-						
		1	-	-			22.0	0.40	0.06	10.9	12.8	1.0
		4	-	-			22.2	0.52	0.05	11.0	13.2	1.2
4/23	1440				4	•						
		1		-			25.8	4, 22	0.07	7.7	9.1	0.8
		4	•	-			25.5	5.17	0.05	8.2	8.6	0.8
5/15	1800				7							
		1	-	-			28.1			6.8		1.6
1 1 2 -	1	4		-			28.0	8.12	0.05	7.1	8.1	0.3
6/19	1510	,			4	60	25 0	0.04	0.00	()	10.0	0.5
		1		-			27.8	0.04		6.9	10.2	0.5
7/10	1250	4	-	-	0		27.5	0.04	0.09	6.7	9.3	0.6
7/10	1359	1			9		20.2	0.04	0 10	6 1	6 0	0 4
		1	-	-			28.2		0.10	6.1	6.9	0.4
8/13	1602	4	-	-	6		28.0	0.04	0.15	6.0	7.1	0.5
0/13	1002	1			O	•••	28.7	0.09	0.07	9.4	9.8	1.2
			-	*								
		4	•••	-		173	28.6	0.09	0.08	7.3	9.2	1.1
						1/4						

	STAT	F10N 35	(Con	t'd)								
Date	Time	Depth		reve	CA	Tr.	°C.	Sal.	Cu.	PO		NO3-
			С.	М.						In.	Tot.	NO2
9/25	1508				4	•						
		1	-	-			29.0		0.06		12.4	0.9
		4	-	-			28.8	0.18	0.06	13.0	13.0	2.2
10/16	1535				6	-						
		1	-	-			29.6	0.46		10.7	10.8	1.1
		4	•	-			29.3	1.85	0.06	8.3	13.0	0.5
11/25	1525				0	-						_
		1	•				22.5	2.77	0.05	7.8	8.9	1.0
		4	-				22.5	2.85	0.05	7.9	10.7	0.4
12/29	1453				2							
		1	-	-			20.6	3.48	0.03	-	4.7	0.9
		4					20.5	3.59	0.03	-	10.0	0.5
	STA	TION 36	De	epth o	f 5 fe	eet	27°30.	<u>6' N.</u>	82°34,	<u>4' W.</u>		
1958												
10/13	1620				2	-						
		1	0	-			27.7	22.92		18.0	19.6	1.2
		4	-	-			27.5	23.01	0.02	15.5	18.4	2.3
11/10	1445				2	-						
	·	1	С	-			24.3	23.53	0.05	10.9	10.9	0.6
		4	-	-			24.3	23.59	0.06	9.6	11.5	1.4
12/16	1607				6	-						
		1	0				15.8	20.50	0.01	9.0	9.8	1.7
		4	-	-			15.6	21.29	0.01	10.3	10.3	1.7
1959												
1/30	1710				4	-						
		1	0	-			22.6	14.60	0.06	10.5	11.6	1.7
		4	-	-			19.6	19.13	0.04	8.1	10.8	0.9
2/20	1734				5	-						
		1	0	**			22.6	24.29	0.02	9.7	13.0	0.4
		4	-	-			22.5	24.83	0.02	11.4	12.3	0.6
3/30	1615				7	-						
		1	0	-			22.0	15.44	0.03	8.2	9.1	2.7
		4	-				22.2	16.13			9.4	1.1
4/23	1525	-			4	-	-	-				
1,20		1	0	-	-		24.5	22.81	0.05	7.7	8.6	1.0
		4	-	-			24.6	22.85			9.1	1.8
5/15	1845	1	-	-	9	_	- 1, 0	, 55			,	•
5/15	1010	1	Ο	_	/	-	28.3	24.33	0.06	9.3	10.8	1.2
				-			28.2			10.9		
		4	**	-			20° 7	67. 10	0.04	1007	100 /	1, L

	STAT	TION 36	(Cor	nt'd)			<u>.</u>					
Date	Time	Depth	G. breve		CA	Tr.	°C.	Sal.	Cu.	PO4		NO3⊷
			C.	M.						In.	Tot.	NO2
6/19	1600				2	-						
		1	Ο	-			28.5	2.23	0.07	10.7	13.6	1.0
		4	-				28.3	2.27	0.07	10.0	13.7	0.8
7/10	1445				8	-						
		1	0				30.5	12.27	0.06	9.8	11.6	0.5
		4	-				30.0	17.63	0.06	10.5	11.8	0.8
8/13	1643				6	-						
		1	Ο				29.4	1.01	0.16	12.0	14.0	2.7
		4	-	-			29.1	1.51	0.13	12.6	15.3	3.6
9/25	1550				5	••						
		1	С				29.0	10.75	0.03	8.0	11.6	0.1
		4					28.5	15.21	0.03	11.4	13.7	0.2
10/16	1600				6	-						
		1	Ο				29.4	21.62	0.04	8.7	13.7	0.3
		4	-				29.3	22.01	0.03	8.7	10.2	0.8
11/25	1615				0							
		1	Ο	-			21.5	19.52	0.03	8.8	11.4	1.0
		4		-			21.6	19.52	0.03	8.6	8.8	1.5
12/29	1529				4	••						
		1	Ο				19.2	23.08	0.00		9.1	0.5
		4	•				19.1	23.31	0.04		9.1	0.3

MS #996

☆ U.S. GOVERNMENT PRINTING OFFICE: 1961 O - 584702



